



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50610003-001



Jun 13, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 1

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
0.245%

Total THC/Container : 101.982 mg



Total CBD
ND

Total CBD/Container : 0.000 mg



Total Cannabinoids
0.245%

Total Cannabinoids/Container : 101.982 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.245	ND	ND	ND	ND	<0.010	ND	ND	ND	ND	<0.010
mg/unit	101.98	ND	ND	ND	ND	<4.16	ND	ND	ND	ND	<4.16
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 4571

Weight:
2.9875g

Extraction date:
06/11/25 22:50:03

Extracted by:
3335, 3621, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087398POT

Instrument Used : DA-LC-008

Analyzed Date : 06/12/25 08:52:37

Batch Date : 06/11/25 09:20:45

Dilution : 40

Reagent : 060425.01; 060625.R05; 090924.05; 053025.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164


Signature
06/13/25