

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50611003-001

Kaycha Labs

Sunnyside Chews 100mg 10pk Orange

Orange Matrix: Edible

Classification: High THC Type: Soft Chew

Production Method: Other - Not Listed Harvest/Lot ID: 7063341889775884

Batch#: 7063341889775884

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 7990341864134187

Harvest Date: 06/09/25

Sample Size Received: 11 units

Total Amount: 1935 units Retail Product Size: 42.0036 gram

Retail Serving Size: 4.1 gram

Servings: 10 Ordered: 06/11/25

Sampled: 06/11/25 Completed: 06/14/25

Sampling Method: SOP.T.20.010

PASSED

Jun 14, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Sunnyside Chews



Pages 1 of 5

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 06/12/25 11:51:50



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes NOT **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 101.649 mg



Total CBD

Total CBD/Container: 0.000 mg



Total Cannabinoids

Total Cannabinoids/Container: 101.649

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.242	ND	ND	ND	ND	< 0.010	ND	< 0.010	ND	ND	< 0.010
mg/unit	101.65	ND	ND	ND	ND	<4.20	ND	<4.20	ND	ND	<4.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
alyzed by:	5, 585, 1440				eight: 1465q	Extraction 06/12/25				Extracted by: 3335	

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA087458POT Instrument Used: DA-LC-008 Analyzed Date: 06/13/25 11:04:09

Dilution: 40 Reagent: 060425.01; 060625.R05; 090924.05; 053025.R04 Consumables: 947.110; 04312111; 062224CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



PASSED





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50611003-001 Harvest/Lot ID: 7063341889775884

Batch#: 7063341889775884 Sample Size Received: 11 units Sampled: 06/11/25 Ordered: 06/11/25

Total Amount: 1935 units Completed: 06/14/25 Expires: 06/14/26 Sample Method: SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET		0.010	ppm	0.2	PASS	ND
OTAL PYRETHRINS	0.010		1	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
OTAL SPINETORAM	0.010		3	PASS	ND	PRALLETHRIN		0.010		0.4	PASS	ND
OTAL SPINOSAD	0.010	11.11	3	PASS	ND					1	PASS	ND
BAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPICONAZOLE		0.010		_		
CEPHATE	0.010	ppm	3	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
CEQUINOCYL	0.010	ppm	2	PASS	ND	PYRIDABEN		0.010	ppm	3	PASS	ND
ETAMIPRID	0.010	ppm	3	PASS	ND	SPIROMESIFEN		0.010	ppm	3	PASS	ND
DICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	3	PASS	ND
OXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
FENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
DSCALID	0.010	ppm	3	PASS	ND	THIAMETHOXAM		0.010		1	PASS	ND
ARBARYL	0.010	F F	0.5	PASS	ND			0.010		3	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND	TRIFLOXYSTROBIN					PASS	
ILORANTRANILIPROLE	0.010		3	PASS	ND	PENTACHLORONITROBENZ	ZENE (PCNB) *	0.010		0.2		ND
ILORMEQUAT CHLORIDE	0.010	11.11	3	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
LORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	ppm	3	PASS	ND
OFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	ppm	0.1	PASS	ND
UMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	ppm	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	ppm	1	PASS	ND
AZINON	0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050	ppm	1	PASS	ND
CHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extraction	• • • • • • • • • • • • • • • • • • • •		Extracted by:	
METHOATE	0.010		0.1	PASS	ND	4056, 585, 1440	1.0827a	06/12/25 1			4640.4056.58	
HOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30					,,	-
OFENPROX	0.010		0.1	PASS	ND	Analytical Batch : DA08746						
OXAZOLE	0.010		1.5	PASS	ND	Instrument Used : DA-LCMS			Batcl	Date :06/12	/25 11:55:38	
NHEXAMID	0.010	ppm	3	PASS	ND	Analyzed Date: 06/13/25 1	2:47:12					
NOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
NPYROXIMATE	0.010	ppm	2	PASS	ND	Reagent: 060825.R01; 043 Consumables: 040724CH0		/; U61225.R05;	; U61025.R5	8; 042925.R1	3; U61125.R01	
PRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; I						
ONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agent		ing Liquid Chrom	natography T	rinle-Ouadrund	ile Mass Spectroi	netry in
UDIOXONIL	0.010	ppm	3	PASS	ND	accordance with F.S. Rule 64		g Elquid CillOll	acograpity 1	p.c-Quaurupt	ne nass spectro	cuy III
EXYTHIAZOX	0.010	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction	date:		Extracted by:	
IAZALIL	0.010	ppm	0.1	PASS	ND	450, 585, 1440	1.0827g	06/12/25 14	1:35:35		4640,4056,585	
IDACLOPRID	0.010		1	PASS	ND	Analysis Method : SOP.T.30		.151.FL				
RESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analytical Batch : DA08746						
ALATHION	0.010		2	PASS	ND	Instrument Used : DA-GCM Analyzed Date : 06/13/25 1			Batch D	ate:06/12/25	11:58:14	
TALAXYL	0.010	ppm	3	PASS	ND	Dilution: 250	.0.47.44					
THIOCARB	0.010	ppm	0.1	PASS	ND	Reagent: 060825.R01; 043	R025 28: 052125 P	12· 052125 P43				
THOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH0						
EVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; I						
YCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agent	s is performed utiliz	ing Gas Chromat	ography Trig	ole-Quadrupole	Mass Spectrome	try in
ALED	0.010	ppm	0.5	PASS	ND	accordance with F.S. Rule 64		-				-

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50611003-001 Harvest/Lot ID: 7063341889775884

Batch#: 7063341889775884 Sample Size Received: 11 units Sampled: 06/11/25 Ordered: 06/11/25

Total Amount: 1935 units Completed: 06/14/25 Expires: 06/14/26 Sample Method: SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 4451, 585, 1440	Weight: 0.0215g	Extraction date: 06/12/25 14:23:0	5		xtracted by: 451	

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA087451SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** $06/13/25 \ 08:58:10$

Dilution: 1 Reagent: 030420.09

Consumables : 429651; 315545 Pipette : DA-415 (25uL Syringe - 44285); DA-416 (25uL Syringe - 44286)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Batch Date: 06/12/25 11:34:41

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50611003-001 Harvest/Lot ID: 7063341889775884

Sampled: 06/11/25 Ordered: 06/11/25

Batch#: 7063341889775884 Sample Size Received: 11 units Total Amount: 1935 units Completed: 06/14/25 Expires: 06/14/26 Sample Method: SOP.T.20.010

Page 4 of 5

Batch Date: 06/12/25 11:58:04



Microbial

4520.4777



Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: Weight: **Extraction date:** Extracted by: 4520, 3390, 585, 1440 1.1447g 06/12/25 09:54:48 4520,4777

 $\begin{array}{l} \textbf{Analysis Method: } SOP.T.40.056C, \ SOP.T.40.058.FL, \ SOP.T.40.209.FL \\ \textbf{Analytical Batch: } DA087425MIC \end{array}$

Instrument Used: DA-111 (PathogenDx Scanner),DA-010 Batch Da (Thermocycler),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block) 07:28:48 Batch Date: 06/12/25

Analyzed Date: 06/13/25 11:02:34

Reagent: 031325.06; 050225.18; 051325.R51; 093024.05 Consumables: 7581003069; 7582002001

Weight: 1.1447a

Pipette: N/A Analyzed by: 4520, 585, 1440

***	Mycotoxins				PA5	3
Analyte	L	.OD	Units	Result	Pass / Fail	Ac
AFLATOXIN B	32	0.002	ppm	ND	PASS	0.
AFLATOXIN B	31	0.002	ppm	ND	PASS	0.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction date:	25		acted by:	-

Analysis Method: SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch: DA087464MYC Instrument Used : N/A

Analyzed Date: 06/13/25 12:46:39

Dilution: 250

Reagent: 060825.R01; 043025.28; 061025.R57; 061225.R05; 061025.R58; 042925.R13; 061125.R01

Consumables: 040724CH01; 6822423-02 Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

1022.4531

Analysis Method: SOP.T.40.209.FL Analytical Batch: DA087426TYM Instrument Used: DA-328 (25*C Incubator) Analyzed Date: 06/14/25 15:02:46	Batch Date : 06/12/25 07:29:48
Analyzed Bate : 00/14/25 15.02.40	

06/12/25 09:54:48

Reagent: 031325.06; 050225.18; 050725.R36

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

метаі		LOD	Units	Result	Pass / Fail	Level	
TOTAL CONTAMINA	ANT LOAD METALS	0.080	ppm	ND	PASS	5	
ARSENIC		0.020	ppm	ND	PASS	1.5	
CADMIUM		0.020	ppm	ND	PASS	0.5	
MERCURY		0.020	ppm	ND	PASS	3	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by:	Weight: E	vtraction date		Ev	tracted b	w.	

06/12/25 13:52:14

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2679a

Analytical Batch : DA087449HEA Instrument Used : DA-ICPMS-004

Batch Date: 06/12/25 10:52:44

Analyzed Date : 06/13/25 11:00:59

Dilution: 50

1022, 585, 1440

Reagent: 060425.R41; 060925.R08; 060925.R07; 061025.R39; 060925.R05; 060925.R06;

120324.07; 060925.R09

Consumables: 040724CH01: I609879-0193: 179436

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Fmail: Julio Chavez@crescolabs.com Sample : DA50611003-001 Harvest/Lot ID: 7063341889775884

Sampled: 06/11/25 Ordered: 06/11/25

Batch#: 7063341889775884 Sample Size Received: 11 units Total Amount: 1935 units Completed: 06/14/25 Expires: 06/14/26 Sample Method: SOP.T.20.010

Page 5 of 5



Filth/Foreign **Material**

PASSED

Homogeneity

PASSED

Amount of tests conducted: 20

Analyte		LOD	Units	Result	P/F	Action Level
Filth and Foreign	n Material	0.100	%	ND	PASS	1
Analyzed by: 585, 1440	Weight: 1g		ion date: 25 13:04:50)	Ext i 585	racted by:

Analysis Method: SOP.T.40.090

Analytical Batch : DA087560FIL
Instrument Used : Filth/Foreign Material Microscope

Batch Date: 06/14/25 12:56:26 Analyzed Date : 06/14/25 13:14:28

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	LOD	Units	Pass/Fail	Result	Action

TOTAL THC - HOMOGENEITY 0.001 **PASS** 2.539 25

Average **Extracted By** Analyzed by Extraction date: Weight 4621, 4351, 585, 1440 4.288g 06/12/25 10:11:29

Analysis Method: SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA087421HOM Instrument Used : DA-LC-005

Analyzed Date : 06/13/25 11:01:50

Batch Date: 06/12/25 07:26:54

Reagent: 060425.01; 052025.R03; 090924.05; 053025.R07

Consumables: 947.110; 04312111; LCJ0311R; 070424CH01; 1009487156; 1009468945;

0000355309

Pipette: DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Analyte LOD Units Result P/F **Action Level Water Activity** PASS 0.010 aw 0.693 0.85 Weight: 7.181g Extraction date: 06/12/25 11:42:14 Extracted by: 4797,4451 Analyzed by: 4797, 4451, 585, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA087433WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 06/12/25 09:36:27 Analyzed Date: 06/13/25 08:10:54

Dilution: N/A Reagent: 101724.36

Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164