



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50611003-005



**Production Method:** Cured  
**Harvest/Lot ID:** 0470210894144063  
**Batch#:** 0470210894144063  
**Cultivation Facility:** FL - Indiantown (4430)  
**Processing Facility :** FL - Indiantown (4430)  
**Source Facility:** FL - Indiantown (4430)  
**Seed to Sale#:** 6708288127907705  
**Harvest Date:** 06/09/25  
**Sample Size Received:** 7 units  
**Total Amount:** 1658 units  
**Retail Product Size:** 14 gram  
**Servings:** 1  
**Ordered:** 06/11/25  
**Sampled:** 06/11/25  
**Completed:** 06/14/25  
**Revision Date:** 06/19/25  
**Sampling Method:** SOP.T.20.010

Jun 19, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

# Sunnyside\*

**PASSED**

Pages 1 of 5

### SAFETY RESULTS


Pesticides  
**PASSED**

Heavy Metals  
**PASSED**

Microbials  
**PASSED**

Mycotoxins  
**PASSED**

Residuals  
Solvents  
**NOT TESTED**

Filth  
**PASSED**

Water Activity  
**PASSED**

Moisture  
**PASSED**

Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**TESTED**


Total THC

**19.711%**

Total THC/Container : 2759.540 mg



Total CBD

**0.047%**

Total CBD/Container : 6.580 mg



Total Cannabinoids

**22.606%**

Total Cannabinoids/Container : 3164.840 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.508	20.757	ND	0.054	0.028	0.057	0.123	0.012	ND	ND	0.067
mg/unit	211.12	2905.98	ND	7.56	3.92	7.98	17.22	1.68	ND	ND	9.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
3335, 1665, 4351, 1440

Weight:  
0.2111g

Extraction date:  
06/12/25 11:17:51

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087435POT

Instrument Used : DA-LC-002

Analyzed Date : 06/13/25 21:59:27

Batch Date : 06/12/25 10:23:24

Dilution : 400

Reagent : 061125.R17; 021125.07; 061225.R02

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/14/25

**Revision: #1**

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Lmn Chrry Gltto (H)  
Lmn Chrry Gltto (H)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50611003-005

Harvest/Lot ID: 0470210894144063

Batch# : 0470210894144063

Sampled : 06/11/25

Ordered : 06/11/25

Sample Size Received : 7 units

Total Amount : 1658 units

Completed : 06/14/25 Expires: 06/19/26

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	110.04	0.786	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	29.68	0.212	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	21.98	0.157	ALPHA-PINENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	13.72	0.098	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	10.64	0.076	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	8.40	0.060	BETA-PINENE	0.007	TESTED	ND	ND
FARNESENE	0.001	TESTED	7.42	0.053	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	7.28	0.052	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	5.60	0.040					
ALPHA-TERPINEOL	0.007	TESTED	5.32	0.038	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:		Extracted by:
3-CARENE	0.007	TESTED	ND	ND		4831.385, 1440	06/12/25 14:09:55		4451
BORNEOL	0.013	TESTED	ND	ND	Analytical Batch : DA087427TER				
CAMPHENE	0.007	TESTED	ND	ND	Instrument Used : DA-GC/MS-004				Batch Date : 06/12/25 09:05:10
CAMPHOR	0.007	TESTED	ND	ND	Analyzed Date : 06/13/25 08:59:07				
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 051525.10				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FENCHONE	0.007	TESTED	ND	ND	Pipette : DA-065				
GERANIOL	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-BISABOLOL	0.007	TESTED	ND	ND					
Total (%)				0.786					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/14/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Lmn Chrry Gltto (H)  
Lmn Chrry Gltto (H)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

Sunnyside

22205 Sw Martin Hwy  
Indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: Julio.Chavez@crescolabs.com

Sample : DA50611003-005  
Harvest/Lot ID: 0470210894144063

Batch# : 0470210894144063 Sample Size Received : 7 units  
Sampled : 06/11/25 Total Amount : 1658 units  
Ordered : 06/11/25 Completed : 06/14/25 Expires: 06/19/26  
Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	ppm	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	ppm	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	ppm	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	ppm	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	ppm	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	ppm	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440	Weight: 1.0127g	Extraction date: 06/12/25 13:36:24	Extracted by: 4640,4056,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087441PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)				Batch Date : 06/12/25 10:30:43	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 06/13/25 09:34:37					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 060825.R01; 043025.28; 061025.R57; 060925.R01; 061025.R59; 042925.R13; 061125.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.0127g	Extraction date: 06/12/25 13:36:24	Extracted by: 4640,4056,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA087443VOL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010				Batch Date : 06/12/25 10:33:07	
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 06/13/25 09:30:35					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 060825.R01; 043025.28; 052125.R42; 052125.R43					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 040724CH01; 6822423-02; 17473601					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/14/25

Revision: #1

This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Lmn Chrry Gltto (H)  
Lmn Chrry Gltto (H)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED


Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50611003-005  
Harvest/Lot ID: 0470210894144063

Batch# : 0470210894144063 Sample Size Received : 7 units  
Sampled : 06/11/25 Total Amount : 1658 units  
Ordered : 06/11/25 Completed : 06/14/25 Expires: 06/19/26  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>					
<b>Analyte</b>	<b>LOD</b>	<b>Units</b>	<b>Result</b>	<b>Pass / Fail</b>	<b>Action Level</b>		
ASPERGILLUS TERREUS			Not Present	PASS			
ASPERGILLUS NIGER			Not Present	PASS			
ASPERGILLUS FUMIGATUS			Not Present	PASS			
ASPERGILLUS FLAVUS			Not Present	PASS			
SALMONELLA SPECIFIC GENE			Not Present	PASS			
ECOLI SHIGELLA			Not Present	PASS			
TOTAL YEAST AND MOLD	10	CFU/g	5000	PASS	100000		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 11:02:40							
Dilution : 10							
Reagent : 031325.06; 050225.18; 051325.R51; 093024.05							
Consumables : 7581003069; 7582002001							
Pipette : N/A							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Weight: 0.9507g	Extraction date: 06/12/25 09:54:49	Extracted by: 4520,4777				
Analytical Batch : DA087425MIC							
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) 07:28:48	Batch Date : 06/12/25						
Analyzed Date : 06/13/25 1							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/14/25

Revision: #1


This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Supply Shake 14g - Lmn Chrry Gltto (H)  
Lmn Chrry Gltto (H)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.Chavez@crescolabs.com

Sample : DA50611003-005  
Harvest/Lot ID: 0470210894144063

Batch# : 0470210894144063 Sample Size Received : 7 units  
Sampled : 06/11/25 Total Amount : 1658 units  
Ordered : 06/11/25 Completed : 06/14/25 Expires: 06/19/26  
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.0	%	12.5	PASS	15
Analyzed by: 585, 1440	Weight: 1g	Extraction date: 06/14/25 13:04:50	Extracted by: 585			Analyzed by: 4797, 4451, 585, 1440	Weight: 0.498g	Extraction date: 06/12/25 10:50:25	Extracted by: 4797		
Analysis Method : SOP.T.40.090 Analytical Batch : DA087560FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/14/25 13:14:30 Batch Date : 06/14/25 12:56:26						Analysis Method : SOP.T.40.021 Analytical Batch : DA087431MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 06/13/25 08:21:10 Batch Date : 06/12/25 09:33:56					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 060425.01 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.534	PASS	0.65
Analyzed by: 4797, 4451, 585, 1440	Weight: 1.6g	Extraction date: 06/19/25 12:34:53	Extracted by: 4797		
Analysis Method : SOP.T.40.019 Analytical Batch : DA087432WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 06/13/25 08:23:13 Batch Date : 06/12/25 09:36:10					
Dilution : N/A Reagent : 101724.36 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/14/25

Revision: #1

This revision supersedes any and all previous versions of this document.