



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50613015-006



Jun 17, 2025 | CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US



PASSED

Pages 1 of 1

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

TESTED



Total THC
4.402%

Total THC/Container : 289.079 mg



Total CBD
0.003%

Total CBD/Container : 0.197 mg



Total Cannabinoids
4.685%

Total Cannabinoids/Container : 307.664 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.402	ND	0.003	<0.010	ND	0.211	ND	0.020	0.025	ND	0.024
mg/unit	289.08	ND	0.20	<0.66	ND	13.86	ND	1.31	1.64	ND	1.58
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4351, 1665, 585, 1440

Weight:
0.6567g

Extraction date:
06/16/25 11:12:57

Extracted by:
3335,4351

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087573POT

Instrument Used : DA-LC-008

Analyzed Date : 06/17/25 08:11:03

Batch Date : 06/16/25 07:16:12

Dilution : 400

Reagent : 060625.R05; 021125.07; 053025.R04

Consumables : 947.110; 04312111; 062224CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

TESTED

Analyte	LOD	Units	Pass/Fail	Result	Analyte	LOD	Units	Pass/Fail	Result
TOTAL THC PER CAPSULE	0.001	mg	TESTED	9.636	TOTAL CBD PER CAPSULE	0.001	mg	TESTED	<1.000

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
06/17/25