

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50618015-003

Kaycha Labs

Supply Vape Cartridge 1g - Outer Space (S)

Outer Space (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 9537396276242396

> > Batch#: 9537396276242396

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 2050690140675863

Harvest Date: 06/13/25

Sample Size Received: 16 units Total Amount: 1155 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 06/18/25 Sampled: 06/18/25

Completed: 06/21/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 06/19/25 10:29:23



Water Activity **PASSED**



NOT TESTED



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Jun 21, 2025 | Sunnyside

Total THC

Total THC/Container: 916.581 mg

91,658%



Total CBD $\mathbf{0.186}\%$ Total CBD/Container: 1.860 mg



Total Cannabinoids 96.480%

Total Cannabinoids/Container: 964.800



Analyzed by: 4351, 1665, 585, 1440 Extraction date: 06/19/25 12:11:54

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA087690POT Instrument Used: DA-LC-003

Analyzed Date: 06/20/25 09:02:48

Dilution: 400
Reagent: 061125.R20; 031125.07; 061225.R01
Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 06/21/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50618015-003 Harvest/Lot ID: 9537396276242396

Batch#: 9537396276242396 Sample Size Received: 16 units Sampled: 06/18/25

Total Amount: 1155 units Ordered: 06/18/25 Completed: 06/21/25 Expires: 06/21/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)		mg/unit	Result (%)	Terpenes	LOD (%)		mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	41.89	4.189	NEROL	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	19.08	1.908	PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	7.00	0.700	SABINENE HYDRATE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	3.75	0.375	VALENCENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	2.09	0.209	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	1.96	0.196	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TESTED	0.91	0.091	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.84	0.084	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.84	0.084	Analyzed by:	Weight	tı	Extracti		Extracted by:
ETA-PINENE	0.007	TESTED	0.73	0.073	4444, 4451, 585, 1440	0.1995	ig	06/19/2	15 13:39:10	4444
CIMENE	0.007	TESTED	0.63	0.063	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A	LFL				
ARNESENE	0.001	TESTED	0.62	0.062	Analytical Batch : DA087708TER Instrument Used : DA-GCMS-004				Batch Date : 06/19/25 11:08:53	
LPHA-PINENE	0.007	TESTED	0.55	0.055	Instrument Used : DA-GCMS-004 Analyzed Date : 06/20/25 12:58:27				Batch Date: 06/19/25 11:08:53	
RANS-NEROLIDOL	0.005	TESTED	0.47	0.047	Dilution: 10					
LPHA-TERPINOLENE	0.007	TESTED	0.44	0.044	Reagent: 051525.10					
ENCHONE	0.007	TESTED	0.43	0.043	Consumables: 947.110; 04312111; 2240626; 00003	355309				
AMPHENE	0.007	TESTED	0.35	0.035	Pipette : DA-065					
UAIOL	0.007	TESTED	0.34	0.034	Terpenoid testing is performed utilizing Gas Chromatograph	hy Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
-CARENE	0.007	TESTED	0.33	0.033						
LPHA-TERPINENE	0.007	TESTED	0.30	0.030						
ABINENE	0.007	TESTED	0.24	0.024						
ORNEOL	0.013	TESTED	ND	ND						
AMPHOR	0.007	TESTED	ND	ND						
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND						
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND						
ERANIOL	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
IEXAHYDROTHYMOL	0.007	TESTED	ND ND	ND						
SOBORNEOL	0.007	TESTED	ND ND	ND						
SOPULEGOL	0.007	TESTED	ND ND	ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/21/25