

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50618015-005

Kaycha Labs Labs

Supply Vape Cartridge 500mg - Outer Space (S)

Outer Space (S) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 5994568323432304

> > Batch#: 5994568323432304

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 8822056994848295

Harvest Date: 06/13/25

Sample Size Received: 31 units

Total Amount: 600 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

Ordered: 06/18/25 Sampled: 06/18/25

Completed: 06/21/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Jun 21, 2025 | Sunnyside 22205 Sw Martin Hwv

indiantown, FL, 34956, US



MISC.

SAFETY RESULTS

Pesticides

PASSED

Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 06/19/25 10:29:23



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 89.091%

Total THC/Container: 445.457 mg



Total CBD 0.183%

Total CBD/Container: 0.915 mg



Total Cannabinoids

Total Cannabinoids/Container: 469.130



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA087690POT Instrument Used: DA-LC-003

Analyzed Date: 06/20/25 09:02:54

Dilution: 400
Reagent: 061125.R20; 031125.07; 061225.R01
Consumables: 947.110; 04312111; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 06/21/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50618015-005 Harvest/Lot ID: 5994568323432304

Batch#: 5994568323432304 Sample Size Received: 31 units Sampled: 06/18/25

Total Amount : 600 units Ordered: 06/18/25

Completed: 06/21/25 Expires: 06/21/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)	Pass/Fail		Result (%)	
OTAL TERPENES	0.007	TESTED	21.87	4.374	_	ISOPULEGOL	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	9.66	1.931		NEROL	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	3.49	0.698		PULEGONE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	1.87	0.374		SABINENE HYDRATE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.04	0.209		VALENCENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	0.96	0.192		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	0.44	0.088		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.41	0.082		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.41	0.081		Analyzed by:	Weigh	tı	Extracti		Extracted by:
ORNEOL	0.013	TESTED	0.39	0.078		4444, 4451, 585, 1440	0.206	Bg	06/19/2	15 13:39:10	4444
ETA-PINENE	0.007	TESTED	0.37	0.074		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
CIMENE	0.007	TESTED	0.30	0.060		Analytical Batch : DA087708TER Instrument Used : DA-GCMS-004				Batch Date : 06/19/25 11:08	
ARNESENE	0.001	TESTED	0.30	0.059		Analyzed Date : 06/20/25 12:58:30				Batch Date 1 00/19/25 11:06:	.33
LPHA-PINENE	0.007	TESTED	0.27	0.054	ĺ	Dilution: 10					
RANS-NEROLIDOL	0.005	TESTED	0.24	0.048		Reagent: 051525.10					
ERANYL ACETATE	0.007	TESTED	0.23	0.046		Consumables: 947.110; 04312111; 2240626; 0000355	i309				
LPHA-TERPINOLENE	0.007	TESTED	0.22	0.043		Pipette : DA-065					
ENCHONE	0.007	TESTED	0.21	0.041		Terpenoid testing is performed utilizing Gas Chromatography I	Mass Spectrometry	r. For all Flower sa	imples, the Total	Terpenes % is dry-weight corrected.	
AMPHENE	0.007	TESTED	0.17	0.035							
UAIOL	0.007	TESTED	0.17	0.033							
AMMA-TERPINENE	0.007	TESTED	0.16	0.031							
-CARENE	0.007	TESTED	0.16	0.031							
LPHA-TERPINENE	0.007	TESTED	0.15	0.030							
EDROL	0.007	TESTED	0.15	0.030							
ABINENE	0.007	TESTED	0.13	0.026							
AMPHOR	0.007	TESTED	ND	ND							
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
otal (%)				4.374							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/21/25