

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50620010-009

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Sr Ppya (H) 👫

Sr Ppya (H)

Matrix: Derivative Classification: High THC

Type: Live Resin



Batch#: 2169123572518849

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1848537716397172

Harvest Date: 06/17/25

Sample Size Received: 16 units Total Amount: 2618 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

> > Ordered: 06/20/25 Sampled: 06/20/25

Completed: 06/24/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Certificate of Analysis

22205 Sw Martin Hwv indiantown, FL, 34956, US

Jun 24, 2025 | Sunnyside

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Sunnyside

Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 06/23/25 07:18:45



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 9.323%

Total THC/Container: 793.232 mg



Total CBD 0.217%

Total CBD/Container: 2.170 mg



Total Cannabinoids

Total Cannabinoids/Container: 827.950



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA087804POT Instrument Used: DA-LC-008

Analyzed Date: 06/24/25 08:41:36

Dilution: 400
Reagent: 061825.R02; 021125.07; 061825.R05
Consumables: 947.110; 04312111; 062224CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 06/24/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50620010-009 Harvest/Lot ID: 2169123572518849

Sampled: 06/20/25 Ordered: 06/20/25

Batch#: 2169123572518849 Sample Size Received: 16 units Total Amount: 2618 units Completed: 06/24/25 Expires: 06/24/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	41.87	4.187		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	10.85	1.085		VALENCENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	7.83	0.783		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.82	0.482		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	4.81	0.481		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
UAIOL	0.007	TESTED	3.92	0.392		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ETA-MYRCENE	0.007	TESTED	3.10	0.310		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	2.36	0.236	Ī	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TESTED	1.59	0.159	Ï	Analyzed by:	Weigh	ht:	Extraction	on date:	Extracted by:
LPHA-TERPINEOL	0.007	TESTED	0.78	0.078		4444, 4451, 585, 1440	Weigl 0.205	ig		5 13:36:49	4444
ENCHYL ALCOHOL	0.007	TESTED	0.72	0.072		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
LPHA-PINENE	0.007	TESTED	0.50	0.050		Analytical Batch : DA087766TER Instrument Used : DA-GCMS-009				Batch Date : 06/21/25 11:01:15	
ARNESENE	0.007	TESTED	0.34	0.034		Instrument Used : DA-GCMS-009 Analyzed Date : 06/24/25 08:41:37				Batch Date: 06/21/25 11:01:15	
ETA-PINENE	0.007	TESTED	0.23	0.023		Dilution: 10					
CARENE	0.007	TESTED	ND	ND		Reagent: 051525.10					
ORNEOL	0.013	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 0000355	5309				
AMPHENE	0.007	TESTED	ND	ND		Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	y. For all Flower sa	mples, the Tota	al Terpenes % is dry-weight corrected.	
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
EXAHYDROTHYMOL	0.007	TESTED	ND	ND							
OBORNEOL	0.007	TESTED	ND	ND							
OPULEGOL	0.007	TESTED	ND	ND							
EROL	0.007	TESTED	ND	ND							
CIMENE	0.007	TESTED	ND	ND							
ULEGONE	0.007	TESTED	ND	ND							
ABINENE	0.007	TESTED	ND	ND							
				4.107							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/24/25