

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50626011-007



Jun 30, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Matrix: Flower Classification: High THC Type: Flower-Cured

Production Method: Cured

Harvest/Lot ID: 0147253080493266

Batch#: 0147253080493266

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 9613197630829401

Harvest Date: 06/25/25

Sample Size Received: 8 units Total Amount: 1739 units Retail Product Size: 7 gram

Servings: 1

Ordered: 06/26/25

Sampled: 06/26/25 Completed: 06/30/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2



SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents NOT TESTED



PASSED

Batch Date: 06/27/25 07:38:08



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC



Total CBD 0.068%

Total CBD/Container: 4.788 mg



Total Cannabinoids

Total Cannabinoids/Container: 1925.490

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA087943POT Instrument Used : DA-LC-002 Analyzed Date: 06/30/25 08:26:42

Dilution: 400 Reagent: 061825.R01; 031125.07; 061825.R04

Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 06/30/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Supply Smalls 7g - Bubba Chem (I) Bubba Chem (I) Bubba Chem (I) Matrix : Flower Type: Flower-Cured

Certificate of Analysis

PASSED

TESTED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50626011-007 Harvest/Lot ID: 0147253080493266

Sampled: 06/26/25 Ordered: 06/26/25

Batch#: 0147253080493266 Sample Size Received: 8 units Total Amount: 1739 units

Completed: 06/30/25 **Expires:** 06/30/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

Terpenes	LOD (%)	Pass/Fail		Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	89.02	1.272	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	24.12	0.345	VALENCENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	18.94	0.271	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	14.25	0.203	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	7.61	0.109	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	7.28	0.104	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	3.56	0.051	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LINALOOL	0.007	TESTED	3.32	0.047	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
FARNESENE	0.007	TESTED	2.18	0.031	Analyzed by:	Weigh	t	Extract	ion date:	Extracted by:
FENCHYL ALCOHOL	0.007	TESTED	2.11	0.030	4444, 4451, 585, 1440	1.096	5g	06/27/2	25 12:28:39	4444
ALPHA-PINENE	0.007	TESTED	2.02	0.029	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.Fl					
ALPHA-TERPINEOL	0.007	TESTED	1.86	0.027	Analytical Batch: DA087958TER Instrument Used: DA-GCMS-009				Batch Date : 06/27/25 09:18:25	
TRANS-NEROLIDOL	0.005	TESTED	1.78	0.025	Analyzed Date: 06/30/25 10:07:37				Batch Date : 00/27/25 09:18:25	
3-CARENE	0.007	TESTED	ND	ND	Dilution: 10					
BORNEOL	0.013	TESTED	ND	ND	Reagent: 022525.52					
CAMPHENE	0.007	TESTED	ND	ND	Consumables: 947.110; 04312111; 2240626; 000035	5309				
CAMPHOR	0.007	TESTED	ND	ND	Pipette : DA-065					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	r. For all Flower sa	imples, the Tota	I Terpenes % is dry-weight corrected.	
CEDROL	0.007	TESTED	ND	ND						
EUCALYPTOL	0.007	TESTED	ND	ND						
FENCHONE	0.007	TESTED	ND	ND						
GERANIOL	0.007	TESTED	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND						
GUAIOL	0.007	TESTED	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND						
ISOBORNEOL	0.007	TESTED	ND	ND	ĺ					
ISOPULEGOL	0.007	TESTED	ND	ND	ĺ					
NEROL	0.007	TESTED	ND	ND	ĺ					
OCIMENE	0.007	TESTED	ND	ND	ĺ					
PULEGONE	0.007	TESTED	ND	ND	ĺ					
SABINENE	0.007	TESTED	ND	ND	ĺ					
Total (%)				1.272						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/30/25