

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50626011-008



Jun 30, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Kaycha Labs

Supply Smalls 7g - Black Maple (I)

Black Maple (I) Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 6692636743041035

Batch#: 6692636743041035

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 6338187239707722

Harvest Date: 06/24/25

Sample Size Received: 5 units Total Amount: 515 units

Retail Product Size: 7 gram Retail Serving Size: 7 gram

Servings: 1

Ordered: 06/26/25 Sampled: 06/26/25

Completed: 06/30/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents **NOT TESTED**



Filth **PASSED**

Batch Date: 06/27/25 07:38:08



Water Activity **PASSED**



Moisture **PASSED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 1.567%

Total THC/Container : 1509.736 mg



Total CBD 0.043%

Total CBD/Container: 3.070 mg



Total Cannabinoids

Total Cannabinoids/Container: 1784.930



Analysis Method: SOP.T.40.031. SOP.T.30.031

Analytical Batch: DA087943POT Instrument Used: DA-LC-002 Analyzed Date: 06/30/25 08:26:45

Dilution: 400 Reagent: 061825.R01; 031125.07; 061825.R04

Consumables: 947.110: 04402004: 040724CH01: 0000355309

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



PASSED

Signature 06/30/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50626011-008 Harvest/Lot ID: 6692636743041035

Batch#: 6692636743041035 Sample Size Received: 5 units Sampled: 06/26/25 Ordered: 06/26/25

Total Amount: 515 units **Completed:** 06/30/25 **Expires:** 06/30/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes TOTAL TERPENES	LOD (%) 0.007	Pass/Fail TESTED	mg/unit 176.13	Result (%) 2.516			Terpenes SABINENE HYDRATE	LOD (%) 0.007	Pass/Fail TESTED	mg/unit	Result (%)	
ETA-CARYOPHYLLENE	0.007	TESTED	49.92	0.713	_		VALENCENE	0.007	TESTED	ND ND	ND ND	
IMONENE	0.007	TESTED	49.92 36.93	0.713			ALPHA-CEDRENE	0.007	TESTED	ND ND	ND ND	
ALPHA-PINENE	0.007	TESTED	15.97	0.228			ALPHA-PHELLANDRENE	0.005	TESTED	ND ND		
ALPHA-PINENE ALPHA-HUMULENE		TESTED					ALPHA-TERPINENE		TESTED		ND	
INALOOL	0.007		15.08	0.215			ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
INALOUL SETA-PINENE	0.007	TESTED	15.00	0.214			CIS-NEROLIDOL	0.007	TESTED	ND	ND	
	0.007	TESTED	10.33	0.147				0.003	TESTED	ND	ND	
UAIOL	0.007	TESTED	8.71	0.124			GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	4.60	0.066			Analyzed by: 4444, 4451, 585, 1440	Weigh	ti	Extracti	on date:	Extracted by:
LPHA-TERPINEOL	0.007	TESTED	4.44	0.063				1.0399	łg	06/27/2	5 12:28:39	4444
RANS-NEROLIDOL	0.005	TESTED	4.12	0.059			Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA087958TER					
LPHA-BISABOLOL	0.007	TESTED	3.96	0.056			Instrument Used : DA-GCMS-009				Batch Date : 06/27/25 09:1	8:25
ETA-MYRCENE	0.007	TESTED	2.98	0.043			Analyzed Date : 06/30/25 10:07:42					
CIMENE	0.007	TESTED	2.50	0.036			Dilution: 10					
ARNESENE	0.007	TESTED	1.61	0.023			Reagent : 022525.52					
-CARENE	0.007	TESTED	ND	ND			Consumables: 947.110; 04312111; 2240626; 0000355; Pipette: DA-065	309				
ORNEOL	0.013	TESTED	ND	ND			Terpenoid testing is performed utilizing Gas Chromatography M	lana Canadan mata	Can all Flames as	males the Tetal	Townson N is do not lobb consisted	
AMPHENE	0.007	TESTED	ND	ND			respendid testing is performed dulizing das Ciriolitatography M	iass spectrometry	. rui ali riuwei sa	impres, trie rotar	respenses to is dry-weight corrected.	
AMPHOR	0.007	TESTED	ND	ND								
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		1						
EDROL	0.007	TESTED	ND	ND		1						
UCALYPTOL	0.007	TESTED	ND	ND								
ENCHONE	0.007	TESTED	ND	ND		i						
GERANIOL	0.007	TESTED	ND	ND								
ERANYL ACETATE	0.007	TESTED	ND	ND		i						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND								
SOBORNEOL	0.007	TESTED	ND	ND								
SOPULEGOL	0.007	TESTED	ND	ND								
IEROL	0.007	TESTED	ND	ND								
PULEGONE	0.007	TESTED	ND	ND								
SABINENE	0.007	TESTED	ND	ND								
otal (%)				2.516								

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 06/30/25