

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50626011-020

Kaycha Labs

Bloom Classic Disposable Vape 1g - Pnapl Exp (H)

Pnapl Exp (H) Matrix: Derivative

Classification: High THC Type: Vape



Batch#: 6676202970179582

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 8910473302423591

Harvest Date: 06/24/25

Sample Size Received: 16 units Total Amount: 684 units Retail Product Size: 1 gram

Servings: 1

Ordered: 06/26/25

Sampled: 06/26/25 Completed: 07/01/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

indiantown, FL, 34956, US **SAFETY RESULTS**

22205 Sw Martin Hwy

Jul 01, 2025 | Sunnyside



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 06/27/25 08:26:26



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

90.378% Total THC/Container : 903.789 mg



Total CBD

Total CBD/Container: 2.520 mg



Total Cannabinoids

Total Cannabinoids/Container: 949.920



Extraction date: 06/27/25 11:03:10 Extracted by: 4640 Analyzed by: 1665, 585, 1440

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA087947POT Instrument Used : DA-LC-003

Analyzed Date: 06/30/25 08:28:43

Reagent: 061125.R20; 031125.07; 061225.R01

Consumables: 947.110: 04402004: 040724CH01: 0000355309

Pipette: DA-079: DA-108: DA-078

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 07/01/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs ■ Bloom Classic Disposable Vape 1g - Pnapl Exp (H) Pnapl Exp (H) Matrix : Derivative Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50626011-020 Harvest/Lot ID: 6676202970179582

Sampled: 06/26/25 Ordered: 06/26/25

Batch#: 6676202970179582 Sample Size Received: 16 units Total Amount : 684 units

Completed: 07/01/25 Expires: 07/01/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD					Terpenes	LOD (%)	Pass/Fail		Result (%)	
TOTAL TERPENES	0.007	TESTED		2.879		ISOPULEGOL	0.007	TESTED	ND	ND	
ALPHA-TERPINOLENE	0.007	TESTED	6.97	0.696		NEROL	0.007	TESTED	ND	ND	
SETA-CARYOPHYLLENE	0.007	TESTED	3.02	0.302		PULEGONE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	2.23	0.223		SABINENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	2.16	0.216		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.75	0.175	The state of the s	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.49	0.149		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
CIMENE	0.007	TESTED	1.10	0.110		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALENCENE	0.007	TESTED	0.95	0.095		Analyzed by:	Weigh	ti	Extracti	ion date:	Extracted by:
ARNESENE	0.001	TESTED	0.93	0.093		4444, 4451, 585, 1440	0.240	3g	06/27/2	25 12:19:02	4444
LPHA-PINENE	0.007	TESTED	0.86	0.086		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
INALOOL	0.007	TESTED	0.74	0.074		Analytical Batch : DA087952TER Instrument Used : DA-GCMS-004				Batch Date : 06/27/25 09:12:	47
ALPHA-TERPINEOL	0.007	TESTED	0.71	0.071		Analyzed Date: 06/30/25 10:45:11				Batch Date : 00/27/25 09:12:	17
ORNEOL	0.013	TESTED	0.70	0.069		Dilution: 10					
LPHA-HUMULENE	0.007	TESTED	0.64	0.064		Reagent : 022525.52					
ENCHYL ALCOHOL	0.007	TESTED	0.63	0.063		Consumables: 947.110; 04312111; 2240626; 0000355	i309				
ARYOPHYLLENE OXIDE	0.007	TESTED	0.58	0.058		Pipette : DA-065					
-CARENE	0.007	TESTED	0.55	0.055		Terpenoid testing is performed utilizing Gas Chromatography I	Mass Spectrometry	. For all Flower sa	imples, the Total	I Terpenes % is dry-weight corrected.	
IEXAHYDROTHYMOL	0.007	TESTED	0.51	0.051		i					
LPHA-TERPINENE	0.007	TESTED	0.44	0.044		i					
ERANIOL	0.007	TESTED	0.44	0.044		i					
RANS-NEROLIDOL	0.005	TESTED	0.38	0.038		ì					
AMPHOR	0.007	TESTED	0.37	0.036		i					
AMMA-TERPINENE	0.007	TESTED	0.35	0.035		i					
UAIOL	0.007	TESTED	0.32	0.032		i					
AMPHENE	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
otal (%)				2 879							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/01/25