

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50627010-005

Kaycha Labs

Bloom Classic Disposable Vape 1g - Forbidden Frt (I)

Forbidden Frt (I) Matrix: Derivative

Classification: High THC Type: Vape

Production Method: Other - Not Listed Harvest/Lot ID: 0813574600232603

Batch#: 0813574600232603

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8230687760032656

Harvest Date: 06/24/25

Sample Size Received: 16 units Total Amount: 529 units Retail Product Size: 1 gram

Servings: 1

Ordered: 06/27/25 Sampled: 06/27/25

Completed: 07/02/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



PASSED

Batch Date: 06/30/25 07:05:06



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Jul 02, 2025 | Sunnyside

Total THC

90.032% Total THC/Container: 900.320 mg



Total CBD .245%

Total CBD/Container: 2.450 mg



Total Cannabinoids 94.644%

Total Cannabinoids/Container: 946.440



Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA088034POT Instrument Used : DA-LC-007

Analyzed Date: 07/02/25 10:14:09

Reagent: 061125.R20; 031125.07; 061225.R01 Consumables: 947.110: 04402004: 040724CH01: 0000355309

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 07/02/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Bloom Classic Disposable Vape 1g - Forbidden Frt (I) Forbidden Frt (I) Matrix : Derivative Type: Vape

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50627010-005 Harvest/Lot ID: 0813574600232603

Sampled: 06/27/25 Ordered: 06/27/25

Batch#: 0813574600232603 Sample Size Received: 16 units Total Amount: 529 units Completed: 07/02/25 Expires: 07/02/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	39.41	3.941		SABINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	10.84	1.084		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	6.44	0.644		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	6.34	0.633		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
OCIMENE	0.007	TESTED	4.72	0.472		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	3.17	0.316		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	1.92	0.192		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.46	0.146		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.44	0.144		Analyzed by:	Weight:		Extraction of	iate:	Extracted by:
ALPHA-HUMULENE	0.007	TESTED	0.96	0.096		4451, 4444, 585, 1440	0.2148g		06/29/25 12	2:34:23	4571,4451
TRANS-NEROLIDOL	0.005	TESTED	0.55	0.055		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
VALENCENE	0.007	TESTED	0.43	0.043		Analytical Batch : DA088022TER Instrument Used : DA-GCMS-009				Batch Date : 06/28/25 11:09:27	
CARYOPHYLLENE OXIDE	0.007	TESTED	0.42	0.042		Analyzed Date : 07/02/25 10:46:23				Batcii Date (00/20/23 11:05:21	
ALPHA-TERPINEOL	0.007	TESTED	0.41	0.041	ĺ	Dilution: 10					
FENCHYL ALCOHOL	0.007	TESTED	0.34	0.034		Reagent: 022525.52					
3-CARENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 0000355	309				
BORNEOL	0.013	TESTED	ND	ND		Pipette : DA-065					
CAMPHENE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sai	mples, the Total	Terpenes % is dry-weight corrected.	
CAMPHOR	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
EUCALYPTOL	0.007	TESTED	ND	ND							
FARNESENE	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
Total (%)				3.941							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/02/25