

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50627010-010



Jul 01, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

### Kaycha Labs

Supply Vape Cartridge 1g - GG4 (H)

GG4 (H)

Matrix: Derivative Classification: High THC Type: Vape

Production Method: Other - Not Listed Harvest/Lot ID: 7505430325550293

Batch#: 7505430325550293

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9179599828039146

**Harvest Date:** 06/23/25

Sample Size Received: 16 units Total Amount: 1143 units Retail Product Size: 1 gram

> Servings: 1 Ordered: 06/27/25

Sampled: 06/27/25

Completed: 07/01/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

**Sunnyside** 

**SAFETY RESULTS** 



**Pesticides PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



Mycotoxins **PASSED** 



Residuals Solvents PASSED



**PASSED** 

Batch Date: 06/30/25 07:05:06



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

Total THC

87.367% Total THC/Container: 873.670 mg



**Total CBD** 0.206%

Total CBD/Container: 2.060 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 920.900



Extracted by: 3335 Analyzed by: 3335, 585, 1440 Extraction date: 06/30/25 10:04:49

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA088034POT Instrument Used : DA-LC-007

Analyzed Date: 07/01/25 09:05:24

Reagent: 061125.R20; 031125.07; 061225.R01

Consumables: 947.110: 04402004: 040724CH01: 0000355309

Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/01/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50627010-010 Harvest/Lot ID: 7505430325550293

Batch#: 7505430325550293 Sample Size Received: 16 units Sampled: 06/27/25

Total Amount: 1143 units Ordered: 06/27/25 **Completed:** 07/01/25 **Expires:** 07/01/26 Sample Method: SOP.T.20.010

Page 2 of 2



### **Terpenes**

**TESTED** 

Terpenes TOTAL TERPENES	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes SABINENE	LOD (%)	Pass/Fail TESTED		Result (%)	
	0.007	TESTED	34.62	3.462			0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	18.28	1.828		SABINENE HYDRATE	0.007		ND	ND	
ALPHA-HUMULENE	0.007	TESTED	5.26	0.526		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
IMONENE	0.007	TESTED	4.24	0.423		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	1.32	0.132		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
/ALENCENE	0.007	TESTED	0.96	0.096		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.89	0.089		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	0.74	0.074		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
LPHA-PINENE	0.007	TESTED	0.62	0.062		Analyzed by:	Weight:		Extraction		Extracted by:
LPHA-TERPINEOL	0.007	TESTED	0.58	0.058	1	4451, 4444, 585, 1440	0.2084g		06/29/25 1	2:34:23	4571,4451
ARYOPHYLLENE OXIDE	0.007	TESTED	0.50	0.050		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.Fl					
ETA-PINENE	0.007	TESTED	0.41	0.041		Analytical Batch: DA088022TER Instrument Used: DA-GCMS-009				Batch Date : 06/28/25 11:09:2	7
LPHA-BISABOLOL	0.007	TESTED	0.30	0.030		Analyzed Date: 07/01/25 12:26:47				Batch Date : 00/20/23 11:09:2	
LPHA-TERPINOLENE	0.007	TESTED	0.29	0.029		Dilution: 10					
AMPHENE	0.007	TESTED	0.25	0.025		Reagent: 022525.52					
-CARENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 0000355	i309				
ORNEOL	0.013	TESTED	ND	ND		Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sai	mples, the Total	Terpenes % is dry-weight corrected.	
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
UAIOL	0.007	TESTED	ND	ND							
IEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND							
OCIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
Total (%)				3.462							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/01/25