



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50630007-001



Jul 03, 2025 | Sunnyside

 22205 Sw Martin Hwy
 indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS


 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals
 Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
NOT TESTED

 Terpenes
TESTED

MISC.



Cannabinoid

TESTED


Total THC

89.707%

Total THC/Container : 448.535 mg



Total CBD

0.222%

Total CBD/Container : 1.110 mg



Total Cannabinoids

94.140%

Total Cannabinoids/Container : 470.700 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.707	ND	0.222	ND	ND	2.087	ND	1.392	0.382	ND	0.350
mg/unit	448.54	ND	1.11	ND	ND	10.44	ND	6.96	1.91	ND	1.75
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3335, 585, 1440

 Weight:
 0.1042g

 Extraction date:
 07/01/25 11:02:15

 Extracted by:
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088053POT

Instrument Used : DA-LC-003

Analyzed Date : 07/02/25 10:34:18

Batch Date : 07/01/25 08:32:41

Dilution : 400

Reagent : 061125.R20; 031125.07; 061225.R01

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 07/03/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Garlic Cks (H)
Garlic Cks (H)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.chavez@crescolabs.com

Sample : DA50630007-001
Harvest/Lot ID: 5539755806849212

Batch# : 5539755806849212 Sample Size Received : 31 units
Sampled : 06/30/25 Total Amount : 600 units
Ordered : 06/30/25 Completed : 07/03/25 Expires: 07/03/26
Sample Method : SOP.T.20.010

Page 2 of 2

TESTED

Terpenes					TESTED				
Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	15.78	3.156	PULEGONE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	4.35	0.870	SABINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	3.83	0.765	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	1.47	0.294	ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	1.32	0.263	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
VALENCENE	0.007	TESTED	0.56	0.113	ALPHA-TERPINENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.47	0.095	CIS-NEROLIDOL	0.003	TESTED	ND	ND
LINALOOL	0.007	TESTED	0.47	0.094	GAMMA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	0.44	0.088	<div>Analyzed by: 4444, 4451, 585, 1440</div> <div>Weight: 0.2238g</div> <div>Extraction date: 07/01/25 11:43:51</div> <div>Extracted by: 4444</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA088060TER</div> <div>Instrument Used : DA-GCMS-009</div> <div>Batch Date : 07/01/25 09:00:35</div> <div>Analyzed Date : 07/02/25 10:34:20</div> <div>Dilution : 10</div> <div>Reagent : 022525.52</div> <div>Consumables : 947.110; 04312111; 2240626; 0000355309</div> <div>Pipette : DA-065</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.</div>				
ALPHA-TERPINOLENE	0.007	TESTED	0.43	0.086					
FENCHYL ALCOHOL	0.007	TESTED	0.41	0.083					
ALPHA-PINENE	0.007	TESTED	0.35	0.069					
TRANS-NEROLIDOL	0.005	TESTED	0.27	0.054					
NEROL	0.007	TESTED	0.25	0.050					
FARNESENE	0.007	TESTED	0.19	0.037					
OCIMENE	0.007	TESTED	0.18	0.036					
CAMPHERE	0.007	TESTED	0.17	0.034					
ALPHA-TERPINEOL	0.007	TESTED	0.17	0.033					
GERANYL ACETATE	0.007	TESTED	0.16	0.032					
3-CARENE	0.007	TESTED	0.16	0.031					
CAMPHOR	0.007	TESTED	0.15	0.029					
BORNEOL	0.013	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANIOL	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
Total (%)				3.156					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
07/03/25