

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50701011-004



Jul 04, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Supply Smalls 14g - Sr Ppya (H) Sr Ppya (H)

Matrix: Flower

Classification: High THC Type: Flower-Cured

Production Method: Cured

Harvest/Lot ID: 0123691848840812

Batch#: 0123691848840812

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 2869276091260800

Harvest Date: 06/26/25 Sample Size Received: 3 units

Total Amount: 422 units Retail Product Size: 14 gram

Servings: 1

Ordered: 07/01/25 Sampled: 07/01/25

Completed: 07/04/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents NOT TESTED



PASSED

Batch Date: 07/02/25 08:20:54



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

19.354% Total THC/Container : 2709.556 mg



Total CBD 0.056%

Total CBD/Container: 7.858 mg



Total Cannabinoids

Total Cannabinoids/Container: 3163.300



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088088POT Instrument Used : DA-LC-002 Analyzed Date: 07/03/25 10:00:37

Label Claim

Reagent: 061825.R02; 031125.07; 061825.R05 Consumables: 947.110; 04402004; 319008; 040724CH01 Pipette: DA-079: DA-108: DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director


State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 07/04/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US Telephone: (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50701011-004 Harvest/Lot ID: 0123691848840812

Sampled: 07/01/25 Ordered: 07/01/25

Batch#: 0123691848840812 Sample Size Received: 3 units Total Amount: 422 units **Completed:** 07/04/25 **Expires:** 07/04/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

BETA-PHINNE 0.007 TESTED 4.33 0.031 4451,585,7440 1.0239g 07/02/75 10-43-07 3-CARRINE 0.007 TESTED NO Analyzis Method: SOPT.30.061A.FL. SOPT.30.061A.FL	
RETA-CARPONIVLEINE 0.007 TESTED 40.68 0.291 ALPHA-PHILLAIDRENE 0.007 TESTED 70.00 NO	
MONENE 0.007 TISTED 32.84 0.225 ALPHA-PHINE 0.007 TISTED ND ND	
RETA-MYRICENE	
ALPHA-TERPINGLE	
LPHA-HUMULENE 0.007 TESTED 17.93 0.128 ALPHA-TERPHOLENE 0.007 TESTED ND ND	
SAMPA SAMP	
LPHA-BISABOLOL 0.007 TESTED 7.69 0.055 GAMMA-TERPINENE 0.007 TESTED ND ND ND RAIS-MERCIDIOL 0.005 TESTED 6.24 0.045 Analyzed by: 451, 585, 1440 Winglist: 1.02399 Extraction date: 0.007 Extraction date: 0.007 CARRIE 0.007 TESTED ND ND Analyzis Mendoud: SOPT 30.061A.FL, SOPT 40.061A.FL ANALYZIA TESTED ND ND Analyzis Mendoud: SOPT 30.061A.FL	
Radying My Weight State State	
Adaptive the 0,007 TESTED 4,33 0,031	
#ETA-PHIENE 0.007 TESTED 4.33 0.031 #455, \$456, \$440 1.02399 07/02/75 10-43-07 -CARENE 0.007 TESTED ND ND Analysis Methods 5:09,73.00 61A,FL, 5:09,77.40,061A,FL Analysis Methods 5:09,73.00 61A,FL, 5:09,77.40,061A,FL Analysis Methods 5:09,77.40,061A,FL	Extracted by:
ORNEOL 0.013 TESTED NID ND Analytical Batch : DA088096TER	4451
Instrument Used Uniform CMP-609 Batch Date : 07/07/25 09:11:30 Analysed Date : 107/07/25 Analysed Date : 107/07/25 Analysed Date : 107/07/25 Analysed Date : 107/07/25 Analysed Date	
AMPHOR 0.007 TESTED ND ND Dilution: 10	
ARYOPHYLLENE OXIDE 0.007 TESTED ND ND Reagent: 022525,52	
EDROL 0.007 TESTED ND ND Consumables: 947.110; 04402004; 2240626; 0000355309	
UCALYPTOL 0.007 TESTED ND ND ND Pipette: DA-065	
ARNESENE 0.007 TESTED ND ND Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.	
ENCHONE 0.007 TESTED ND ND	
ENCHYLALCOHOL 0.007 TESTED ND ND	
ERANIOL 0.007 TESTED ND ND	
ERANYL ACETATE 0.007 TESTED ND ND	
EKAHYDROTHYMOL 0.007 TESTED ND ND	
GOBORNEOL 0.007 TESTED ND ND	
SOPULEGOL 0.007 TESTED ND ND ND	
IEROL 0.007 TESTED ND ND	
CIMENE 0.007 TESTED ND ND	
ULEGONE 0.007 TESTED ND ND	
ABINENE 0,007 TESTED ND ND	
ABINENE HYDRATE 0.007 TESTED ND ND ND	
ALENCENE 0.007 TESTED ND ND	

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/04/25