

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Classification: High THC Type: Extract for Inhalation

### Cresco Liquid Live Resin Cartridge 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix: Derivative



#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50702012-007



Jul 05, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

Production Method: Other - Not Listed Harvest/Lot ID: 7195264025325772

Batch#: 7195264025325772

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430)

Seed to Sale#: 5400060599290098

Harvest Date: 06/30/25

Sample Size Received: 16 units Total Amount: 421 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 07/02/25 Sampled: 07/02/25

Completed: 07/05/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

**Sunnyside** 

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 07/03/25 08:14:55



Water Activity **PASSED** 



**NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

Total THC

84.205%

Total THC/Container: 842.054 mg




**Total CBD** 0.136%

Total CBD/Container: 1.360 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 869.220



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088122POT Instrument Used : DA-LC-003

Analyzed Date: 07/05/25 10:32:10

Dilution: 400
Reagent: 070225.R28; 031125.07; 070225.R14 Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

**Label Claim** 

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/05/25



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# Cresco Liquid Live Resin Cartridge 1g - Apl and Bnanas (S) Apl and Bnanas (S) Matrix: Derivative

Type: Extract for Inhalation



## **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Julio.Chavez@crescolabs.com Sample : DA50702012-007 Harvest/Lot ID: 7195264025325772

Batch#: 7195264025325772 Sample Size Received: 16 units
Sampled: 07/02/25 Total Amount: 421 units

Total Amount: 421 units

Completed: 07/05/25 Expires: 07/05/26

Sample Method: SOP.T.20.010

Page 2 of 2



#### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	61.32	6.132	SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	24.01	2.401	VALENCENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	11.94	1.194	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	7.27	0.727	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	6.18	0.618	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	5.35	0.535	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	2.05	0.205	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	1.27	0.127	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
TRANS-NEROLIDOL	0.005	TESTED	1.17	0.117	Analyzed by:	Weight	ь	Extraction	on date:	Extracted by:
FENCHYL ALCOHOL	0.007	TESTED	1.09	0.109	4444, 4451, 585, 1440	0.2135	ig	07/03/2	5 12:05:59	4444
GERANIOL	0.007	TESTED	0.35	0.035	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-PINENE	0.007	TESTED	0.33	0.033	Analytical Batch : DA088146TER Instrument Used : DA-GCMS-008				Batch Date : 07/03/25 10:21:	or.
BETA-PINENE	0.007	TESTED	0.31	0.031	Analyzed Date : 07/05/25 10:32:12				Batch Date : 07/03/25 10:21:	05
3-CARENE	0.007	TESTED	ND	ND	Dilution: 10					
BORNEOL	0.013	TESTED	ND	ND	Reagent : N/A					
CAMPHENE	0.007	TESTED	ND	ND	Consumables: 947.110; 04402004; 2240626; 0000355	309				
CAMPHOR	0.007	TESTED	ND	ND	Pipette : DA-065					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography N	dass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
CEDROL	0.007	TESTED	ND	ND						
EUCALYPTOL	0.007	TESTED	ND	ND						
FARNESENE	0.007	TESTED	ND	ND						
FENCHONE	0.007	TESTED	ND	ND						
GERANYL ACETATE	0.007	TESTED	ND	ND						
GUAIOL	0.007	TESTED	ND	ND						
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND						
ISOBORNEOL	0.007	TESTED	ND	ND						
ISOPULEGOL	0.007	TESTED	ND	ND						
NEROL	0.007	TESTED	ND	ND						
OCIMENE	0.007	TESTED	ND	ND						
PULEGONE	0.007	TESTED	ND	ND						
SABINENE	0.007	TESTED	ND	ND						
Total (%)				6 122						

Total (%)

6.132

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/05/25