

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50714003-005

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Cndy Fumez (I) I Cndy Fumez (I)

Matrix: Derivative Classification: High THC

Type: Extract for Inhalation Production Method: Other - Not Listed

Batch#: 8259330735995437

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 6028021018644674

Harvest/Lot ID: 8259330735995437

Harvest Date: 07/07/25

Sample Size Received: 31 units Total Amount: 945 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 07/14/25 Sampled: 07/14/25

Revision Date: 07/18/25

Completed: 07/17/25 Sampling Method: SOP.T.20.010

PASSED

Jul 18, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mvcotoxins PASSED



Residuals Solvents **PASSED**



Filth **PASSED**

Batch Date: 07/15/25 06:57:42



Water Activity **PASSED**



NOT TESTED



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 84.545%

Total THC/Container : 422,726 mg




Total CBD 0.095%

Total CBD/Container : 0.475 mg



Total Cannabinoids

Total Cannabinoids/Container: 434.490



07/15/25 11:01:26

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA088458POT Instrument Used : DA-LC-003

Analyzed Date: 07/16/25 08:48:37

Reagent: 070225.R27; 050825.11; 070225.R13

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

PASSED

Signature 07/17/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Cresco Liquid Live Resin Cartridge 500mg - Cndy Fumez (I) Cndy Fumez (I) Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50714003-005 Harvest/Lot ID: 8259330735995437

Sampled: 07/14/25

Ordered: 07/14/25

Batch#: 8259330735995437 Sample Size Received: 31 units Total Amount : 945 units

Completed: 07/17/25 Expires: 07/18/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (6) Pas	ss/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
OTAL TERPENES	0.007	TEST		31.94	6.388		SABINENE	0.007	TESTED	ND	ND ND	
IMONENE	0.007	TEST	TED	7.51	1.502		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TEST	TED	6.98	1.395		VALENCENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TEST	TED	5.12	1.024		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TEST	TED	2.91	0.583		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
RANS-NEROLIDOL	0.005	TEST	TED	1.70	0.340		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-PINENE	0.007	TEST	TED	1.37	0.273	Ī	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-TERPINEOL	0.007	TEST	TED	1.31	0.262		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
NCHYL ALCOHOL	0.007	TEST	TED	1.28	0.255		Analyzed by:	Weight		Extraction	on date:	Extracted by:
ETA-PINENE	0.007	TEST	TED	0.91	0.182	Ï	4444, 4451, 585, 1440	0.2182	g g	07/15/2	5 11:22:55	4444
LPHA-BISABOLOL	0.007	TEST	TED	0.67	0.134		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ARNESENE	0.007	TEST	TED	0.54	0.108		Analytical Batch : DA088477TER Instrument Used : DA-GCMS-008				Batch Date : 07/15/25 09:27:00	
ETA-MYRCENE	0.007	TEST	TED	0.48	0.096		Analyzed Date : 07/16/25 08:48:39				Batcii Date : 07/13/23 09:27:00	
CIMENE	0.007	TEST	TED	0.43	0.085		Dilution: 10					
RANIOL	0.007	TEST		0.28	0.056		Reagent: 120224.03					
DRNEOL	0.013	TEST	TED	0.23	0.045		Consumables: 947.110; 04402004; 2240626; 0000355:	809				
MPHENE	0.007	TEST	TED	0.14	0.027		Pipette: DA-065 Terpenoid testing is performed utilizing Gas Chromatography M					
PHA-TERPINOLENE	0.007	TEST		0.10	0.021		rerpendia testing is performed utilizing Gas Chromatography M	ass Spectrometry	. For all Flower sal	npies, the rotal	Terpenes % is any-weight corrected.	
CARENE	0.007	TEST		ND	ND							
MPHOR	0.007	TEST	TED	ND	ND							
ARYOPHYLLENE OXIDE	0.007	TEST		ND	ND							
EDROL	0.007	TEST		ND	ND							
JCALYPTOL	0.007	TEST		ND	ND							
ENCHONE	0.007	TEST		ND	ND							
ERANYL ACETATE	0.007	TEST		ND	ND							
UAIOL	0.007	TEST		ND	ND							
EXAHYDROTHYMOL	0.007	TEST	TED	ND	ND							
OBORNEOL	0.007	TEST		ND	ND							
OPULEGOL	0.007	TEST		ND	ND							
EROL	0.007	TEST		ND	ND							
PULEGONE	0.007	TEST	TED	ND	ND							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/17/25