

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50715032-004

## Kaycha Labs

Supply Vape Cartridge 1g - Spr Lmn Haze (S) 🍒

Spr Lmn Haze (S)

Classification: High THC



Production Method: Other - Not Listed Harvest/Lot ID: 6528848334779853

Batch#: 6528848334779853

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 8862212594275034

Harvest Date: 07/10/25

Sample Size Received: 16 units Total Amount: 1880 units

Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Ordered: 07/15/25 Sampled: 07/15/25

**Completed: 07/18/25** 

Sampling Method: SOP.T.20.010

PASSED

**Sunnyside** 

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 07/16/25 07:34:34



Water Activity **PASSED** 



Moisture **NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



### Cannabinoid

Jul 18, 2025 | Sunnyside

Total THC

Total THC/Container: 867.730 mg

86.773%




**Total CBD** 0.232%

Total CBD/Container: 2.320 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 912.600



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA088518POT Instrument Used: DA-LC-003

Analyzed Date: 07/18/25 09:08:27

Dilution: 400
Reagent: 070925.R42; 050825.11; 070225.R14

Consumables: 947.110; 04312111; 031425CH01; 0000355309

Pipette: DA-079; DA-108; DA-078

**Label Claim** 

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/18/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50715032-004 Harvest/Lot ID: 6528848334779853

Batch#: 6528848334779853 Sample Size Received: 16 units Sampled: 07/15/25

Total Amount: 1880 units Ordered: 07/15/25 **Completed:** 07/18/25 **Expires:** 07/18/26

Sample Method: SOP.T.20.010

Page 2 of 2



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	42.63	4.262		PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	16.55	1.655		SABINENE	0.007	TESTED	ND	ND	
ALPHA-TERPINOLENE	0.007	TESTED	8.32	0.832		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	3.66	0.366		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	3.22	0.322		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	2.59	0.259		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	2.54	0.254		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	0.99	0.099		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
3-CARENE	0.007	TESTED	0.90	0.090		Analyzed by:	Weigh	tı	Extraction	on date:	Extracted by:
VALENCENE	0.007	TESTED	0.64	0.064		4444, 4451, 585, 1440	0.2315	ig	07/16/2	5 11:52:28	4444
ALPHA-PHELLANDRENE	0.007	TESTED	0.56	0.056		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.Fl	L				
LINALOOL	0.007	TESTED	0.55	0.055		Analytical Batch : DA088545TER Instrument Used : DA-GCMS-008				Batch Date : 07/16/25 10:2	13-06
FENCHYL ALCOHOL	0.007	TESTED	0.50	0.050		Analyzed Date : 07/18/25 09:27:13				Date: Date: 107/10/13 10:1	
LIMONENE	0.007	TESTED	0.47	0.047		Dilution: 10					
GERANIOL	0.007	TESTED	0.37	0.037		Reagent: 120224.03					
CARYOPHYLLENE OXIDE	0.007	TESTED	0.31	0.031		Consumables: 947.110; 04402004; 2240626; 000035; Pipette: DA-065	5309				
ALPHA-TERPINEOL	0.007	TESTED	0.23	0.023		Terpenoid testing is performed utilizing Gas Chromatography					
NEROL	0.007	TESTED	0.23	0.023		respendid testing is performed utilizing das Ciromatography	mass spectrometry	. rui ali riuwei sa	impres, the rotal	respenses to is dry-weight corrected.	
BORNEOL	0.013	TESTED	ND	ND							
CAMPHENE	0.007	TESTED	ND	ND							
CAMPHOR	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
EUCALYPTOL	0.007	TESTED	ND	ND							
FARNESENE	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
OCIMENE	0.007	TESTED	ND	ND		1					
Total (%)				4.262							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/18/25