

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50717008-003

Kaycha Labs

Supply Vape Cartridge 500mg - Bl Chz (I) 🛂

BI Chz (I)

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 0187980390896645

Batch#: 0187980390896645

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 5688548629434863

> > Harvest Date: 07/11/25

Sample Size Received: 31 units Total Amount: 1165 units

Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 07/17/25 Sampled: 07/17/25

Completed: 07/21/25

Sampling Method: SOP.T.20.010

PASSED

Sunnyside

Pages 1 of 2

SAFETY RESULTS

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 07/18/25 08:23:30



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Jul 21, 2025 | Sunnyside

Total THC

Total THC/Container: 448.404 mg

89.681%



Total CBD 0.252% Total CBD/Container: 1.260 mg



Total Cannabinoids

Total Cannabinoids/Container: 471.555



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA088624POT Instrument Used: DA-LC-003

Analyzed Date: 07/21/25 09:26:56

Dilution: 400 Reagent: 070925.R42; 050825.11; 070225.R14

Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

PASSED

Signature 07/21/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50717008-003 Harvest/Lot ID: 0187980390896645

Sampled: 07/17/25 Ordered: 07/17/25

Batch#: 0187980390896645 Sample Size Received: 31 units Total Amount: 1165 units

Completed: 07/21/25 Expires: 07/21/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

Τ	E	S	T	E	D

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	18.14	3.628	_	ISOBORNEOL	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	2.92	0.583		ISOPULEGOL	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	2.20	0.441		NEROL	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.61	0.323		PULEGONE	0.007	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	1.19	0.237		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.17	0.234		VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	1.02	0.204		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
SERANYL ACETATE	0.007	TESTED	0.85	0.170		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.76	0.152		Analyzed by:	Weight:		traction date:	Extrac	ted by:
RANS-NEROLIDOL	0.005	TESTED	0.68	0.135		4451, 585, 1440	0.192g	0	7/18/25 11:39:	54 4451	
ENCHONE	0.007	TESTED	0.59	0.118		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061	A.FL				
-CARENE	0.007	TESTED	0.58	0.116	- 1	Analytical Batch : DA088642TER Instrument Used : DA-GCMS-008				Batch Date: 07/18/25 09:56:12	
LPHA-TERPINOLENE	0.007	TESTED	0.54	0.107	- 1	Analyzed Date: 07/21/25 09:26:59				Batch Date: 07/10/20 09:30:12	
ETA-PINENE	0.007	TESTED	0.53	0.105	1	Dilution: 10					
CIMENE	0.007	TESTED	0.49	0.098		Reagent: 120224.03					
ARNESENE	0.007	TESTED	0.48	0.097		Consumables: 947.110; 04312111; 2240626; 0000	0355309				
AMPHENE	0.007	TESTED	0.46	0.091		Pipette : DA-065					
LPHA-TERPINEOL	0.007	TESTED	0.42	0.084	1	Terpenoid testing is performed utilizing Gas Chromatograp	phy Mass Spectrometry.	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
LPHA-PINENE	0.007	TESTED	0.39	0.077	ĺ						
ABINENE	0.007	TESTED	0.33	0.065	ĺ						
LPHA-PHELLANDRENE	0.007	TESTED	0.30	0.060	i						
LPHA-TERPINENE	0.007	TESTED	0.25	0.050	İ						
ARYOPHYLLENE OXIDE	0.007	TESTED	0.22	0.044	i						
AMMA-TERPINENE	0.007	TESTED	0.18	0.036							
ORNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND							
ERANIOL	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
otal (%)				3 628							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/21/25