

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50721001-005

## Kaycha Labs

Supply Vape Cartridge 500mg - Grp Ape (I)

Grp Ape (I)

Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 2888401278417033

Batch#: 2888401278417033

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 4734513004737129

Harvest Date: 07/15/25

Sample Size Received: 31 units Total Amount: 1300 units Retail Product Size: 0.5 gram

Servings: 1

Ordered: 07/21/25 Sampled: 07/21/25

Completed: 07/24/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

**Sunnyside** 

**SAFETY RESULTS** 

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



Mycotoxins **PASSED** 



Residuals Solvents PASSED



**PASSED** 

Batch Date: 07/22/25 09:06:10



Water Activity **PASSED** 



**NOT TESTED** 



MISC.

Terpenes **TESTED** 

TESTED



#### Cannabinoid

Jul 24, 2025 | Sunnyside

Total THC

89.690% Total THC/Container: 448.450 mg



**Total CBD** 0.245%

Total CBD/Container: 1.225 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 473.855



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088727POT Instrument Used : DA-LC-008

Analyzed Date: 07/23/25 09:29:09

Reagent: 070225.R27; 061825.03; 070225.R13

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079: DA-108: DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/24/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50721001-005 Harvest/Lot ID: 2888401278417033

Sampled: 07/21/25 Ordered: 07/21/25

Batch#: 2888401278417033 Sample Size Received: 31 units Total Amount: 1300 units **Completed:** 07/24/25 **Expires:** 07/24/26 Sample Method: SOP.T.20.010

Page 2 of 2



## **Terpenes**

T	E	S	T	Е	D

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	21.90	4.380		SABINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	7.31	1.461		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	3.37	0.674		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	2.52	0.504		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.81	0.361		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	1.65	0.331		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
VALENCENE	0.007	TESTED	1.17	0.235		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LINALOOL	0.007	TESTED	1.16	0.232		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	0.67	0.134	T.	Analyzed by:	Weight:		Extraction da	ter	Extracted by:
ALPHA-HUMULENE	0.007	TESTED	0.50	0.101	Ï	4451, 3379, 1440	0.2078g		07/22/25 11:0	18:26	4451
OCIMENE	0.007	TESTED	0.48	0.096		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
FARNESENE	0.007	TESTED	0.38	0.077		Analytical Batch : DA088741TER					
TRANS-NEROLIDOL	0.005	TESTED	0.37	0.074		Instrument Used: DA-GCMS-009 Analyzed Date: 07/23/25 09:29:14				Batch Date : 07/22/25 09:58:0	13
CARYOPHYLLENE OXIDE	0.007	TESTED	0.21	0.042		Dilution: 10					
ENCHYL ALCOHOL	0.007	TESTED	0.17	0.033		Reagent: 120224.03					
ALPHA-TERPINEOL	0.007	TESTED	0.13	0.027		Consumables: 947.110; 04312111; 2240626; 0000355	309				
3-CARENE	0.007	TESTED	ND	ND		Pipette : DA-065					
BORNEOL	0.013	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography I	Mass Spectrometry	. For all Flower sa	imples, the Total	Terpenes % is dry-weight corrected.	
CAMPHENE	0.007	TESTED	ND	ND							
CAMPHOR	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
EUCALYPTOL	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
PULEGONE Total (%)			ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/24/25