

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50721001-012

### Supply Vape Cartridge 1g - Grp Ape (I) Grp Ape (I)

Matrix: Derivative

Kaycha Labs

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 4199255253797031

> > Batch#: 4199255253797031

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 2889164805780399

Harvest Date: 07/15/25

Sample Size Received: 16 units Total Amount: 1438 units Retail Product Size: 1 gram

> Servings: 1 Ordered: 07/21/25

Sampled: 07/21/25 Completed: 07/24/25

Sampling Method: SOP.T.20.010

PASSED

## Jul 24, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Pages 1 of 2

**SAFETY RESULTS** 



Pesticides **PASSED** 



Heavy Metals **PASSED** 



**Certificate of Analysis** 

Microbials **PASSED** 



Mycotoxins **PASSED** 



Residuals Solvents PASSED



**PASSED** 

Batch Date: 07/22/25 09:06:10



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

Total THC

89,666% Total THC/Container: 896.660 mg



**Total CBD** 0.238%

Total CBD/Container: 2.380 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 947.310



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088727POT Instrument Used : DA-LC-008

Analyzed Date: 07/23/25 09:56:52

Reagent: 070225.R27; 061825.03; 070225.R13

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079: DA-108: DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/24/25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50721001-012 Harvest/Lot ID: 4199255253797031

Batch#: 4199255253797031 Sample Size Received: 16 units Sampled: 07/21/25 Ordered: 07/21/25

Total Amount : 1438 units Completed: 07/24/25 Expires: 07/24/26 Sample Method: SOP.T.20.010

Page 2 of 2



### **Terpenes**

**TESTED** 

rpenes LOD (%) Pass/Fail mg/unit Result (%)	Terpenes	LOD (%)	Pass/Fail		Result (%)	
AL TERPENES 0.007 TESTED 41.71 4.171	SABINENE	0.007	TESTED	ND	ND	
'A-MYRCENE 0.007 TESTED 13.84 1.384	SABINENE HYDRATE	0.007	TESTED	ND	ND	
MA-PINENE 0.007 TESTED 6.32 0.632	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
'A-CARYOPHYLLENE 0.007 TESTED 4.97 0.497	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
74-PINENE 0.007 TESTED 3.40 0.340	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ONENE 0.007 TESTED 3.11 0.311	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ENCENE 0.007 TESTED 2.30 0.230	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALOOL 0.007 TESTED 2.07 0.207	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
MA-BISABOLOL 0.007 TESTED 1.29 0.129	Analyzed by:	Weight:		Extraction da	te: Extra	cted by:
MA-HUMULENE 0.007 TESTED 1.00 0.099	4451, 3379, 1440	0.2041g		07/22/25 11:0	08:27 4451	
MENE 0.007 TESTED 0.92 0.092	Analysis Method : SOP.T.30.061A.FL, SOP.T	.40.061A.FL				
INESENE 0.007 TESTED 0.74 0.074	Analytical Batch : DA088741TER Instrument Used : DA-GCMS-009				Batch Date : 07/22/25 09:58:03	
NS-NEROLIDOL 0.005 TESTED 0.73 0.073	Analyzed Date: 07/23/25 09:56:56				<b>Batch Date</b> 1 07/22/23 09:38:03	
YOPHYLLENE OXIDE 0.007 TESTED 0.44 0.044	Dilution: 10					
ICHYL ALCOHOL 0.007 TESTED 0.31 0.031	Reagent: 120224.03					
MA-TERPINEOL 0.007 TESTED 0.28 0.028	Consumables: 947.110; 04312111; 224062	26; 0000355309				
ARENE 0.007 TESTED ND ND	Pipette : DA-065					
RNEOL 0.013 TESTED ND ND	Terpenoid testing is performed utilizing Gas Chro	matography Mass Spectrometry.	. For all Flower sa	amples, the Total	Terpenes % is dry-weight corrected.	
4PHENE 0.007 TESTED ND ND						
4PHOR 0.007 TESTED ND ND						
DROL 0.007 TESTED ND ND						
CALYPTOL 0.007 TESTED ND ND						
ICHONE 0.007 TESTED ND ND						
ANIOL 0.007 TESTED ND ND						
ANYL ACETATE 0.007 TESTED ND ND	i					
AIOL 0.007 TESTED ND ND						
KAHYDROTHYMOL 0.007 TESTED ND ND						
BORNEOL 0.007 TESTED ND ND						
PULEGOL 0.007 TESTED ND ND						
ROL 0.007 TESTED ND ND						
LEGONE 0.007 TESTED ND ND						
tal (%) 4 171						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/24/25