

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50723010-001

Kaycha Labs

Supply Vape Cartridge 500mg - GMO (I)

Matrix: Derivative Classification: High THC

Type: Extract for Inhalation Production Method: Other - Not Listed

Harvest/Lot ID: 1009776573486200

Batch#: 1009776573486200

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1754273100131082

Harvest Date: 07/18/25

Sample Size Received: 31 units

Total Amount: 1300 units Retail Product Size: 0.5 gram Retail Serving Size: 0.5 gram

Servings: 1

Ordered: 07/23/25 Sampled: 07/23/25

Completed: 07/26/25

Sampling Method: SOP.T.20.010

PASSED

Jul 26, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US



Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 07/24/25 09:30:48



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container : 418.185 mg



Total CBD

Total CBD/Container: 1.070 mg



Total Cannabinoids

Total Cannabinoids/Container: 441.640

3335,4640 Analyzed by: 4640, 3605, 3379, 1440 0.1014q 07/24/25 11:25:49

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA088815POT Instrument Used: DA-LC-008

Analyzed Date: 07/25/25 08:53:12

Dilution: 400 Reagent: 070225.R27; 061825.03; 070225.R13

Consumables: 947.110; 04402004; 040724CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 07/26/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50723010-001 Harvest/Lot ID: 1009776573486200

Batch#: 1009776573486200 Sample Size Received: 31 units Sampled: 07/23/25

Total Amount: 1300 units Ordered: 07/23/25 **Completed:** 07/26/25 **Expires:** 07/26/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%) 0.007	Pass/Fail TESTED	mg/unit 15.38	Result (%) 3.076	Terpenes SABINENE HYDRATE	LOD (%) 0.007	Pass/Fail TESTED	mg/unit	Result (%)	
IMONENE	0.007	TESTED	4.50	0.899	 VALENCENE	0.007	TESTED	ND ND	ND ND	
ETA-MYRCENE	0.007	TESTED	3.15	0.630	ALPHA-CEDRENE	0.007	TESTED			
		TESTED	3.15				TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007			0.617	ALPHA-PHELLANDRENE ALPHA-TERPINENE	0.007		ND	ND	
	0.007	TESTED	0.94	0.188		0.007	TESTED	ND	ND	
LPHA-BISABOLOL	0.007	TESTED	0.75	0.149	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	0.64	0.128	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ETA-PINENE	0.007	TESTED	0.53	0.107	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ENCHYL ALCOHOL	0.007	TESTED	0.43	0.085	Analyzed by:	Weig 0.19	ght:	Extrac	ction date:	Extracted by:
LPHA-PINENE	0.007	TESTED	0.39	0.078	4444, 4451, 3379, 1440		67g	07/24	/25 12:19:06	4444
RANS-NEROLIDOL	0.005	TESTED	0.34	0.067	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.F	FL				
LPHA-TERPINEOL	0.007	TESTED	0.30	0.059	Analytical Batch : DA088832TER Instrument Used : DA-GCMS-009				Batch Date : 07/24/25 10:50:	16
ARYOPHYLLENE OXIDE	0.007	TESTED	0.24	0.047	Analyzed Date : 07/25/25 08:53:15				Date: Date 107/24/23 10:30.	20
UAIOL	0.007	TESTED	0.10	0.021	Dilution: 10					
CARENE	0.007	TESTED	ND	ND	Reagent : N/A					
ORNEOL	0.013	TESTED	ND	ND	Consumables: 947.110; 04312111; 2240626; 000035	55309				
AMPHENE	0.007	TESTED	ND	ND	Pipette : DA-065					
AMPHOR	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography	y Mass Spectrometry	r. For all Flower sa	mples, the Total	I Terpenes % is dry-weight corrected.	
EDROL	0.007	TESTED	ND	ND						
UCALYPTOL	0.007	TESTED	ND	ND	i					
ARNESENE	0.007	TESTED	ND	ND						
ENCHONE	0.007	TESTED	ND	ND						
ERANIOL	0.007	TESTED	ND	ND						
ERANYL ACETATE	0.007	TESTED	ND	ND						
EXAHYDROTHYMOL	0.007	TESTED	ND	ND						
SOBORNEOL	0.007	TESTED	ND	ND						
SOPULEGOL	0.007	TESTED	ND	ND						
EROL	0.007	TESTED	ND	ND						
CIMENE	0.007	TESTED	ND	ND						
PULEGONE	0.007	TESTED	ND	ND						
	0.007	TESTED	ND	ND						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/26/25