

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50723010-002



Jul 26, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US

### Kaycha Labs

Supply Vape Cartridge 1g - GMO (I)

GMO (I

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 9667462859057389

> > Batch#: 9667462859057389

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 5440117941887074

Harvest Date: 07/18/25

Sample Size Received: 16 units Total Amount: 1438 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

Ordered: 07/23/25

Sampled: 07/23/25 Completed: 07/26/25

Sampling Method: SOP.T.20.010

PASSED

**Sunnyside** 

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



**Mycotoxins PASSED** 



Residuals Solvents PASSED



Filth **PASSED** 

Batch Date: 07/24/25 09:01:34



Water Activity **PASSED** 



Moisture **NOT TESTED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

Total THC 84.733%

Total THC/Container: 847.330 mg



**Total CBD** 0.205%

Total CBD/Container: 2.050 mg



**Total Cannabinoids** 89.414%

Total Cannabinoids/Container: 894.140



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA088808POT Instrument Used: DA-LC-003

Analyzed Date: 07/25/25 08:53:16

Dilution: 400 Reagent: 070925.R42; 050825.11; 070225.R14 Consumables: 947.110; 04402004; 030125CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

**Label Claim** 

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director


State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

**PASSED** 

Signature 07/26/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50723010-002 Harvest/Lot ID: 9667462859057389

Batch#: 9667462859057389 Sample Size Received: 16 units

Sampled: 07/23/25 Total Amount : 1438 units Ordered: 07/23/25 Completed: 07/26/25 Expires: 07/26/26 Sample Method: SOP.T.20.010

Page 2 of 2



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	28.96	2.896		SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	8.49	0.849		VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	6.03	0.603		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	5.86	0.586		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.85	0.185		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.45	0.145		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	1.13	0.113		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.01	0.100		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	0.81	0.081		Analyzed by:	Weig	ht:	Extract	tion date:	Extracted by:
ALPHA-PINENE	0.007	TESTED	0.73	0.073		4444, 4451, 3379, 1440	0.206	56g	07/24/	/25 12:19:06	4444
TRANS-NEROLIDOL	0.005	TESTED	0.63	0.063		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-TERPINEOL	0.007	TESTED	0.59	0.059	İ	Analytical Batch : DA088832TER Instrument Used : DA-GCMS-009				Batch Date : 07/24/25 10:50:1	6
CARYOPHYLLENE OXIDE	0.007	TESTED	0.40	0.040	Î	Analyzed Date: 07/25/25 08:53:37				Batch Date 107/24/23 10:30:1	0
3-CARENE	0.007	TESTED	ND	ND	Î	Dilution: 10					
BORNEOL	0.013	TESTED	ND	ND		Reagent : N/A					
CAMPHENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 2240626; 00003553	809				
CAMPHOR	0.007	TESTED	ND	ND		Pipette : DA-065					
CEDROL	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography M	ass spectrometry.	For all Flower sal	mpies, the lotal	Terpenes % is any-weight corrected.	
EUCALYPTOL	0.007	TESTED	ND	ND							
FARNESENE	0.007	TESTED	ND	ND	Ì						
FENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
OCIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
SABINENE	0.007	TESTED	ND	ND							
Total (%)				2 206							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/26/25