



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50723010-003



Jul 26, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

**Sunnyside\***

**PASSED**

Pages 1 of 1

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**TESTED**



**Total THC**  
**0.238%**

Total THC/Container : 100.043 mg



**Total CBD**  
**ND**

Total CBD/Container : 0.000 mg



**Total Cannabinoids**  
**0.238%**

Total Cannabinoids/Container : 100.043 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.238	ND	ND	ND	ND	<0.010	ND	ND	ND	ND	<0.010
mg/unit	100.04	ND	ND	ND	ND	<4.20	ND	ND	ND	ND	<4.20
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4640, 3605, 1665, 1440

Weight:  
3.0772g

Extraction date:  
07/24/25 11:45:33

Extracted by:  
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088816POT

Instrument Used : DA-LC-008

Analyzed Date : 07/26/25 08:10:34

Batch Date : 07/24/25 09:31:07

Dilution : 40

Reagent : 060425.01; 070225.R27; 090924.05; 061825.03; 070225.R13

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

### Label Claim

**PASSED**

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/26/25