

**4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

#### COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50725009-004



Jul 29, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



Supply Smalls 14g - MAC 1 (I)

MAC 1 (I) Matrix: Flower

Classification: High THC Type: Flower-Cured

**Production Method: Cured** 

Harvest/Lot ID: 6628992193296819

Batch#: 6628992193296819

Cultivation Facility: FL - Indiantown (4430)

Processing Facility: FL - Indiantown (4430) Source Facility: FL - Indiantown (4430)

Seed to Sale#: 8082461319290756

Harvest Date: 07/23/25

Sample Size Received: 4 units

Total Amount: 624 units Retail Product Size: 14 gram

Servings: 1

Ordered: 07/25/25

Sampled: 07/25/25 Completed: 07/29/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

#### **SAFETY RESULTS**



**Pesticides PASSED** 



Heavy Metals **PASSED** 



Microbials **PASSED** 



Mycotoxins **PASSED** 



Residuals Solvents NOT TESTED



**Sunnyside** 

**PASSED** 

Batch Date: 07/28/25 07:22:47



Water Activity **PASSED** 



Moisture **PASSED** 



Terpenes **TESTED** 

TESTED



#### Cannabinoid

**Total THC** 

23.715% Total THC/Container : 3320.074 mg



**Total CBD** 0.050%

Total CBD/Container: 6.998 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 3972.360



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088936POT Instrument Used : DA-LC-001

Analyzed Date: 07/29/25 09:11:39

Reagent: 072525.R01; 061825.03; 072525.R04 Consumables: 947.110; 04312111; 031425CH01; 0000355309

Pipette: DA-079: DA-108: DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim **PASSED** 

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 07/29/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



# **Certificate of Analysis**

**PASSED** 

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50725009-004 Harvest/Lot ID: 6628992193296819

Sampled: 07/25/25 Ordered: 07/25/25

Batch#: 6628992193296819 Sample Size Received: 4 units Total Amount : 624 units Completed: 07/29/25 Expires: 07/29/26 Sample Method: SOP.T.20.010

Page 2 of 2



### **Terpenes**

**TESTED** 

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	249.61	1.783		SABINENE HYDRATE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	63.67	0.455		VALENCENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	43.44	0.310		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
LINALOOL	0.007	TESTED	26.38	0.188		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	22.75	0.162		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	17.54	0.125		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	16.90	0.121		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	16.74	0.120		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LPHA-HUMULENE	0.007	TESTED	14.38	0.103		Analyzed by:	Weight:	Extr	action date:		Extracted by:
LPHA-TERPINEOL	0.007	TESTED	9.00	0.064		4451, 585, 4571	0.9092g	07/2	27/25 09:47:34		1879,4451
ENCHYL ALCOHOL	0.007	TESTED	8.22	0.059		Analysis Method: SOP.T.30.061A.FL, SOP.T.4	10.061A.FL				
TRANS-NEROLIDOL	0.005	TESTED	6.01	0.043	1	Analytical Batch : DA088901TER Instrument Used : DA-GCMS-008				Batch Date : 07/26/25 08:39:0	0
CIMENE	0.007	TESTED	4.58	0.033	1	Analyzed Date : 07/29/25 09:24:10				DALLIN DALLE : U7/20/25 U0:39:0	7
-CARENE	0.007	TESTED	ND	ND		Dilution: 10					
ORNEOL	0.013	TESTED	ND	ND		Reagent: 062725.55					
AMPHENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04312111; 2240626	5; 0000355309				
AMPHOR	0.007	TESTED	ND	ND		Pipette : DA-065					
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chrom	natograpny mass Spectrometry.	. For all Flower sa	mpies, the Total	remenes % is any-weight corrected.	
EDROL	0.007	TESTED	ND	ND	ĺ						
UCALYPTOL	0.007	TESTED	ND	ND							
ARNESENE	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
IEROL	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
SABINENE	0.007	TESTED	ND	ND	j						
Cotal (9/.)				1 792							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 07/29/25