



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Good News Brunch Cartridge 1g  
Brunch  
Matrix: Derivative  
Classification: High THC  
Type: Extract for Inhalation

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50729006-003



Jul 31, 2025 | Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US

Sunnyside\*

PASSED

Pages 1 of 2

### SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals  
Solvents  
PASSED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
NOT TESTED



Terpenes  
TESTED

### MISC.



Cannabinoid

TESTED



Total THC

89.112%

Total THC/Container : 891.120 mg



Total CBD

0.210%

Total CBD/Container : 2.100 mg



Total Cannabinoids

93.546%

Total Cannabinoids/Container : 935.460 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	89.112	ND	0.210	ND	ND	2.220	ND	1.504	0.356	ND	0.144
mg/unit	891.12	ND	2.10	ND	ND	22.20	ND	15.04	3.56	ND	1.44
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
4640, 3335, 585, 4571

Weight:  
0.1071g

Extraction date:  
07/29/25 11:42:14

Extracted by:  
3335, 4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088950POT

Instrument Used : DA-LC-003

Analyzed Date : 07/30/25 11:04:15

Batch Date : 07/29/25 09:05:11

Dilution : 400

Reagent : 072525.R02; 071025.07; 072525.R05

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/31/25



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Good News Brunch Cartridge 1g  
Brunch  
Matrix : Derivative  
Type: Extract for Inhalation



# Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy  
indiantown, FL, 34956, US  
Telephone: (772) 631-0257  
Email: julio.chavez@crescolabs.com

Sample : DA50729006-003

Harvest/Lot ID: 3145184388984152

Batch# : 3145184388984152

Sampled : 07/29/25

Ordered : 07/29/25

Sample Size Received : 16 units

Total Amount : 1004 units

Completed : 07/31/25 Expires: 07/31/26

Sample Method : SOP.T.20.010

Page 2 of 2



## Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	57.77	5.777	SABINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	16.50	1.650	SABINENE HYDRATE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	11.96	1.196	VALENE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	10.23	1.023	ALPHA-CEDRENE	0.005	TESTED	ND	ND
LINALOOL	0.007	TESTED	4.72	0.472	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	3.04	0.304	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	2.40	0.240	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	2.11	0.211	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.86	0.186					
ALPHA-PINENE	0.007	TESTED	1.64	0.164	Analysis by:	Weight:	Extraction date:	Extracted by:	
ALPHA-HUMULENE	0.007	TESTED	0.62	0.062	4851, 4444, 585, 4571	0.2506g	07/29/25 12:35:26	4451	
ALPHA-TERPINOLENE	0.007	TESTED	0.53	0.053	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
CAMPHENE	0.007	TESTED	0.51	0.051	Analytical Batch : DA0889677ER				
NEROL	0.007	TESTED	0.44	0.044	Instrument Used : DA-GC/MS-008				
GERANIOL	0.007	TESTED	0.38	0.038	Analysis Date : 07/30/25 11:04:16				
GAMMA-TERPINENE	0.007	TESTED	0.38	0.038	Dilution : 10				
OCIMENE	0.007	TESTED	0.24	0.024	Reagent : 062725.55				
GUAJOL	0.007	TESTED	0.21	0.021	Consumables : 947.110; 04312111; 2240626; 0000355309				
3-CARENE	0.007	TESTED	ND	ND	Pipette : DA-065				
BORNEOL	0.013	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDIOL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
Total (%)				5.777					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/31/25