



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50729020-006



Aug 02, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*
PASSED

Pages 1 of 2

SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals
Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

TESTED

Total THC
84.7%

Total THC/Container : 847 mg


Total CBD
0.117%

Total CBD/Container : 1.17 mg


Total Cannabinoids
89.0%

Total Cannabinoids/Container : 890 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.5	0.167	0.117	ND	ND	3.29	ND	0.0400	0.285	ND	0.596
mg/unit	845	1.67	1.17	ND	ND	32.9	ND	0.400	2.85	ND	5.96
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4640, 3335, 3379, 1440

Weight:
0.1034g

Extraction date:
07/30/25 11:36:51

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA088993POT

Instrument Used : DA-LC-003

Analyzed Date : 07/31/25 12:38:26

Batch Date : 07/30/25 08:59:19

Dilution : 400

Reagent : 072525.R02; 071025.07; 072525.R05

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



Cresco Liquid Live Resin Cartridge 1g - Lmn Bean x Italian Ice (S)
Lmn Bean x Italian Ice (S)
Matrix : Derivative
Type: Distillate

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50729020-006
Harvest/Lot ID: 4311582361473599

Batch# : 4311582361473599 Sample Size Received : 16 units
Sampled : 07/29/25 Total Amount : 1684 units
Ordered : 07/29/25 Completed : 08/02/25 Expires: 08/02/26
Sample Method : SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	62.6	6.26	VALENCENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	22.6	2.26	ALPHA-CEDRENE	0.005	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	10.5	1.05	ALPHA-PHILLANDRENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	7.93	0.793	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	6.96	0.696	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	5.71	0.571	CIS-NEROLIDOL	0.003	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	2.38	0.238	GAMMA-TERPINENE	0.007	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.40	0.140	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.32	0.132					
FARNESENE	0.007	TESTED	1.31	0.131					
ALPHA-PINENE	0.007	TESTED	0.842	0.0842					
BETA-PINENE	0.007	TESTED	0.548	0.0548					
BORNEOL	0.013	TESTED	0.452	0.0452					
GERANIOL	0.007	TESTED	0.338	0.0338					
CAMPHENE	0.007	TESTED	0.229	0.0229					
3-CARENE	0.007	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAJOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
OCIMENE	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
Total (%)					6.26				

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
VALENCENE	0.007	TESTED	ND	ND
ALPHA-CEDRENE	0.005	TESTED	ND	ND
ALPHA-PHILLANDRENE	0.007	TESTED	ND	ND
ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
CIS-NEROLIDOL	0.003	TESTED	ND	ND
GAMMA-TERPINENE	0.007	TESTED	ND	ND
TRANS-NEROLIDOL	0.005	TESTED	ND	ND
Analysis by: 4444, 4451, 3379, 1440			Weight: 0.2333g	Extraction date: 07/30/25 11:35:40
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			Extracted by: 4444	
Analytical Batch : DA089003TER			Batch Date : 07/30/25 10:09:47	
Instrument Used : DA-GCMS-009				
Analysis Date : 07/31/25 12:38:30				
Dilution : 10				
Reagent : 062725.55				
Consumables : 947.110; 04312111; 2240626; 0000355309				
Pipette : DA-065				
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/02/25