

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Supply Disposable Vape 500mg - Tropic Thunder (H)

Tropic Thunder (H) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 7028380828968750

> > Batch#: 7028380828968750

Cultivation Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 0667623691993421

Harvest Date: 07/24/25

Sample Size Received: 31 units

Total Amount: 317 units Retail Product Size: 0.5 gram

Servings: 1

Sampled: 07/30/25 Completed: 08/02/25

Sampling Method: SOP.T.20.010

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50730010-007



Aug 02, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 07/31/25 09:45:41



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes TESTED

TESTED



Cannabinoid

Total THC

83.1% Total THC/Container: 415 mg




Total CBD

Total CBD/Container: 0.975 mg



Total Cannabinoids

Total Cannabinoids/Container: 438 mg



Extraction date Analyzed by: 4640, 3335, 585, 1440

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA089041POT

Instrument Used: DA-LC-003 Analyzed Date: 08/01/25 10:41:03

Dilution: 400

Reagent: 072525.R02; 061825.03; 072525.R05 Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/02/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Supply Disposable Vape 500mg - Tropic Thunder (H) Tropic Thunder (H) Matrix : Derivative

Type: Extract for Inhalation

Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50730010-007 Harvest/Lot ID: 7028380828968750

Sampled: 07/30/25 Ordered: 07/30/25

Batch#: 7028380828968750 Sample Size Received: 31 units Total Amount: 317 units

Completed: 08/02/25 Expires: 08/02/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	19.9	3.98		SABINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	6.20	1.24		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	4.66	0.932		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	3.95	0.790		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.72	0.345		ALPHA-TERPINEOL	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	1.24	0.247		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	0.630	0.126		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	0.432	0.0864	Ï	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
LINALOOL	0.007	TESTED	0.308	0.0616		Analyzed by:	Weigh	ti	Extractio	on date:	Extracted by:
FARNESENE	0.007	TESTED	0.293	0.0586		4444, 4451, 585, 1440	0.2055	ig	07/31/25	5 12:40:43	4444
VALENCENE	0.007	TESTED	0.163	0.0327		Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.Fl					
ALPHA-PHELLANDRENE	0.007	TESTED	0.123	0.0245		Analytical Batch : DA089050TER Instrument Used : DA-GCMS-009				Batch Date : 07/31/25 10:20	.50
GUAIOL	0.007	TESTED	0.102	0.0204		Analyzed Date : 08/01/25 10:41:03				Batch Date : 07/31/23 10:20	.30
TRANS-NEROLIDOL	0.005	TESTED	0.100	0.0201		Dilution: 10					
3-CARENE	0.007	TESTED	ND	ND		Reagent: 062725.52					
BORNEOL	0.013	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 000035	309				
CAMPHENE	0.007	TESTED	ND	ND		Pipette : DA-065					
CAMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
CEDROL	0.007	TESTED	ND	ND							
EUCALYPTOL	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
FENCHYL ALCOHOL	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
ISOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
OCIMENE	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
Total (%)				3.98							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/02/25