

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50730010-008



Aug 02, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Kaycha Labs

Good News Pride Cartridge 500mg

Pride

Matrix: Derivative Classification: High THC

Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 8397610209193998

Batch#: 8397610209193998

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 6878795214403163

> > Harvest Date: 07/23/25

Sample Size Received: 31 units Total Amount: 810 units Retail Product Size: 0.5 gram

Servings: 1

Sampled: 07/30/25

Completed: 08/02/25

Sampling Method: SOP.T.20.010

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 07/31/25 09:45:41



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes TESTED

TESTED



Cannabinoid

Total THC 81.7%

Total THC/Container: 409 mg



Total CBD

Total CBD/Container: 0.895 mg



Total Cannabinoids

Total Cannabinoids/Container: 429 mg



Extraction date Analyzed by: 4640, 3335, 585, 1440

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA089041POT

Instrument Used: DA-LC-003 Analyzed Date: 08/01/25 10:41:04

Dilution: 400

Reagent: 072525.R02; 061825.03; 072525.R05 Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 08/02/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50730010-008 Harvest/Lot ID: 8397610209193998

Sampled: 07/30/25 Ordered: 07/30/25

Batch#: 8397610209193998 Sample Size Received: 31 units Total Amount: 810 units

Completed: 08/02/25 **Expires:** 08/02/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes	LOD (%)		mg/unit	Result (%)			Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	26.0	5.20			PULEGONE	0.007	TESTED	ND	ND	
VALENCENE	0.007	TESTED	7.94	1.59			SABINENE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	6.57	1.31			SABINENE HYDRATE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	3.72	0.745			ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	1.51	0.301			ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	1.48	0.296			ALPHA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.03	0.207			CIS-NEROLIDOL	0.003	TESTED	ND	ND	
LINALOOL	0.007	TESTED	0.805	0.161			TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	0.735	0.147			Analyzed by:	Weigh		Extractio	on date:	Extracted by:
FENCHYL ALCOHOL	0.007	TESTED	0.487	0.0974		- 1	4444, 4451, 585, 1440	0.2291	g	07/31/25	5 12:37:33	4444
ALPHA-PINENE	0.007	TESTED	0.414	0.0827			Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.F	L				
GERANYL ACETATE	0.007	TESTED	0.351	0.0702			Analytical Batch: DA089049TER Instrument Used: DA-GCMS-008				Batch Date : 07/31/25 10:2	1-76
ALPHA-TERPINOLENE	0.007	TESTED	0.291	0.0582		ĺ	Analyzed Date : 08/01/25 10:41:38				Batcii Date : 07/31/23 10.2	3.20
CARYOPHYLLENE OXIDE	0.007	TESTED	0.216	0.0433			Dilution: 10					
GAMMA-TERPINENE	0.007	TESTED	0.137	0.0274			Reagent: 062725.52					
GUAIOL	0.007	TESTED	0.117	0.0233			Consumables: 947.110; 04402004; 2240626; 000035 Pipette: DA-065	5309				
CAMPHOR	0.007	TESTED	0.113	0.0226			Terpenoid testing is performed utilizing Gas Chromatography					
ALPHA-TERPINEOL	0.007	TESTED	0.107	0.0213			rerpenoid testing is performed utilizing Gas Chromatography	Mass Spectrometry	. For all Flower sa	npies, the Lotal	Terpenes % is any-weight corrected.	
3-CARENE	0.007	TESTED	ND	ND								
BORNEOL	0.013	TESTED	ND	ND								
CAMPHENE	0.007	TESTED	ND	ND								
CEDROL	0.007	TESTED	ND	ND								
EUCALYPTOL	0.007	TESTED	ND	ND								
FARNESENE	0.007	TESTED	ND	ND								
FENCHONE	0.007	TESTED	ND	ND								
GERANIOL	0.007	TESTED	ND	ND								
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND								
ISOBORNEOL	0.007	TESTED	ND	ND								
ISOPULEGOL	0.007	TESTED	ND	ND								
NEROL	0.007	TESTED	ND	ND								
OCIMENE	0.007	TESTED	ND	ND								
Total (%)				5.21								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/02/25