



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50731016-001



Aug 04, 2025 | Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*

PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC

83.1%

Total THC/Container : 831 mg



Total CBD

0.146%

Total CBD/Container : 1.46 mg



Total Cannabinoids

87.4%

Total Cannabinoids/Container : 874 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.0	0.109	0.146	ND	ND	2.54	ND	0.325	0.463	ND	0.834
mg/unit	830	1.09	1.46	ND	ND	25.4	ND	3.25	4.63	ND	8.34
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
4640, 1665, 585, 1440

Weight:
0.1067g

Extraction date:
08/01/25 12:07:02

Extracted by:
3335,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA089091POT

Instrument Used : DA-LC-003

Analyzed Date : 08/04/25 09:04:03

Batch Date : 08/01/25 08:58:25

Dilution : 400

Reagent : 072525.R02; 061825.03; 072525.R05

Consumables : 947.110; 04402004; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164




Signature
08/04/25



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Supply Disposable Vape 1g - Grn Crck (S)
Grn Crck (S)
Matrix : Derivative
Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy
indiantown, FL, 34956, US
Telephone: (772) 631-0257
Email: julio.Chavez@crescolabs.com

Sample : DA50731016-001
Harvest/Lot ID: 1462927620493587

Batch# : 1462927620493587 Sample Size Received : 16 units
Sampled : 07/31/25 Total Amount : 520 units
Ordered : 07/31/25 Completed : 08/04/25 Expires: 08/04/26
Sample Method : SOP.T.20.010

Page 2 of 2

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	43.4	4.34	PULEGONE	0.007	TESTED	ND	ND
BETA-MYRCENE	0.007	TESTED	13.0	1.30	SABINENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	8.50	0.850	SABINENE HYDRATE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	5.41	0.541	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
ALPHA-PINENE	0.007	TESTED	3.11	0.311	ALPHA-TERPINENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	2.46	0.246	CIS-NEROLIDOL	0.003	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	2.40	0.240	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	2.12	0.212	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
VALENCENE	0.007	TESTED	2.06	0.206	<div>Analyzed by: 4444, 4451, 585, 1440</div> <div>Weight: 0.2061g</div> <div>Extraction date: 08/01/25 11:52:09</div> <div>Extracted by: 4444</div> <div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL</div> <div>Analytical Batch : DA089805TER</div> <div>Instrument Used : DA-GCMS-008</div> <div>Batch Date : 08/01/25 08:40:20</div> <div>Analyzed Date : 08/04/25 12:03:07</div> <div>Dilution : 10</div> <div>Reagent : 062725.52</div> <div>Consumables : 947.110; 04402004; 2240626; 0000355309</div> <div>Pipette : DA-065</div> <div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
ALPHA-TERPINEOL	0.007	TESTED	0.981	0.0981					
FENCHYL ALCOHOL	0.007	TESTED	0.902	0.0902					
CARYOPHYLLENE OXIDE	0.007	TESTED	0.448	0.0448					
ALPHA-TERPINOLENE	0.007	TESTED	0.434	0.0434					
ALPHA-HUMULENE	0.007	TESTED	0.407	0.0407					
CAMPHERE	0.007	TESTED	0.345	0.0345					
GUAIOL	0.007	TESTED	0.302	0.0302					
OCIMENE	0.007	TESTED	0.258	0.0258					
ALPHA-CEDRENE	0.005	TESTED	0.231	0.0231					
3-CARENE	0.007	TESTED	ND	ND					
BORNEOL	0.013	TESTED	ND	ND					
CAMPHOR	0.007	TESTED	ND	ND					
CEDROL	0.007	TESTED	ND	ND					
EUCALYPTOL	0.007	TESTED	ND	ND					
FARNESENE	0.007	TESTED	ND	ND					
FENCHONE	0.007	TESTED	ND	ND					
GERANOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					

Total (%)4.34

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
08/04/25