

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50731016-002

Kaycha Labs

Supply Disposable Vape 500mg - Grn Crck (S)

Grn Crck (S)

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 9602564620241486

> > Batch#: 9602564620241486

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 9224191060430816

Harvest Date: 07/28/25

Sample Size Received: 31 units

Total Amount: 280 units Retail Product Size: 0.5 gram

Retail Serving Size: 0.5 gram Servings: 1

Sampled: 07/31/25

Completed: 08/04/25 Revision Date: 08/04/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Aug 04, 2025 | Sunnyside

22205 Sw Martin Hwv indiantown, FL, 34956, US



MISC.



SAFETY RESULTS





Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins PASSED



Residuals Solvents PASSED



Filth **PASSED**

Batch Date: 08/01/25 08:57:23



Water Activity **PASSED**



Moisture **NOT TESTED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC 81.3%

Total THC/Container: 406 mg



Total CBD 0.132%

Total CBD/Container: 0.660 mg



Total Cannabinoids

Total Cannabinoids/Container: 427 mg



Weight: 0.0907a Extraction date Extracted by: Analyzed by: 4640, 1665, 585, 1440 08/01/25 12:11:59 3335 4640

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA089090POT Instrument Used : DA-LC-003 Analyzed Date : 08/04/25 09:16:12

Dilution: 400

Dilution : 400
Reagent : 072525.R02; 061825.03; 072525.R05
Consumables : 947.110; 04402004; 040724CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/04/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50731016-002 Harvest/Lot ID: 9602564620241486

Sampled: 07/31/25 Ordered: 07/31/25

Batch#: 9602564620241486 Sample Size Received: 31 units Total Amount : 280 units

Completed: 08/04/25 **Expires:** 08/04/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

П	ES	E	D

Terpenes	LOD (%)	Pass/Fail		Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	22.5	4.50		NEROL	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	6.46	1.29		PULEGONE	0.007	TESTED	ND	ND	
SETA-CARYOPHYLLENE	0.007	TESTED	4.38	0.876		SABINENE	0.007	TESTED	ND	ND	
LIMONENE	0.007	TESTED	2.68	0.537		SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALPHA-PINENE	0.007	TESTED	1.56	0.312		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.31	0.262		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	1.20	0.241		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
/ALENCENE	0.007	TESTED	1.12	0.224		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	1.05	0.211		Analyzed by:	Weigh		Extractio	on date:	Extracted by:
LPHA-TERPINEOL	0.007	TESTED	0.502	0.100	1	4444, 4451, 585, 1440	0.1983	.g	08/01/29	5 11:52:10	4444
ENCHYL ALCOHOL	0.007	TESTED	0.457	0.0913	1	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-TERPINOLENE	0.007	TESTED	0.228	0.0455	i	Analytical Batch : DA089085TER Instrument Used : DA-GCMS-008				Batch Date: 08/01/25 08:40:20	
ARYOPHYLLENE OXIDE	0.007	TESTED	0.227	0.0455		Analyzed Date: 08/04/25 12:03:09				DATE: DATE: 30/01/25 08:40:20	
ARNESENE	0.007	TESTED	0.207	0.0414		Dilution: 10					
LPHA-HUMULENE	0.007	TESTED	0.203	0.0407		Reagent: 062725.52					
AMPHENE	0.007	TESTED	0.170	0.0340		Consumables: 947.110; 04402004; 2240626; 0000355	309				
RANS-NEROLIDOL	0.005	TESTED	0.167	0.0335	ĺ	Pipette : DA-065					
UAIOL	0.007	TESTED	0.160	0.0319	i	Terpenoid testing is performed utilizing Gas Chromatography M	lass Spectrometry	. For all Flower sar	nples, the Total	Terpenes % is dry-weight corrected.	
-CARENE	0.007	TESTED	0.140	0.0279	i						
CIMENE	0.007	TESTED	0.139	0.0278	i						
LPHA-CEDRENE	0.005	TESTED	0.124	0.0248	i						
ORNEOL	0.013	TESTED	ND	ND							
AMPHOR	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
UCALYPTOL	0.007	TESTED	ND	ND	i						
ENCHONE	0.007	TESTED	ND	ND							
GERANIOL	0.007	TESTED	ND	ND							
ERANYL ACETATE	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
SOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
otal (%)				4.50							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/04/25