

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50731016-004

Kaycha Labs

Good News Vape Cartridge 1g - Lmnde I mnde

Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

Production Method: Other - Not Listed Harvest/Lot ID: 7314323154538611

Batch#: 7314323154538611

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 3824930018563358

Harvest Date: 07/25/25

Sample Size Received: 16 units Total Amount: 1557 units Retail Product Size: 1 gram Retail Serving Size: 1 gram

Servings: 1

Sampled: 07/31/25 Completed: 08/05/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Sunnyside

Aug 05, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Certificate of Analysis

Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents PASSED



Filth **PASSED**



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

85.1% Total THC/Container: 851 mg



Total CBD 0.200%

Total CBD/Container: 2.00 mg



Total Cannabinoids

Total Cannabinoids/Container: 893 mg



Analyzed by: 4640, 1665, 585, 3335, 1440 Extraction date: 08/01/25 12:12:00 Extracted by: 3335,4640

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA089090POT Instrument Used: DA-LC-003 Analyzed Date: 08/05/25 09:35:06 Dilution: 400

Enlution : 400
Reagent: 072525.R02; 061825.03; 072525.R05
Consumables: 947.110; 04402004; 040724CH01; 0000355309
Pipette: DA-079; DA-108; DA-421

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Batch Date: 08/01/25 08:57:23

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/05/25



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 **Email:** Iulio.Chayez@crescolabs.com Sample : DA50731016-004 Harvest/Lot ID: 7314323154538611

Batch#:7314323154538611 Sample Size Received:16 units
Sampled:07/31/25 Total Amount:1557 units

 Sampled: 07/31/25
 Total Amount:

 Ordered: 07/31/25
 Completed: 08

Total Amount: 1557 units Completed: 08/05/25 Expires: 08/05/26 Sample Method: SOP.T.20.010 Page 2 of 2



Terpenes

	3		U

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)		Terpenes	LOD (%)		mg/unit	Result (%)	
OTAL TERPENES	0.007	TESTED	45.9	4.59		NEROL	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	22.4	2.24		PULEGONE	0.007	TESTED	ND	ND	
ERANYL ACETATE	0.007	TESTED	3.25	0.325		SABINENE	0.007	TESTED	ND	ND	
INALOOL	0.007	TESTED	3.06	0.306		SABINENE HYDRATE	0.007	TESTED	ND	ND	
SAMMA-TERPINENE	0.007	TESTED	2.84	0.284		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
BETA-PINENE	0.007	TESTED	2.73	0.273		ALPHA-HUMULENE	0.007	TESTED	ND	ND	
ALPHA-TERPINOLENE	0.007	TESTED	2.50	0.250		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
GERANIOL	0.007	TESTED	2.23	0.223		TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
ETA-CARYOPHYLLENE	0.007	TESTED	1.23	0.123		Analyzed by:	Weight		Extracti	on date:	Extracted by:
BETA-MYRCENE	0.007	TESTED	1.13	0.113		4444, 4451, 585, 1440	0.2067	g g	08/01/2	5 11:52:10	4444
ALPHA-PINENE	0.007	TESTED	0.800	0.0800	Ï	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ALPHA-TERPINEOL	0.007	TESTED	0.772	0.0772		Analytical Batch : DA089085TER Instrument Used : DA-GCMS-008				Batch Date : 08/01/25 08:40:20	
ALPHA-BISABOLOL	0.007	TESTED	0.662	0.0662	i	Analyzed Date: 08/04/25 12:03:11				Batch Date: 08/01/25 08:40:20	
ALPHA-TERPINENE	0.007	TESTED	0.444	0.0444	1	Dilution: 10					
ALENCENE	0.007	TESTED	0.279	0.0279		Reagent: 062725.52					
LPHA-PHELLANDRENE	0.007	TESTED	0.270	0.0270		Consumables 1947.110; 04402004; 2240626; 0000355309 Pipette 1 DA-065 Terproof stetaring in performed stillining Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpence % is dry-weight corrected.					
CIMENE	0.007	TESTED	0.269	0.0269							
ENCHYL ALCOHOL	0.007	TESTED	0.264	0.0264							
GUAIOL	0.007	TESTED	0.251	0.0251							
UCALYPTOL	0.007	TESTED	0.222	0.0222							
SOBORNEOL	0.007	TESTED	0.214	0.0214							
-CARENE	0.007	TESTED	ND	ND							
BORNEOL	0.013	TESTED	ND	ND							
AMPHENE	0.007	TESTED	ND	ND							
CAMPHOR	0.007	TESTED	ND	ND							
ARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND							
EDROL	0.007	TESTED	ND	ND							
ARNESENE	0.007	TESTED	ND	ND							
ENCHONE	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
	0.007	TESTED	ND	ND							

Total (%) 4.5

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/05/25