

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50731016-011



Aug 04, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US

Kaycha Labs

Supply Shake 14g - Gastro Pop 5 (S)

Gastro Pop 5 (S)

Matrix: Flower Classification: High THC Type: Flower-Cured

Production Method: Other - Not Listed Harvest/Lot ID: 6095069589649311

Batch#: 6095069589649311

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 1317703817791052

Harvest Date: 07/30/25

Sample Size Received: 3 units

Total Amount: 510 units

Retail Product Size: 14 gram Retail Serving Size: 14 gram

Servings: 1

Sampled: 07/31/25 Completed: 08/04/25

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 2

Sunnyside

SAFETY RESULTS



Pesticides PASSED



Heavy Metals **PASSED**



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents NOT TESTED



PASSED



Water Activity **PASSED**



Moisture **PASSED**



Terpenes **TESTED**

TESTED



Cannabinoid

Total THC

Total THC/Container: 3110 mg



Total CBD 0.135%

Total CBD/Container: 18.9 mg



Total Cannabinoids

Total Cannabinoids/Container: 3620 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA089089POT Instrument Used: DA-LC-002 Analyzed Date: 08/04/25 09:31:54

Dilution: 400

Enlution : 400
Reagent: 072525.R01; 061825.15; 072525.R04
Consumables: 947.110; 04402004; 040724CH01; 0000355309
Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

Batch Date: 08/01/25 08:55:32

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/04/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50731016-011 Harvest/Lot ID: 6095069589649311

Sampled: 07/31/25 Ordered: 07/31/25

Batch#: 6095069589649311 Sample Size Received: 3 units Total Amount: 510 units

Completed: 08/04/25 **Expires:** 08/04/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

LOD (%)	B								
		mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
0.007	TESTED	218	1.56	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
	TESTED			ALPHA-PINENE	0.007	TESTED	ND	ND	
0.007	TESTED	56.2	0.402	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
0.007	TESTED	44.6	0.318	ALPHA-TERPINEOL	0.007	TESTED	ND	ND	
0.007	TESTED	16.5	0.118	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
0.007	TESTED	14.2	0.102	BETA-PINENE	0.007	TESTED	ND	ND	
0.005	TESTED	10.7	0.0762	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
0.007	TESTED	5.39	0.0385	GAMMA-TERPINENE	0.007	TESTED	ND	ND	
0.007	TESTED	ND	ND	Analyzed by:	Weight		Extractio	on date:	Extracted by:
0.013	TESTED	ND	ND	4444, 4451, 585, 1440	0.8951	3	08/01/25	5 11:52:10	4444
0.007	TESTED	ND	ND		1A.FL				
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND					Batch Date: 00/01/25 08:40:20	
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND	Reagent : 062725.52					
0.007	TESTED	ND	ND		00355309				
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatogo	raphy Mass Spectrometry.	For all Flower sar	nples, the Total	Terpenes % is dry-weight corrected.	
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.007	TESTED	ND	ND						
0.005	TESTED	ND	ND						
	0.007 0.007 0.007 0.005 0.007 0.013 0.007 0.013 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	0.007 TESTED 0.007 TESTED 0.007 TESTED 0.007 TESTED 0.005 TESTED 0.007 TESTED	0.007 TESTED 50.2 0.007 TESTED 44.6 0.007 TESTED 16.5 0.007 TESTED 16.7 0.007 TESTED 16.2 0.005 TESTED 10.7 0.007 TESTED NO	0.007 TESTED 56.2 0.402 0.007 TESTED 56.5 0.118 0.007 TESTED 16.5 0.118 0.007 TESTED 16.5 0.118 0.007 TESTED 10.7 0.0762 0.006 TESTED 10.7 0.0762 0.007 TESTED NO NO 0.007 TESTED NO 0.007 TESTED NO 0.007 TESTED NO NO 0.007 TESTED NO 0.007	0.007 TESTED 4.6 0.318 0.007 TESTED 4.6 0.318 0.007 TESTED 4.6 0.318 0.007 TESTED 4.6 0.318 0.007 TESTED 5.5 0.118 0.007 TESTED 10.7 0.0762 0.008 TESTED 10.7 0.0762 0.009 TESTED 10.7 0.0762 0.009 TESTED 10.7 0.0762 0.009 TESTED 8.0 0.385 0.009 TESTED 8.0 0.385 0.009 TESTED 8.0 0.085 0.009 TESTED 8.0 NO NO 1444, 4631.983, 1440 0.009 TESTED NO NO NO 1444, 1451,	ALPHA-TERPINES 0.007	ALPHA-TEPHENE	APPLATEMENT 0.007 TESTED ND ND ND ND 0.007 TESTED ND ND ND 0.007 TESTED ND ND ND ND ND 0.007 TESTED ND ND 0.007 TESTED ND	APA-TREPHINE

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/04/25