

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Duct Tape (I)

Duct Tape (I) Matrix: Derivative

Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 4243876480458960

> > Batch#: 4243876480458960

Cultivation Facility: FL - Indiantown (4430) Processing Facility: FL - Indiantown (4430)

> Source Facility: FL - Indiantown (4430) Seed to Sale#: 0282674043150663

Harvest Date: 07/28/25

Sample Size Received: 31 units Total Amount: 236 units

Retail Product Size: 0.5 gram Servings: 1

Sampled: 08/01/25

Completed: 08/05/25

Sampling Method: SOP.T.20.010

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50801013-005



Aug 05, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 08/04/25 07:14:00



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes TESTED

TESTED



Cannabinoid

Total THC

Total THC/Container: 363 mg




Total CBD 105%

Total CBD/Container: 0.525 mg



Total Cannabinoids

Total Cannabinoids/Container: 387 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA089175POT Instrument Used: DA-LC-003 Analyzed Date: 08/05/25 10:35:42

Dilution: 400

Reagent: 072525.R02; 061825.03; 072525.R05 Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Label Claim

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 08/05/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50801013-005 Harvest/Lot ID: 4243876480458960

Sampled: 08/01/25 Ordered: 08/01/25

Batch#: 4243876480458960 Sample Size Received: 31 units Total Amount: 236 units

Completed: 08/05/25 Expires: 08/05/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

TESTED

Terpenes LOD (%)			Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
FOTAL TERPENES 0.007	TESTED	48.8	9.76	PULEGONE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE 0.007	TESTED	19.1	3.81	SABINENE	0.007	TESTED	ND	ND	
IMONENE 0.007	TESTED	9.23	1.85	SABINENE HYDRATE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE 0.007	TESTED	5.80	1.16	VALENCENE	0.007	TESTED	ND	ND	
BETA-MYRCENE 0.007	TESTED	2.89	0.578	ALPHA-CEDRENE	0.005	TESTED	ND	ND	
ALPHA-PINENE 0.007	TESTED	2.24	0.447	ALPHA-TERPINENE	0.007	TESTED	ND	ND	
INALOOL 0.007	TESTED	1.81	0.362	CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ENCHYL ALCOHOL 0.007	TESTED	1.43	0.286	TRANS-NEROLIDOL	0.005	TESTED	ND	ND	
CIMENE 0.007	TESTED	1.40	0.280	Analyzed by:	Weight		Extraction	on date:	Extracted by:
LPHA-TERPINEOL 0.007	TESTED	1.12	0.224	4444, 4451, 585, 1440	0.1905	g	08/02/2	5 13:15:26	4444
ARNESENE 0.007	TESTED	1.06	0.213	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
ORNEOL 0.013	TESTED	0.551	0.110	Analytical Batch : DA089148TER Instrument Used : DA-GCMS-008				Batch Date : 08/02/25 10:08:11	
AMPHENE 0.007	TESTED	0.511	0.102	Analyzed Date: 08/05/25 10:35:51				Batch Date (00/02/25 10:00:11	
ETA-PINENE 0.007	TESTED	0.502	0.100	Dilution: 10					
LPHA-BISABOLOL 0.007	TESTED	0.348	0.0696	Reagent: 062725.52					
LPHA-TERPINOLENE 0.007	TESTED	0.271	0.0542	Consumables: 947.110; 04402004; 2240626; 0000355	809				
ERANIOL 0.007	TESTED	0.151	0.0302	Pipette : DA-065					
AMMA-TERPINENE 0.007	TESTED	0.149	0.0298	Terpenoid testing is performed utilizing Gas Chromatography M	ass Spectrometry	. For all Flower sai	mples, the Total	Terpenes % is dry-weight corrected.	
ENCHONE 0.007	TESTED	0.133	0.0267						
LPHA-PHELLANDRENE 0.007	TESTED	0.113	0.0225						
-CARENE 0.007	TESTED	ND	ND						
AMPHOR 0.007	TESTED	ND	ND						
ARYOPHYLLENE OXIDE 0.007	TESTED	ND	ND						
EDROL 0.007	TESTED	ND	ND						
UCALYPTOL 0.007	TESTED	ND	ND						
ERANYL ACETATE 0.007	TESTED	ND	ND						
UAIOL 0.007	TESTED	ND	ND						
EXAHYDROTHYMOL 0.007	TESTED	ND	ND						
SOBORNEOL 0.007	TESTED	ND	ND						
SOPULEGOL 0.007	TESTED	ND	ND						
IEROL 0.007	TESTED	ND	ND						
Cotal (%)			9.76						

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/05/25