

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Permanent Chrries (I) Permanent Chrries (I)

Matrix: Derivative Classification: High THC Type: Extract for Inhalation

> Production Method: Other - Not Listed Harvest/Lot ID: 2794521231065731

Batch#: 2794521231065731

Cultivation Facility: FL - Indiantown (4430)

Source Facility: FL - Indiantown (4430) Seed to Sale#: 8157733540748039

Harvest Date: 07/29/25

Sample Size Received: 16 units Total Amount: 1298 units Retail Product Size: 1 gram

Servings: 1 Sampled: 08/04/25

Completed: 08/07/25

Sampling Method: SOP.T.20.010

Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50804003-001



Aug 07, 2025 | Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides **PASSED**



Heavy Metals PASSED



Microbials **PASSED**



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED

Batch Date: 08/05/25 08:30:05



Water Activity **PASSED**



Moisture **NOT TESTED**



MISC.

Terpenes TESTED

TESTED



Cannabinoid

Total THC 87.2%

Total THC/Container: 872 mg



Total CBD 0.0650%

Total CBD/Container: 0.650 mg



Total Cannabinoids

Total Cannabinoids/Container: 906 mg



Extraction date Extracted by: 3335.4640.1665 Analyzed by: 3335, 1665, 585, 1440

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA089192POT

Instrument Used: DA-LC-008 Analyzed Date: 08/06/25 11:41:44

Reagent: 072325.R03; 061825.03; 072525.R06 Consumables: 947.110; 04402004; 040724CH01; 0000355309 Pipette: DA-079; DA-108; DA-421

Dilution: 400

Label Claim

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

PASSED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/07/25



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs Cresco Liquid Live Resin Cartridge 1g - Permanent Chrries (I) Permanent Chrries (I) Matrix: Derivative

Type: Extract for Inhalation



Certificate of Analysis

PASSED

Sunnyside

22205 Sw Martin Hwy indiantown, FL, 34956, US **Telephone:** (772) 631-0257 Email: Iulio.Chavez@crescolabs.com Sample : DA50804003-001 Harvest/Lot ID: 2794521231065731

Sampled: 08/04/25 Ordered: 08/04/25

Batch#: 2794521231065731 Sample Size Received: 16 units Total Amount: 1298 units

Completed: 08/07/25 **Expires:** 08/07/26 Sample Method: SOP.T.20.010

Page 2 of 2



Terpenes

Terpenes	LOD (%)			Result (%)		Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	
TOTAL TERPENES	0.007	TESTED	39.3	3.93		SABINENE HYDRATE	0.007	TESTED	ND	ND	
BETA-CARYOPHYLLENE	0.007	TESTED	12.6	1.26		VALENCENE	0.007	TESTED	ND	ND	
IMONENE	0.007	TESTED	6.59	0.659		ALPHA-CEDRENE	0.005	TESTED	ND	ND	
INALOOL	0.007	TESTED	5.65	0.565		ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND	
ALPHA-HUMULENE	0.007	TESTED	3.94	0.394		ALPHA-TERPINENE	0.007	TESTED	ND	ND	
BETA-MYRCENE	0.007	TESTED	1.88	0.188		ALPHA-TERPINOLENE	0.007	TESTED	ND	ND	
FENCHYL ALCOHOL	0.007	TESTED	1.61	0.161		CIS-NEROLIDOL	0.003	TESTED	ND	ND	
ALPHA-TERPINEOL	0.007	TESTED	1.55	0.155		GAMMA-TERPINENE	0.007	TESTED	ND	ND	
ALPHA-BISABOLOL	0.007	TESTED	1.52	0.152		Analyzed by:	Weight:		extraction date:		Extracted by:
RANS-NEROLIDOL	0.005	TESTED	1.28	0.128		4444, 585, 1440	0.2086g		08/05/25 10:55	:04	4444
ALPHA-PINENE	0.007	TESTED	0.772	0.0772	1	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A	.FL				
BETA-PINENE	0.007	TESTED	0.687	0.0687		Analytical Batch: DA089204TER Instrument Used: DA-GCMS-009				Batch Date : 08/05/25 09:37:36	
OCIMENE	0.007	TESTED	0.484	0.0484		Analyzed Date: 08/06/25 11:41:47				BALCH DATE : 00/03/25 09:37:30	
ORNEOL	0.013	TESTED	0.446	0.0446		Dilution: 10					
GERANIOL	0.007	TESTED	0.216	0.0216		Reagent: 062725.52					
-CARENE	0.007	TESTED	ND	ND		Consumables: 947.110; 04402004; 2240626; 00003	155309				
CAMPHENE	0.007	TESTED	ND	ND		Pipette : DA-065					
CAMPHOR	0.007	TESTED	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	y Mass Spectrometry	. For all Flower sa	mples, the Total	Terpenes % is dry-weight corrected.	
CARYOPHYLLENE OXIDE	0.007	TESTED	ND	ND	ĺ						
CEDROL	0.007	TESTED	ND	ND	ĺ						
EUCALYPTOL	0.007	TESTED	ND	ND							
FARNESENE	0.007	TESTED	ND	ND							
FENCHONE	0.007	TESTED	ND	ND							
GERANYL ACETATE	0.007	TESTED	ND	ND							
GUAIOL	0.007	TESTED	ND	ND							
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND							
ISOBORNEOL	0.007	TESTED	ND	ND							
SOPULEGOL	0.007	TESTED	ND	ND							
NEROL	0.007	TESTED	ND	ND							
PULEGONE	0.007	TESTED	ND	ND							
OLLOGIAL	0.007	TESTED	ND	ND							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/07/25