



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50905005-002



Sep 08, 2025 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 2

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

TESTED



Total THC
31.9%
Dry Weight



Total CBD
0.0673%
Dry Weight



Total Cannabinoids
37.1%
Dry Weight

											Total THC 29.1% 1020 mg /Container
											Total CBD 0.0614% 2.15 mg /Container
											Total Cannabinoids 33.8% 1180 mg /Container
											As Received



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs



FTH-Poppin Fresh Full Flower 3.5g Pre-Roll(s) (.125 oz) 7PK
FTH-Poppin Fresh
Matrix : Flower
Type: Preroll

Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA50905005-002
Harvest/Lot ID: 5565956467153821

Batch# : 5565956467153821 Sample Size Received : 9 units
Sampled : 09/05/25 Total Amount : 1108 units
Ordered : 09/05/25 Completed : 09/08/25 Expires: 09/08/26
Sample Method : SOP.T.20.010

Page 2 of 2

Terpenes

TESTED

Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)	Terpenes	LOD (%)	Pass/Fail	mg/unit	Result (%)
TOTAL TERPENES	0.007	TESTED	22.8	0.652	ALPHA-PHELLANDRENE	0.007	TESTED	ND	ND
BETA-CARYOPHYLLENE	0.007	TESTED	7.90	0.226	ALPHA-PINENE	0.007	TESTED	ND	ND
ALPHA-HUMULENE	0.007	TESTED	3.63	0.104	ALPHA-TERPINENE	0.007	TESTED	ND	ND
LIMONENE	0.007	TESTED	2.74	0.0782	ALPHA-TERPINOLENE	0.007	TESTED	ND	ND
ALPHA-BISABOLOL	0.007	TESTED	1.98	0.0566	BETA-MYRCENE	0.007	TESTED	ND	ND
ALPHA-TERPINEOL	0.007	TESTED	1.68	0.0481	CIS-NEROLIDOL	0.003	TESTED	ND	ND
FENCHYL ALCOHOL	0.007	TESTED	1.31	0.0375	GAMMA-TERPINENE	0.007	TESTED	ND	ND
LINALOOL	0.007	TESTED	1.02	0.0290	TRANS-NEROLIDOL	0.005	TESTED	ND	ND
BETA-PINENE	0.007	TESTED	0.881	0.0252	Analyzed by: 4444, 4451, 585, 1440				
CARYOPHYLLENE OXIDE	0.007	TESTED	0.863	0.0246	Weight: 1.1316g		Extraction date: 09/05/25 12:08:23		Extracted by: 4444
OCIMENE	0.007	TESTED	0.800	0.0229	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	TESTED	ND	ND	Analytical Batch : DA090295TER				
BORNEOL	0.013	TESTED	ND	ND	Instrument Used : DA-GC95-008				
CAMPHERE	0.007	TESTED	ND	ND	Analyzed Date : 09/08/25 10:08:29				
CAMPHOR	0.007	TESTED	ND	ND	Dilution : 10				
CEDROL	0.007	TESTED	ND	ND	Reagent : 062725.52				
EUCALYPTOL	0.007	TESTED	ND	ND	Consumables : 947.110; 04402004; 2240626; 0000355309				
FARNESENE	0.007	TESTED	ND	ND	Pipette : DA-065				
FENCHONE	0.007	TESTED	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
GERANIOL	0.007	TESTED	ND	ND					
GERANYL ACETATE	0.007	TESTED	ND	ND					
GUAIOL	0.007	TESTED	ND	ND					
HEXAHYDROTHYMOL	0.007	TESTED	ND	ND					
ISOBORNEOL	0.007	TESTED	ND	ND					
ISOPULEGOL	0.007	TESTED	ND	ND					
NEROL	0.007	TESTED	ND	ND					
PULEGONE	0.007	TESTED	ND	ND					
SABINENE	0.007	TESTED	ND	ND					
SABINENE HYDRATE	0.007	TESTED	ND	ND					
VALENCENE	0.007	TESTED	ND	ND					
ALPHA-CEDRENE	0.005	TESTED	ND	ND					
Total (%)				0.652					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/25