



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:GA10216001-004
Harvest/Lot ID: 1000mg CBD Broad Spectrum Citrus
Batch#: 1000mg CBD Broad Spectrum Citrus
Batch Date: 02/15/21
Sample Size Received: 11 gram
Retail Product Size: 30
Ordered: 02/16/21
Sampled: 02/16/21
Completed: 02/19/21
Sampling Method: SOP.T.20.010.FL

PASSED

Feb 19, 2021 | Southern Sun

11613 SW 234th St
Archer, FL, 32618, US



Pages 1 of 1

PRODUCT IMAGE




Tincture Bottle

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0%
/Container : 0 mg



Total CBD
0%
/Container : 914.793 mg



Total Cannabinoids
0%
Total Cannabinoids/Container : 936.003 mg

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
%	0.012	0.008	0	0.021	3.049	0	0.017	0	0	0.018	0
mg/g	0.001	0.001	0.001	0.001		0.001	0.001	0.001	0.001	0.001	0.001
LOD	%	%	%	%	%	%	%	%	%	%	%

Analysis by: 2338

Weight: 3.0202g

Extraction date: 02/16/21 03:02:35

Extracted by: 2338

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : GA022517POT
Instrument Used : GA-HPLC-001 2030C Plus (Carl)
Analysis Date : 02/17/21 08:05:07

Reviewed On : 02/17/21 13:25:00
Batch Date : 02/16/21 08:50:44

Dilution : 40
Reagent : 010621.18; 020821.R06; 020821.R05
Consumables : 282066106; VAV-09-1020 Lot# 947.077; 6970145500298; 190624060; 16466-042
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director



State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
02/19/21