



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA10216001-005
Harvest/Lot ID: 1500mg CBD Cooling Rub
Batch#: 1500mg CBD Cooling Rub
Batch Date: 02/15/21
Sample Size Received: 11 gram
Retail Product Size: 60
Ordered: 02/16/21
Sampled: 02/16/21
Completed: 02/26/21
Sampling Method: SOP.T.20.010.FL

PASSED

Feb 26, 2021 | Southern Sun


11613 SW 234th St
Archer, FL, 32618, US


Pages 1 of 1

PRODUCT IMAGE


Jar

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED
MISC.

Cannabinoid
PASSED

Total THC
0%

/Container : 0 mg


Total CBD
0%

/Container : 1509.101 mg


Total Cannabinoids
0%

Total Cannabinoids/Container : 1525.542 mg

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
%	0.009	0.019	0	0.024	2.497	0	0	0	0	0	0
mg/g	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
LOD	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2338

Weight:
3.0008g

Extraction date:
02/17/21 05:02:17

Extracted by:
2206

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : GA022618POT

Instrument Used : GA-HPLC-001 2030C Plus (Carl)

Analyzed Date : 02/18/21 10:26:42

Reviewed On : 02/18/21 16:52:01

Batch Date : 02/17/21 14:18:53

Dilution : 40

Reagent : 010621.23; 021521.R19; 021521.R21

Consumables : 282066106; VAV-09-1020 Lot# 947.077; 6970145500298; 190624060; 16466-042

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
02/26/21