

Gainesville, FL, 32609, US

Certificate of Analysis

Kaycha Labs

Banana OG 1g Shatter Banana OG Matrix: Derivative



Sample: GA20617001-003 Harvest/Lot ID: ORFCS142-2206-9795

Batch#: BCC-172BCC-042522-2-P2

Cultivation Facility: Gainesville Cultivation Processing Facility: Gainesville Processing Seed to Sale# ORFCS142-2206-9795

Batch Date: 06/10/22

Sample Size Received: 16 gram

Total Batch Size: 250 units Retail Product Size: 1 gram

Ordered: 06/17/22 Sampled: 06/17/22

Completed: 06/19/22

Sampling Method: SOP.T.20.010.FL

Page 1 of 6

Jun 21, 2022 | Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US



PRODUCT IMAGE

SAFETY RESULTS









Heavy Metals

PASSED



Microbials

PASSED



PASSED



PASSED



PASSED



PASSED





Moisture

TESTED

PASSED

MISC.

Mylar Bag



Cannabinoid



Total THC 68.953%

Total THC/Container: 689.53 mg



Total CBD 0.177%

Total CBD/Container: 1.77 mg



Total Cannabinoids

Total Cannabinoids/Container: 798.36 mg

nalyzed by				Weight		Extraction				Extracted by:	
	%	%	%	%	%	%	%	%	%	%	%
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001
mg/unit	80.05	694.97	ND	2.02	ND	3.66	17.66	ND	ND	ND	ND
%	8.005	69.497	ND	0.202	ND	0.366	1.766	ND	ND	ND	ND
	D9-THC	THCA	CBD	CBDA	D8-THC	СВБ	CBGA	CBN	THCV	CBDV	СВС
60											

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch : GA045509POT

estrument Used : GA-HPLC-001 2030C Plus unning on :

Dilution: 400

Reagent: 010421.48: 060922.12: 061122.R32: 061122.R30

Consumables: 947.109; 470228-424; 9291.197; 110921; 12035-035CD-035C; RONB32898; 00321396; 210268

Pipette : GA-149; GA-169 (Dispenser)

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S pass/fail does not include the MU. Any calculated totals may contain rounding errors

Rob Bruton

Lab Director

Reviewed On: 06/18/22 14:27:11 Batch Date: 06/17/22 08:32:56

> State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/19/22



Kaycha Labs

Banana OG 1g Shatter Banana OG Matrix : Derivative



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20617001-003

Harvest/Lot ID: ORFCS142-2206-9795

BCC-172BCC-042522-2-P2

Sampled: 06/17/22 Ordered: 06/17/22 Sample Size Received: 16 gram Total Batch Size: 250 units

Completed: 06/19/22 Expires: 06/19/23 Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

0.007	1.19					(%)				
	1.13	0.119			BORNEOL	0.013	< 0.4	< 0.04		
0.007	ND	ND			GERANIOL	0.007	ND	ND		
0.007	0.4	0.04			PULEGONE	0.007	ND	ND		
0.007	ND	ND			ALPHA-CEDRENE	0.007	ND	ND		
0.007	ND	ND			ALPHA-HUMULENE	0.007	5.93	0.593		
0.007	< 0.2	< 0.02			TRANS-NEROLIDOL	0.007	2.04	0.204		
0.007	ND	ND			GUAIOL	0.007	3.53	0.353		
0.007	5.24	0.524			Analyzed by:	Weight		Extraction d	ate:	Extracted b
0.007	0.2	0.02			1649, 3600, 3209, 3303, 1541					3209
0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP.T.4	10.061A.FL				
0.007	ND	ND								
0.007	ND	ND						Batch Date	: 06/17/22 08:32:12	
0.007	ND	ND								
0.007	ND	ND			Reagent: 060922.R22: 050322.49					
0.007	21.13	2.113				211214634; RONB328	98; 0032139	96; 944C4 94	14J; 209598; 210268	
0.007	ND	ND								
0.007	ND	ND			Terpenoid testing is performed utilizing Gas Chrom	natography Mass Spectro	metry.			
0.007	ND	ND								
0	1.4	0.14								
0.007	0.69	0.069								
0.007	1.76	0.176								
0.007	ND	ND								
0.007	ND	ND								
0.007	ND	ND								
0.007	ND	ND								
0.007	1.35	0.135								
0.007	ND	ND								
0.007	0.43	0.043								
0.007	ND	ND								
0.007	1.48	0.148								
0.013	ND	ND								
	0.007 0.007	0.007 0.4 0.007 ND 0.007 ND 0.007 - <0.2 0.007 ND 0.007 - <0.2 0.007 ND	0.007 0.4 0.04 0.007 ND ND	0.007 0.4 0.04 0.007 ND ND 0.007 ND ND 0.007 ND ND 0.007 S-2.2 <-0.02 0.007 ND ND 0.007 S-2.4 0.524 0.007 0.2 0.02 0.007 ND ND	0.007 0.4 0.04 0.04 0.007 0.007 ND ND ND ND 0.00	0.007 0.4 0.04 0.007 ND ND ND 0.007 ND ND ND 0.007 - 0.2 - 0.02 0.007 ND ND	0.007 0.4 0.04 0.007 ND ND ND	Query Quer	Query Quer	Description Control Control

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/19/22



Kaycha Labs

Banana OG 1g Shatter Banana OG Matrix : Derivative



PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample: GA20617001-003

Harvest/Lot ID: ORFCS142-2206-9795

BCC-172BCC-042522-2-P2 Sampled: 06/17/22 Ordered: 06/17/22

Sample Size Received: 16 gram Total Batch Size: 250 units Completed: 06/19/22 Expires: 06/19/23 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

_											
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND				0.3	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm			
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	mag	0.5	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TOTAL DIMETHOMORPH	0.01	PPM	0.2	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND			PPM	0.2	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	TOTAL SPINETORAM	0.01				
LOFENTEZINE	0.01	ppm	0.2	PASS	ND	TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	< 0.05	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
ICHLORVOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
IMETHOATE	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
THOPROPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
TOFENPROX	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
TOXAZOLE	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
ENHEXAMID	0.01	ppm	0.1	PASS	ND						
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:		on date:		ted by:
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	1649, 3134, 3303, 2338, 1541 Analysis Method : SOP.T.30.101.FL. SOP.T.	1.17g		2 19:49:28	3134	T 40 102 I
IPRONIL	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL	30.102.FL, S	OP.1.30.15	1.FL, SUP.1.4	0.101.FL, SOP	.1.40.102.
LONICAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA045510PES		Reviewed	On:06/19/2	2 10:31:30	
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-LCMS-001 PES			e:06/17/22		
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Running on : 06/18/22 15:43:52					
MAZALIL	0.01	ppm	0.1	PASS	ND	Dilution: 10					
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	Reagent: 052322.R01; 060422.R35; 0612					
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Consumables: 947.109; 470228-424; 929 Pipette: GA-150; GA-210 Dispenser	1.271; 1109	21; 210419	634; 296055	173; 210268	
ALATHION	0.01	ppm	0.2	PASS	ND		tilinina Liauia	l Chromotoo	wanhu Trinla	Dundrunala Ma	
IETALAXYL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Triple					
TETHIOCARB	0.01	ppm	0.1	PASS	ND	64ER20-39.	c quadrapore	. Habb opec	aronneery in ac	.cordance men	. ioi itale
METHOMYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extraction	date:		Extracted by:	
IEVINPHOS	0.01	ppm	0.1	PASS	ND	NA	NA			NA	
IYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.060, SOP.T.40					
ALED	0.01	ppm	0.25	PASS	ND	Analytical Batch : GA045596VOL			1:06/19/22 1		
XAMYL	0.01	ppm	0.5	PASS	ND	Instrument Used : GA-GCMS-006	В	atch Date :	06/18/22 14	53:45	
ACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	Running on : 06/18/22 16:47:58					
HOSMET	0.01	ppm	0.1	PASS	ND	Dilution: 100 Reagent: 052322.R01; 060422.R35; 0612	22 001- 061	522 P52- 05	30621 01		
IPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND	Consumables: 947.109; 470228-424; 929				173: 210268: 1	5024701
RALLETHRIN	0.01	ppm	0.1	PASS	ND	Pipette : GA-002; GA-004; GA-014	,	,	,	,,	7
National Control of the Control of t	0.01	bhiii	0.1			Testing for agricultural agents is performed u Spectrometry and Gas Chromatography Tripl 64FR70-39.					

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/19/22



Kaycha Labs

Banana OG 1g Shatter Banana OG Matrix : Derivative



Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US **Telephone:** (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample: GA20617001-003

Harvest/Lot ID: ORFCS142-2206-9795

Batch#: BCC-172BCC-042522-2-P2 Sampled: 06/17/22

Ordered: 06/17/22

Sample Size Received: 16 gram
Total Batch Size: 250 units

Completed: 06/19/22 Expires: 06/19/23 Sample Method: SOP.T.20.010

PASSED

Page 4 of 6

Ä

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: Extraction date: Extracted by: NA N Δ

Analysis Method : SOP.T.40.041.FL Analytical Batch : GA045520SOL

Instrument Used: GA-GCMS-001 Headspace Solvent

Running on: 06/17/22 10:37:48

Dilution: 1

Reagent: Consumables: 27296; 854996

Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Reviewed On: 06/18/22 13:52:09

Batch Date: 06/17/22 09:19:13

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/19/22



Kaycha Labs

Banana OG 1g Shatter Banana OG

Matrix : Derivative



PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample: GA20617001-003

Harvest/Lot ID: ORFCS142-2206-9795

BCC-172BCC-042522-2-P2

Sampled: 06/17/22 Ordered: 06/17/22

Sample Size Received: 16 gram Total Batch Size: 250 units

Completed: 06/19/22 Expires: 06/19/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 1649, 1790, 2821, 1541	Weight: 1.1g	Extraction date: 06/17/22 19:40:03		Extracted by: 1790	

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL,

Analytical Batch : GA045564MIC Reviewed On: 06/19/22 21:05:14 Instrument Used: GA-TYM-001 Tempo Filler and Batch Date: 06/17/22 18:50:13

Reader Running on: 06/17/22 19:42:36

Dilution: 90 Reagent: 060122.12

Consumables: 2303260; 2303190; 2304090; 2304090; GA-185; GA-213; 61630-123C6-123E

Pipette: GA-154

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyzed by: NA	Weight:	Extraction date: NA	Extracted by: NA
Analysis Method : S	OP.T.40.041		
Analytical Batch : G	A045565TYM		Reviewed On: 06/19/22 21:05:18
Instrument Used : (GA-TYM-001 bioM	Batch Date: 06/17/22 18:50:38	
Reader			

Reagent: 060122.12

Consumables: 2304090; 2304090; GA-188; GA-213; 61630-123C6-123E

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39

Running on: 06/18/22 20:49:23 Dilution: 90

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 1649, 3303, 2338, 1541	Weight: 1.17g		on date: 2 19:49:2	8	Extracte 3134	ed by:

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : GA045595MYC Instrument Used : GA-LCMS-001 MYC $\begin{array}{l} \textbf{Reviewed On:} \ 06/19/22 \ 10:30:59 \\ \textbf{Batch Date:} \ 06/18/22 \ 14:51:00 \\ \end{array}$

Running on: 06/18/22 15:44:00 Dilution:

Reagent: aflatoxin_b2; aflatoxin_b1; aflatoxin_g1; aflatoxin_g2

Consumables: 0.02; 0.02; 0.02; 0.02

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Kesuit	Fail	Level
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 1649, 3571, 3317, 3303	Weight: 0.5162g		ion date: 22 16:35:2	5	Extract 3571	ed by:

Instrument Used : GA-ICPMS-002 Batch Date: 06/17/22 08:37:27 Running on: 06/18/22 10:56:40

Dilution: 100

Reagent: 052422.R35; 061422.R22; 010421.48; 061621.03; 041622.R02; 051622.R03; 041722.R01; 042022.R45

Consumables: GA-194; GA-195; CGR0114; 12035-035CD-035C; L2019501; 209598

Pipette: GA-012: GA-183: GA-193

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/19/22

Signature



Kaycha Labs

Banana OG 1g Shatter Banana OG Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample: GA20617001-003

Harvest/Lot ID: ORFCS142-2206-9795

BCC-172BCC-042522-2-P2 Sampled: 06/17/22

Total Batch Size: 250 units Completed: 06/19/22 Expires: 06/19/23 Ordered: 06/17/22 Sample Method: SOP.T.20.010

Sample Size Received: 16 gram

Filth/Foreign Material

PASSED

Analyte LOD Units Result P/F Action Level PASS Filth and Foreign Material % ND 5 Analyzed by: 1649, 3600, 3192 Weight: Extraction date: Extracted by: 15.9568q 06/17/22 12:03:43 3600

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: GA045546FIL Instrument Used: GA-Filth/Foreign Material Microscope

Reviewed On: 06/17/22 14:50:26 **Batch Date:** 06/17/22 12:03:02

Running on:

Dilution: 1 Reagent : Consumables : Pipette:

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LO	D Units	Result	P/F	Action Leve
Water Activity	0.1	L aw	0.573	PASS	0.85
Analyzed by: 1649, 3600, 1541	Weight: 0.5506g	Extractio 06/17/22	n date: 13:50:31		xtracted by: 600

Analysis Method: SOP T 40 019 Analytical Batch: GA045550WAT

Instrument Used : GA-203 Rotronic HygroPalm **Running on :**

Reviewed On: 06/18/22 15:48:14 Batch Date: 06/17/22 13:37:38

Dilution: 1 Reagent:

Consumables: 107264

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64Fx20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/19/22