

Gainesville, FL, 32609, US

Certificate of Analysis

Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix: Derivative



Sample:GA20622001-014 Harvest/Lot ID: SOFS100-2206-10107

Batch#: DF-BLZK-2206-9470

Cultivation Facility: Gainesville Cultivation Processing Facility: Gainesville Processing Seed to Sale# SOFS100-2206-10107

Batch Date: 06/16/22

Sample Size Received: 16 gram Total Batch Size: 2308 units

> Retail Product Size: 1 gram Ordered: 06/22/22 Sampled: 06/22/22

Completed: 06/25/22 Sampling Method: SOP.T.20.010.FL

Page 1 of 6

Jun 25, 2022 | Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US



PRODUCT IMAGE

SAFETY RESULTS





















TESTED

MISC.

Pesticides PASSED

Heavy Metals **PASSED**

Microbials **PASSED**

PASSED

PASSED

PASSED

Water Activity PASSED

Moisture

PASSED



Cannabinoid

Total THC 83.955%



Total CBD 0.22%



Total Cannabinoids

Total Cannabinoids/Container: 877.81

D9-THC	

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
%	83.955	ND	0.22	ND	ND	2.525	ND	0.254	0.488	ND	0.339
mg/unit	839.55	ND	2.2	ND	ND	25.25	ND	2.54	4.88	ND	3.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 1649, 3600,				Weight: 0.1115g		Extraction 0 06/22/22 1				Extracted by: 3600	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : GA045755POT Instrument Used : GA-HPLC-001 2030C Plus

Reviewed On: 06/23/22 10:31:51 Batch Date: 06/22/22 10:11:04

Running on: 06/22/22 15:29:49

Reagent: 010421.48: 060922.14: 020322.R09: 061122.R34: 061122.R30

Consumables: 947.109; H20364; 9291.197; 110921; 12035-035CD-035C; RONB32898; 00321396; 944C4 944J; 210268; 206639 Pipette: GA-002; GA-010; GA-153; GA-150; GA-182; GA-169 (Dispenser)

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/25/22



Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix : Derivative



PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20622001-014 Harvest/Lot ID: SOFS100-2206-10107

Sampled: 06/22/22

Ordered: 06/22/22

Batch#: DF-BLZK-2206-9470 Sample Size Received: 16 gram Total Batch Size: 2308 units

Completed: 06/25/22 Expires: 06/25/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	: % Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
CAMPHENE	0.007	ND	ND	GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	< 0.2	<0.02	PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND	ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND	ALPHA-HUMULENE	0.007	0.73	0.073		
CIMENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	0.28	0.028		
UCALYPTOL	0.007	ND	ND	GUAIOL	0.007	< 0.2	< 0.02		
INALOOL	0.007	0.8	0.08	Analyzed by:	Weight		Extraction	date:	Extracted by:
ENCHONE	0.007	ND	ND	1649, 3600, 3209, 3303, 2507	0.9737	g	06/22/22 1		3600
SOPULEGOL	0.007	ND	ND	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL					
SOBORNEOL	0.007	ND	ND	Analytical Batch : GA045754TER				On: 06/23/22 11:44:59	
HEXAHYDROTHYMOL	0.007	ND	ND	Instrument Used : GA-GCMS-002 QP2010S Running on : 06/22/22 16:41:54			Batch Dat	e: 06/22/22 10:10:21	
NEROL	0.007	ND	ND	Dilution: 50					
GERANYL ACETATE	0.007	ND	ND	Reagent: 060922.R22; 050322.49; 010421.48					
BETA-CARYOPHYLLENE	0.007	2.49	0.249	Consumables: 947.271; 9291.271; 110921; 21091663	4-C; RONB3	2898; 00321	396; 944C	4 944J; 209598; 210268	
ALENCENE	0.007	< 0.2	<0.02	Pipette : GA-152; GA-150; GA-182; GA-211 Dispenser					
CIS-NEROLIDOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography	Mass Spectro	metry.			
EDROL	0.007	ND	ND						
ARNESENE	0	< 0.01	ND						
CARYOPHYLLENE OXIDE	0.007	0.26	0.026						
LPHA-BISABOLOL	0.007	0.7	0.07						
LPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
IMONENE	0.007	42.93	4.293						
SAMMA-TERPINENE	0.007	ND	ND						
ERPINOLENE	0.007	ND	ND						
ABINENE HYDRATE	0.007	ND	ND						
ENCHYL ALCOHOL	0.007	ND	ND						
AMPHOR	0.013	ND	ND						
BORNEOL	0.013	ND	ND						
		_	4.819		-		-	A / A	

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/25/22



Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix : Derivative



Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20622001-014 Harvest/Lot ID: SOFS100-2206-10107

Batch#: DF-BLZK-2206-9470 Sample Size Received: 16 gram Sampled: 06/22/22

Total Batch Size: 2308 units Completed: 06/25/22 Expires: 06/25/23 Ordered: 06/22/22 Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



Pesticides

PASSED

_											
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
АСЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN				PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1		
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCN	B) * 0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.01	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND			PPM		PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01		0.1		
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	date:	Extract	ted by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	1649, 3575, 3303, 3317	1.1674g	06/22/22 13	3:32:43	3575	
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL, SO	P.T.30.102.FL,	SOP.T.30.15	1.FL, SOP.T.4	10.101.FL, SOP	T.40.102.FI
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL		\	. /\/.	N./N	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA045710PES			I On: 06/23/2		
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-LCMS-001 PES Running on : 06/22/22 15:44:44		Batch Da	te:06/21/22	11:46:05	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 10					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 062122.R09; 060422.R38; 0	60422.R35: 013	1122.06			
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables: 947.109; 470228-424;			634; 296055	173; 210268	
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette: GA-002; GA-210 Dispenser					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is perform					
MAZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography	Triple-Quadrupo	e Mass Spec	trometry in a	ccordance with	F.S. Rule
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.	Futur ette			Extracted by:	
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: NA	Extractio NA	n date:		NA	
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : SOP.T.30.060, SOP.				1474	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA045777VOL		Reviewed O	n:06/23/22 (09:53:43	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-GCMS-006	\ / [Batch Date	:06/22/22 13	:57:07	
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on :					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 100			🛆		
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 062122.R09; 060422.R38; 0				173, 210260: 1	EE 4 4 7
IALED	0.01	ppm	0.25	PASS	ND	Consumables: 947.109; 470228-424; U.14725401; 944C4 944 ; 206639	9291.2/1; 1109	21; 210419	1054; 290055	1/3; 210208; 5	55447-
DXAMYL	0.01	ppm	0.5	PASS	ND	Pipette: GA-006; GA-011; GA-013					
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is perform	ed utilizina Liau	d Chromato	graphy Triple-	Quadrupole Ma	SS
	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chromatography					
PHOSMET	0.01	ppm	0.1	FAJJ	IND					ccordance with	
PHOSMET PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND	64ER20-39.	The Quadrapo			ecordance with	

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/25/22



Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix : Derivative



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US

Telephone: (833) 254-4877 **Email:** Qualityassurance@libertyhealthsciences.com Sample : GA20622001-014

Harvest/Lot ID: SOFS100-2206-10107

Batch#: DF-BLZK-2206-9470 Sample Size Received: 16 gram Sampled: 06/22/22

Total Batch Size: 2308 units Ordered: 06/22/22 Completed: 06/25/22 Expires: 06/25/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: Extraction date: Extracted by:

Analysis Method: SOP.T.40.041.FL

Analytical Batch : GA045691SOL
Instrument Used : GA-GCMS-001 Headspace Solvent

Running on: 06/21/22 10:23:17

 ${\bf Dilution:1}$ Reagent:

Consumables : 27296; 854996 Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Reviewed On: 06/23/22 11:22:44 Batch Date: 06/21/22 10:05:22

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/25/22



Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix : Derivative



PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample : GA20622001-014

Harvest/Lot ID: SOFS100-2206-10107

Sampled: 06/22/22 Ordered: 06/22/22

Reviewed On: 06/25/22 10:03:33

Batch Date: 06/22/22 13:40:50

Batch#: DF-BLZK-2206-9470 Sample Size Received: 16 gram Total Batch Size: 2308 units

Completed: 06/25/22 Expires: 06/25/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

PASSED



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICH SPP	IIA COLI SHIGELLA			Not Present	PASS	
SALMONEL	LA SPECIFIC GENE			Not Present	PASS	
ASPERGILL	US FLAVUS			Not Present	PASS	
ASPERGILL	US FUMIGATUS			Not Present	PASS	
ASPERGILL	US TERREUS			Not Present	PASS	
ASPERGILL	US NIGER			Not Present	PASS	
TOTAL YEA	ST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 1649, 2821, 1		Weight: 1.08g	Extraction 06/22/22	n date: 15:27:06	Extracte 2821	ed by:

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : GA045775MIC Instrument Used: GA-TYM-001 Tempo Filler and

Running on: 06/22/22 15:55:26

Reagent: 060122.12

Consumables: 2303260; 2303190; 2304090; 2304090; 61630-123C6-123E; GA-185

Pipette: GA-154; GA-213

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by: NA	Weight:	Extraction date: NA	Extracted by: NA
Analysis Method : S			
Analytical Batch : G	A045782TYM		Reviewed On: 06/25/22 10:03:28
Instrument Used : 0	A-TYM-001 bioM	érieux Tempo Filler and	Batch Date: 06/22/22 15:27:43
Reader			
	22 15 55 20		

Running on: 06/22/22 15:55:30

Reagent: 060122.12

Consumables: 2304090; 2304090; 61630-123C6-123E; GA-185 Pipette: GA-154; GA-213

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 1649, 3575, 3303, 3317	Weight: 1.1674g		on date: 2 13:32:4	13	Extracte 3575	ed by:
1649, 3575, 3303, 3317	1.1674g	06/22/2	2 13:32:4	3	3575	

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.FL Analytical Batch : GA045776MYC Instrument Used : GA-LCMS-001 MYC Running on : 06/22/22 15:43:12 Reviewed On: 06/23/22 16:39:34 Batch Date: 06/22/22 13:57:04

Reagent: aflatoxin_b2; aflatoxin_b1; aflatoxin_g1; aflatoxin_g2

Consumables: 0.02; 0.02; 0.02; 0.02

 $\label{thm:mass} \mbox{Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.$



Heavy Metals

PASSED

	Metal		LOD	Units	Result	Pass / Fail	Action Level
7	ARSENIC		0.02	PPM	ND	PASS	0.2
8	CADMIUM		0.02	PPM	ND	PASS	0.2
	MERCURY		0.02	PPM	ND	PASS	0.2
	LEAD		0.05	PPM	ND	PASS	0.5
	Analyzed by: 1649, 3571, 3317, 3303	Weight: 0.5117g		ion date: 22 12:25:4	3	Extracte 3571	ed by:
	Analysis Mathad . COD T 20 0	01 EL COD T 20	002 EL C	OR T 40 09	D1 EL COD	T 40 002	EL

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL
Analytical Batch: GA045660HEA

Reviewed On: 06/23/22 08:13:40 Instrument Used : GA-ICPMS-002 Batch Date: 06/20/22 15:45:58 Running on: 06/22/22 16:26:02

Dilution: 2

Reagent: 041622.R02; 051622.R03; 041722.R01; 042022.R45; 061621.03; 052422.R35;

 $061422.R22; 010421.48 \\ \textbf{Consumables}: L2019501; GA-194; GA-195; CGR0114; 12400-133CD-133C; 210268 \\$ Pipette: GA-012; GA-183; GA-193

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/25/22



Kaycha Labs

Blue Raspberry 1g Syringe Blue Raspberry Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20622001-014

Harvest/Lot ID: SOFS100-2206-10107

Sampled: 06/22/22 Ordered: 06/22/22

Batch#: DF-BLZK-2206-9470 Sample Size Received: 16 gram Total Batch Size: 2308 units Completed: 06/25/22 Expires: 06/25/23 Sample Method: SOP.T.20.010



PASSED

LOD Units Analyte Result P/F Action Level Filth and Foreign Material % ND PASS 5 Analyzed by: 1649, 3571, 3303 Weight: Extraction date: Extracted by: 06/22/22 12:05:36 14.515g

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: GA045767FIL Instrument Used: GA-Filth/Foreign Material Microscope

Reviewed On: 06/22/22 16:21:00 **Batch Date:** 06/22/22 12:05:01

Running on:

Dilution: 1 Reagent : Consumables : Pipette:

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LO	D Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.565	PASS	0.85
Analyzed by:	Weight:	Extraction	date:	Ex	tracted by:
1649, 3600, 3192	0.5073g	06/22/22 1	L3:47:20	36	500
	T 40 010				

Analytical Batch : GA045766WAT

Instrument Used : GA-203 Rotronic HygroPalm **Running on :**

Reviewed On: 06/22/22 16:55:22 Batch Date: 06/22/22 11:50:44

Dilution: 1 Reagent: Consumables: 107264

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/25/22