














Certificate of Analysis


Sample: GA20625001-003
Harvest/Lot ID: ORFCS168-2206-10335
Batch#: DW-1B-042522-3
Cultivation Facility: Gainesville Cultivation
Processing Facility : Gainesville Processing
Seed to Sale# ORFCS168-2206-10335
Batch Date: 06/13/22
Sample Size Received: 16 gram
Total Batch Size: 663 gram
Retail Product Size: 1 gram
Ordered : 06/25/22
Sampled : 06/25/22
Completed: 06/28/22
Sampling Method: SOP.T.20.010.FL

Jun 28, 2022 | Liberty Health Sciences, FL
 18770 N CR 225
 Gainesville, FL, 32609, US


PASSED

Page 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED
 Cannabinoid									PASSED



Analyzed by: 3404, 2821, 3205, 2338 Weight: 0.0933g Extraction date: 06/26/22 12:45:02 Extracted by: 2821

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : GA045954POT
 Instrument Used : GA-HPLC-003 2030C PDA
 Running on : 06/26/22 15:00:31

Dilution : 400
 Reagent : 020322.R09; 010421.48; 060922.11; 061122.R32; 061122.R29
 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 12400-133CD-133C; R0NB32898; 000000146137; 41064115C4115B; 210268; 206639
 Pipette : GA-005; GA-149; GA-153; GA-169 (Dispenser)

Reviewed On : 06/27/22 11:54:12
 Batch Date : 06/25/22 08:19:39

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US

Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample : GA20625001-003

Harvest/Lot ID: ORFCS168-2206-10335

Batch# : DW-1B-042522-3

Sampled : 06/25/22

Ordered : 06/25/22

Sample Size Received : 16 gram

Total Batch Size : 663 gram

Completed : 06/28/22 Expires: 06/28/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.49	0.049		PULEGONE	0.007	ND	ND	
3-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	7.69	0.769	
OCIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	2.33	0.233	
EUCALYPTOL	0.007	ND	ND		GUAJOL	0.007	1.17	0.117	
LINALOOL	0.007	3.22	0.322		Analyzed by: 3404, 3134, 3205, 2338 Weight: 1.0665g Extraction date: 06/26/22 10:14:49 Extracted by: 3134				
FENCHONE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : GA045975TER Instrument Used : GA-GCMS-002 QP2010S Running on : 06/26/22 12:30:28 Reviewed On : 06/27/22 12:02:43 Batch Date : 06/25/22 14:24:48				
ISOPULEGOL	0.007	ND	ND		Dilution : 50 Reagent : 060922.R22; 050322.49; 010421.51 Consumables : 947.271; H20364; 9291.271; LLS-00-0005; 210419634; R0NB32898; 000000146137; 944C4 944j; 209598; 206639 Pipette : GA-002; GA-006; GA-013; GA-211 Dispenser				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.				
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	21.3	2.13						
VALENCENE	0.007	ND	ND						
CIS-NEROLIDOL	0.007	ND	ND						
CEDROL	0.007	ND	ND						
FARNESENE	0	0.68	0.068						
CARYOPHYLLENE OXIDE	0.007	0.8	0.08						
ALPHA-BISABOLOL	0.007	3.27	0.327						
ALPHA-PINENE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
BETA-PINENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	1.17	0.117						
GAMMA-TERPINENE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
SABINENE HYDRATE	0.007	ND	ND						
FENCHYL ALCOHOL	0.007	1.46	0.146						
CAMPHOR	0.013	ND	ND						
BORNEOL	0.013	<0.4	<0.04						
Total (%)			4.469						



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US

Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample : GA20625001-003

Harvest/Lot ID: ORFCS168-2206-10335

Batch# : DW-18-042522-3

Sampled : 06/25/22

Ordered : 06/25/22

Sample Size Received : 16 gram

Total Batch Size : 663 gram

Completed : 06/28/22 Expires: 06/28/23

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRETHRINS	0.01	ppm	0.5	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CLOFENTZINE	0.01	ppm	0.2	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by: 3404, 3134, 2338, 3298 Analysis Method : SOP.T.30.101.FL, SOP.T.30.102.FL, SOP.T.30.151.FL, SOP.T.40.101.FL, SOP.T.40.102.FL, SOP.T.40.151.FL Analytical Batch : GA045980PES Instrument Used : GA-LCMS-001 PES Running on : 06/26/22 18:06:12 Dilution : 10 Reagent : 061222.R01; 050621.01; 060422.R38; 060422.R36 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						
OXAMYL	0.01	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	Analyzed by: NA Analysis Method : SOP.T.30.060, SOP.T.40.060 Analytical Batch : GA046004VOL Instrument Used : GA-GCMS-006 Running on : 06/26/22 18:10:22 Dilution : 100 Reagent : 061222.R01; 050621.01; 061522.R52 Consumables : 947.271; 470228-424; 9291.271; LLS-00-0005; 210419634; 296055173; 41064115C41158; 209598; 206639; 15024701 Pipette : GA-002; GA-006; GA-013; GA-210 Dispenser Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry and Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
PHOSMET	0.01	ppm	0.1	PASS	ND						
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND						
PRALLETHRIN	0.01	ppm	0.1	PASS	ND						
PROPICONAZOLE	0.01	ppm	0.1	PASS	ND						



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US

Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample : GA20625001-003

Harvest/Lot ID: ORFCS168-2206-10335

Batch# : DW-1B-042522-3

Sampled : 06/25/22

Ordered : 06/25/22

Sample Size Received : 16 gram

Total Batch Size : 663 gram

Completed : 06/28/22 Expires: 06/28/23

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	<2500
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	<200
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 NA

Weight:

 Extraction date:
 NA

 Extracted by:
 NA

Analysis Method : SOP.T.40.041.FL

Analytical Batch : GA045974SOL

Instrument Used : GA-GCMS-004 QP2020NX

Running on : 06/25/22 15:51:35

Reviewed On : 06/26/22 13:13:59

Batch Date : 06/25/22 14:04:02

Dilution : 1

Reagent :

Consumables : 27296; 854996

Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED




Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

 Sample : GA20625001-003
 Harvest/Lot ID: ORFCS168-2206-10335

 Batch# : DW-1B-042522-3
 Sample Size Received : 16 gram
 Total Batch Size : 663 gram
 Sampled : 06/25/22
 Completed : 06/28/22 Expires: 06/28/23
 Ordered : 06/25/22
 Sample Method : SOP.T.20.010

Page 5 of 6

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by: 3404, 3134, 2338, 3298 Weight: 0.8121g Extraction date: 06/26/22 13:08:56 Extracted by: 3134					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analysis Method : SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : GA046005MYC Reviewed On : 06/27/22 11:00:54 Instrument Used : GA-LCMS-001 MYC Batch Date : 06/26/22 16:27:06 Running on : 06/26/22 18:14:16					
Analyzed by: 3404, 1790, 3574, 1541 Weight: 0.86g Extraction date: 06/25/22 17:20:20 Extracted by: 1790 Analysis Method : SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL, SOP.T.40.208 Analytical Batch : GA045976MIC Reviewed On : 06/28/22 15:12:37 Instrument Used : GA-TYM-001 Tempo Filler and Reader Batch Date : 06/25/22 14:36:23 Running on : 06/25/22 17:21:44 Dilution : 90 Reagent : 052622.09 Consumables : 2303260; 2303190; 2304090; 2306070; 2304090; 2305240; GA-185; GA-213; 61630-123C6-123E Pipette : GA-154 Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39..						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: NA Weight: NA Extraction date: NA Extracted by: NA Analysis Method : SOP.T.40.041 Analytical Batch : GA045977TYM Reviewed On : 06/28/22 15:13:11 Instrument Used : GA-TYM-001 bioMérieux Tempo Filler and Reader Batch Date : 06/25/22 14:36:40 Running on : 06/25/22 17:19:42 Dilution : 90 Reagent : 052622.09 Consumables : 2304090; 2306070; 2304090; GA-185; GA-213; 61630-123C6-123E Pipette : GA-154 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal						LOD	Units	Result	Pass / Fail	Action Level	
ARSENIC						0.02	PPM	ND	PASS	0.2	
CADMIUM						0.02	PPM	ND	PASS	0.2	
MERCURY						0.02	PPM	ND	PASS	0.2	
LEAD						0.05	PPM	ND	PASS	0.5	
Analyzed by: 3404, 3134, 2338, 1541 Weight: 0.5524g Extraction date: 06/26/22 11:19:12 Extracted by: 3134 Analysis Method : SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : GA045979HEA Reviewed On : 06/26/22 17:35:12 Instrument Used : GA-ICPMS-002 Batch Date : 06/25/22 14:43:04 Running on : Dilution : 100 Reagent : 052422.R35; 062222.R63; 010421.51; 061621.03; 041622.R02; 051622.R03; 041722.R01; 042022.R45 Consumables : CGR0114; 12400-133CD-133C; 209598; L2019501 Pipette : GA-012; GA-183; GA - 194; GA-195; GA-193 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US

Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample : GA20625001-003

Harvest/Lot ID: ORFCS168-2206-10335

Batch# : DW-1B-042522-3

Sampled : 06/25/22

Ordered : 06/25/22

Sample Size Received : 16 gram

Total Batch Size : 663 gram

Completed : 06/28/22 Expires: 06/28/23

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5

Analyzed by: 3404, 3209, 1541	Weight: 14.9g	Extraction date: 06/25/22 13:24:18	Extracted by: 3209
----------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.074, SOP.T.40.074

Analytical Batch : GA045964FIL

Instrument Used : GA-Filth/Foreign Material Microscope

Running on :

Reviewed On : 06/25/22 18:23:48

Batch Date : 06/25/22 12:34:18

Dilution : 1

Reagent :

Consumables :

Pipette :

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.61	PASS	0.85

Analyzed by: 3404, 3134, 3192	Weight: 0.6721g	Extraction date: 06/26/22 16:05:42	Extracted by: 3134
----------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : GA045978WAT

Instrument Used : GA-203 Rotronic HygroPalm

Running on :

Reviewed On : 06/27/22 13:01:59

Batch Date : 06/25/22 14:40:53

Dilution : 1

Reagent :

Consumables : 107264

Pipette :

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.