

Certificate of Analysis

Kaycha Labs

Banana OG 1g RSO Syringe Banana OG Matrix: Derivative



Sample:GA20625001-007 Harvest/Lot ID: ORFS142-2206-10675

Batch#: BCC-172BCC-042522

Cultivation Facility: Gainesville Cultivation Processing Facility: Gainesville Processing Seed to Sale# ORFS142-2206-10675

Batch Date: 06/23/22

Sample Size Received: 16 gram Total Batch Size: 217 gram

> Retail Product Size: 1 gram Ordered: 06/25/22 Sampled: 06/25/22

Completed: 06/28/22 Sampling Method: SOP.T.20.010.FL

Page 1 of 6

Jun 28, 2022 | Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US



PRODUCT IMAGE

SAFETY RESULTS







Pesticides PASSED



Heavy Metals **PASSED**



Microbials

PASSED

PASSED



PASSED



PASSED



Water Activity PASSED



Moisture



MISC.

TESTED

PASSED



Cannabinoid

Total THC



Total CBD 0.362%

Total Cannabinoids

Total Cannabinoids/Container: 787.45

D9-THC	1

mg/g /5/.02 ND 5.02 ND ND 15.46 ND 2.02 5.02 ND 5.09	mg/g 757,62 ND 3,62 ND ND 15,48 ND 2,02 5,62 ND 3,09	
mg/g /5/.62 ND 3.62 ND ND 15.48 ND 2.02 5.62 ND 3.09	757 62 ND 2.62 ND ND 15.49 ND 2.02 F.62 ND 2.00	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : GA045954POT Instrument Used : GA-HPLC-003 2030C PDA

Reviewed On: 06/27/22 11:55:09 Batch Date: 06/25/22 08:19:39

Running on: 06/26/22 15:00:31

Reagent: 020322.R09; 010421.48; 060922.11; 061122.R32; 061122.R29

Consumables: 947.271; 470228-424; 9291.271; LLS-00-0005; 12400-133CD-133C; R0NB32898; 000000146137; 41064115C4115B; 210268; 206639 Pipette: GA-005; GA-149; GA-153; GA-169 (Dispenser)

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/28/22



Kaycha Labs

Banana OG 1g RSO Syringe

Banana OG Matrix : Derivative



Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20625001-007

Harvest/Lot ID: ORFS142-2206-10675

Sampled: 06/25/22

Ordered: 06/25/22

Batch#: BCC-172BCC-042522 Sample Size Received: 16 gram

Total Batch Size: 217 gram Completed: 06/28/22 Expires: 06/28/23 Sample Method : SOP.T.20.010

PASSED

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)	
CAMPHENE	0.007	ND	ND		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	ND	ND		PULEGONE	0.007	ND	ND		
B-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
ALPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	6.83	0.683		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	2.55	0.255		
EUCALYPTOL	0.007	ND	ND		GUAIOL	0.007	5.19	0.519		
INALOOL	0.007	2.15	0.215		Analyzed by:	Weight:	Exti	action d	late:	Extracted by
ENCHONE	0.007	ND	ND		3404, 3134, 3205, 2338	0.867g		26/22 10		3134
SOPULEGOL	0.007	ND	ND		Analysis Method: SOP.T.30.0		.061A.FL	. 17 17		
SOBORNEOL	0.007	ND	ND		Analytical Batch : GA045975T				ved On: 06/27/2	
HEXAHYDROTHYMOL	0.007	ND	ND		Instrument Used : GA-GCMS-G Running on : 06/26/22 12:30:			Batch	Date: 06/25/22	14:24:48
NEROL	0.007	ND	ND		Dilution: 50	11/	1/1/	4/	$\Lambda\Lambda\Lambda$	
GERANYL ACETATE	0.007	ND	ND		Reagent: 060922.R22; 05032					
BETA-CARYOPHYLLENE	0.007	19.37	1.937		Consumables: 947.271; H203		LS-00-00	05; 2104	419634; R0NB32	2898; 00000014
/ALENCENE	0.007	ND	ND		944C4 944J; 209598; 206639 Pipette : GA-002; GA-006; GA		spenser			
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed ut			Macc Sno	ctrometry	$\star \sim$
									ca omica y.	
CEDROL	0.007	ND	ND							
	0.007 0	ND 0.97	ND 0.097							
ARNESENE										
ARNESENE CARYOPHYLLENE OXIDE	0	0.97	0.097							
ARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL	0 0.007	0.97 0.89	0.097							
CEDROL FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE SABINENE	0 0.007 0.007	0.97 0.89 2.35	0.097 0.089 0.235							
FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE	0 0.007 0.007 0.007	0.97 0.89 2.35 ND	0.097 0.089 0.235 ND							
FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE SABINENE	0 0.007 0.007 0.007	0.97 0.89 2.35 ND ND	0.097 0.089 0.235 ND ND							
FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE SABINENE BETA-PINENE	0 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND	0.097 0.089 0.235 ND ND							
ARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE GABINENE GETA-PINENE ALPHA-TERPINENE LIMONENE	0 0.007 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND ND	0.097 0.089 0.235 ND ND ND							
ARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE GABINENE GETA-PINENE ALPHA-TERPINENE LIMONENE GAMMA-TERPINENE	0 0.007 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND ND ND	0.097 0.089 0.235 ND ND ND ND							
CARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE GABINENE BETA-PINENE ALPHA-TERPINENE LIMONENE GAMMA-TERPINENE FERPINOLENE	0 0.007 0.007 0.007 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND ND ND ND	0.097 0.089 0.235 ND ND ND ND ND							
FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE SABINENE BETA-PINENE ALPHA-TERPINENE	0 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND ND ND ND ND	0.097 0.089 0.235 ND ND ND ND ND ND							
FARNESENE CARYOPHYLLENE OXIDE ALPHA-BISABOLOL ALPHA-PINENE SABINENE BETA-PINENE ALPHA-TERPINENE LIMONENE GAMMA-TERPINENE FERPINOLENE SABINENE SABINENE	0 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	0.97 0.89 2.35 ND ND ND ND ND ND	0.097 0.089 0.235 ND ND ND ND ND ND							

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/28/22



Kaycha Labs

Banana OG 1g RSO Syringe

Banana OG Matrix : Derivative



Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20625001-007

Harvest/Lot ID: ORFS142-2206-10675

Sampled: 06/25/22

Ordered: 06/25/22

Batch#: BCC-172BCC-042522 Sample Size Received: 16 gram

Total Batch Size: 217 gram Completed: 06/28/22 Expires: 06/28/23 Sample Method: SOP.T.20.010

PASSED

Page 3 of 6



Pesticides

PASSED

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PYRETHRINS		0.01	ppm	1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN		0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN		0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND			0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROTETRAMAT				0.1	PASS	ND
FENAZATE	0.01	ppm	3	PASS	ND	SPIROXAMINE		0.01	ppm			
FENTHRIN	0.01	ppm	0.5	PASS	ND	TEBUCONAZOLE		0.01	ppm	1	PASS	ND
OSCALID	0.01	PPM	3	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	3	PASS	ND
ILORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITRO	BENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL	*	0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND			0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *						
AZINON	0.01	ppm	3	PASS	ND	CYFLUTHRIN *		0.05	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	1	PASS	ND
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weig	jht: E	xtraction	date:	Extract	ted by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 3134, 2338, 329	98 1.14	32g 0	6/26/22 13	:17:07	3134	
OFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP	P.T.30.101.FL, SOP.T.3	0.102.FL, S	OP.T.30.15	1.FL, SOP.T.4	0.101.FL, SOP	.T.40.102
OXAZOLE	0.01	ppm	1.5	PASS	ND	SOP.T.40.151.FL	45000056		V.	00/07/0	2 10 50 01	
NHEXAMID	0.01	ppm	3	PASS	ND	Analytical Batch : GA0 Instrument Used : GA-				On:06/27/2 e:06/25/22		
NOXYCARB	0.01	ppm	0.1	PASS	ND	Running on : 06/26/22			Daten Dat	.e .00/23/22	14.44.21	
NPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 10	7					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 061222.R01	; 050621.01; 060422	R38; 06042	22.R36			
ONICAMID	0.01	ppm	2	PASS	ND	Consumables: 947.27		.271; LLS-0	0-0005; 21	0419634; 296	5055173;	
UDIOXONIL	0.01	ppm	3	PASS	ND	41064115C4115B; 209						
XYTHIAZOX	0.01	ppm	2	PASS	ND	Pipette: GA-002; GA-0						
AZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural a Spectrometry and Gas C						
IIDACLOPRID	0.01	ppm	1	PASS	ND	64ER20-39.	inomatography mpie	·Quadrupole	Mass spec	trometry in at	.cordance with	r.s. Rule
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analyzed by:	Weight:	Extraction	date:		Extracted by:	
ALATHION	0.01	ppm	2	PASS	ND	NA	Weighti	NA	uutei		NA	
TALAXYL	0.01	ppm	3	PASS	ND	Analysis Method : SOP	P.T.30.060, SOP.T.40.0	060				
THIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : GAO			eviewed O	n:06/27/22 1	10:57:15	
THOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-		Ba	atch Date :	06/26/22 16	:27:02	
VINPHOS	0.01	ppm	0.1	PASS	ND	Running on : 06/26/22	18:10:22					
CLOBUTANIL	0.01	ppm	3	PASS	ND	Dilution: 100						
LED	0.01	ppm	0.5	PASS	ND	Reagent: 061222.R01 Consumables: 947.27			0-0005: 21	0410634-204	5055173	
AMYL	0.01	ppm	0.5	PASS	ND	41064115C4115B; 209			0-0003, 21	0713034, 291	JUJJI/J,	
	0.01	ppm	0.1	PASS	ND	Pipette : GA-002; GA-0						
		Phili				Testing for agricultural a			Chromotoo	on a boot Table to	O	
ACLOBUTRAZOL		nnm	0.2	PASS	ND	resuma for aufficultural a	adents is performed ur			irapny i ripie-i	Juagrupole Ma	
ACLOBUTRAZOL HOSMET	0.01	ppm	0.2	PASS	ND ND	Spectrometry and Gas C						
ACLOBUTRAZOL HOSMET PERONYL BUTOXIDE RALLETHRIN		ppm ppm ppm	0.2 3 0.4	PASS PASS PASS	ND ND ND							

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/28/22



Kaycha Labs

Banana OG 1g RSO Syringe

Banana OG Matrix : Derivative



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample: GA20625001-007

Harvest/Lot ID: ORFS142-2206-10675

Batch#: BCC-172BCC-042522 Sample Size Received: 16 gram Sampled: 06/25/22

Total Batch Size: 217 gram Ordered: 06/25/22 Completed: 06/28/22 Expires: 06/28/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm		TESTED	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: Weight: Extraction date: Extracted by:

Analysis Method: SOP.T.40.041.FL Analytical Batch : GA045974SOL Instrument Used : GA-GCMS-004 QP2020NX Running on: 06/25/22 15:51:35

 ${\bf Dilution:1}$ Reagent:

Consumables : 27296; 854996 Pipette :

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

Reviewed On: 06/26/22 13:14:30 Batch Date: 06/25/22 14:04:02

> ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/28/22



Kaycha Labs

Banana OG 1g RSO Syringe

Banana OG Matrix : Derivative



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample: GA20625001-007

Ordered: 06/25/22

Harvest/Lot ID: ORFS142-2206-10675

Batch#: BCC-172BCC-042522 Sample Size Received: 16 gram Sampled: 06/25/22

Total Batch Size: 217 gram Completed: 06/28/22 Expires: 06/28/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ESCHERICH SPP	IA COLI SHIGELLA			Not Present	PASS	
SALMONELI	LA SPECIFIC GENE			Not Present	PASS	
ASPERGILLU	US FLAVUS			Not Present	PASS	
ASPERGILLU	US FUMIGATUS			Not Present	PASS	
ASPERGILLU	US TERREUS			Not Present	PASS	
ASPERGILLU	US NIGER			Not Present	PASS	
TOTAL YEAS	ST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 1790, 3574, 1541	Weight: 1.01g	Extraction 06/25/22		Extracte 1790	ed by:	

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL

Analytical Batch : GA045976MIC

Reviewed On: 06/28/22 15:12:43 Instrument Used: GA-TYM-001 Tempo Filler and Batch Date: 06/25/22 14:36:23

Running on: 06/25/22 17:21:44

Reagent: 052622.09

Consumables: 2303260; 2303190; 2304090; 2306070; 2304090; 2305240; GA-185; GA-213;

61630-123C6-123E Pipette: GA-154

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by: NA	Weight:	Extraction date: NA	Extracted by: NA
Analysis Method : S	OP.T.40.041		
Analytical Batch: G	A045977TYM		Reviewed On: 06/28/22 15:13:15
Instrument Used : (A-TYM-001 bioMe	érieux Tempo Filler and	Batch Date: 06/25/22 14:36:40
Reader			
Running on: 06/25/	22 17:19:42		

Dilution: 90 Reagent: 052622.09

Consumables: 2304090; 2306070; 2304090; GA-185; GA-213; 61630-123C6-123E

Pipette: GA-154

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

0						
Analyte	8	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by: 3404, 3134, 2338, 3298	Weight: 1.1432g		on date: 2 13:17:0	7	Extracto 3134	ed by:

06/26/22 13:17:07

Analysis Method: SOP.T.30.101.FL, SOP.T.40.101.FL, SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : GAO46005MYC Instrument Used : GA-LCMS-001 MYC Running on : 06/26/22 18:14:16 Reviewed On: 06/27/22 11:01:51 Batch Date: 06/26/22 16:27:06

1.1432g

Dilution :

Reagent: aflatoxin_b2; aflatoxin_b1; aflatoxin_g1; aflatoxin_g2

Consumables: 0.02; 0.02; 0.02; 0.02

 $\label{thm:mass} \mbox{Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.$



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC CADMIUM MERCURY		0.02 0.02	PPM	ND ND ND	PASS PASS PASS	1.5
						0.5
		0.02				3
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by: 3404, 3134, 2338, 1541	Weight: 0.5024g		ion date:	9	Extract	ed by:

Instrument Used : GA-ICPMS-002 Batch Date: 06/25/22 14:43:04 Running on:

Dilution: 100

Reagent: 052422.R35; 062222.R63; 010421.51; 061621.03; 041622.R02; 051622.R03;

041722.R01; 042022.R45

Consumables: CGR0114; 12400-133CD-133C; 209598; L2019501 Pipette: GA-012; GA-183; GA - 194; GA-195; GA-193

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



06/28/22



Kaycha Labs

Banana OG 1g RSO Syringe Banana OG

Matrix : Derivative



PASSED

Page 6 of 6

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample: GA20625001-007

Harvest/Lot ID: ORFS142-2206-10675

Total Batch Size: 217 gram

Sample Method: SOP.T.20.010

Completed: 06/28/22 Expires: 06/28/23

Batch#: BCC-172BCC-042522 Sample Size Received: 16 gram Sampled: 06/25/22

Ordered: 06/25/22

Filth/Foreign Material

PASSED

Analyte LOD Units Result P/F Action Level Filth and Foreign Material % ND PASS 5

Analyzed by: 3404, 1790, 1541 Weight: Extraction date: Extracted by: 06/25/22 13:21:12 14.5q

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: GA045965FIL Instrument Used: GA-Filth/Foreign Material Microscope

Reviewed On: 06/25/22 18:23:51 Batch Date: 06/25/22 12:40:54

Running on:

Dilution: 1 Reagent : Consumables : Pipette:

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Leve
Water Activity	0.1	214/	0.50	TESTED	

Weight: Extraction date: Extracted by: Analyzed by: 3404, 3134, 3192 06/26/22 16:12:42

Analysis Method : SOP.T.40.019 Analytical Batch : GA045978WAT

Instrument Used : GA-203 Rotronic HygroPalm
Running on :

Reviewed On: 06/27/22 13:02:25 Batch Date: 06/25/22 14:40:53

Dilution: 1 Reagent: Consumables: 107264

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



06/28/22