

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US

Certificate

of Analysis

Kaycha Labs

Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix: Derivative



Sample:GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Batch#: DF-GOGL-2206-9798 Cultivation Facility: Gainesville Cultivation Processing Facility : Gainesville Processing Seed to Sale# HVFV118-2206-10611 Batch Date: 06/22/22 Sample Size Received: 16 gram Total Batch Size: 1190 units Retail Product Size: 1 gram Ordered : 06/28/22 Sampled : 06/28/22 Completed: 07/01/22 Sampling Method: SOP.T.20.010.FL


Jul 01, 2022 | Liberty Health Sciences, FL

Gainesville, FL, 32609, US



Page 1 of 6

PASSED



This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PILA

Testing 97164

Signature

07/01/22

Signed On



Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix : Derivative



PASSED

TESTED

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Sampled : 06/28/22 Ordered : 06/28/22

Batch# : DF-GOGL-2206-9798 Sample Size Received : 16 gram Total Batch Size : 1190 units Completed : 07/01/22 Expires: 07/01/23 Sample Method : SOP.T.20.010

Page 2 of 6

\bigcirc

Terpenes

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPINEOL	0.007	1.58	0.158		BORNEOL	0.013	ND	ND		
CAMPHENE	0.007	< 0.2	< 0.02		GERANIOL	0.007	ND	ND		
BETA-MYRCENE	0.007	1.96	0.196		PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	2.06	0.206		
CIMENE	0.007	0.48	0.048		TRANS-NEROLIDOL	0.007	1.88	0.188		
UCALYPTOL	0.007	0.49	0.049		GUAIOL	0.007	ND	ND		
INALOOL	0.007	1.1	0.11		Analyzed by:	Weight:	Extra	ction date:		Extracted by
ENCHONE	0.007	ND	ND		3404, 3600, 3303, 2155	0.9212g		8/22 18:06:0	15	3600
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40	0.061A.FL				
SOBORNEOL	0.007	ND	ND		Analytical Batch : GA046099TER Instrument Used : GA-GCMS-002 OP2010S				On: 06/30/22 12:28:58 : 06/28/22 16:35:15	
IEXAHYDROTHYMOL	0.007	ND	ND		Running on : 06/29/22 16:19:54			Batch Date	: 00/28/22 10:35:15	
IEROL	0.007	ND	ND		Dilution : 50					
ERANYL ACETATE	0.007	0.44	0.044		Reagent: 060922.R22; 050322.49; 010421.4					
ETA-CARYOPHYLLENE	0.007	8.75	0.875		Consumables : 947.271; H20364; 9291.271; L		-780; R0NB32	898; 00000	0146137; 944C4 944J; 21	0268; 206639
ALENCENE	0.007	5	0.5		Pipette : GA-005; GA-149; GA-153; GA-150; G					
IS-NEROLIDOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chroma	atography Mass Spectr	ometry.			
EDROL	0.007	0.35	0.035							
ARNESENE	0	0.62	0.062							
ARYOPHYLLENE OXIDE	0.007	0.37	0.037							
LPHA-BISABOLOL	0.007	0.9	0.09							
LPHA-PINENE	0.007	0.79	0.079							
ABINENE	0.007	ND	ND							
ETA-PINENE	0.007	1.22	0.122							
LPHA-TERPINENE	0.007	ND	ND							
IMONENE	0.007	14.86	1.486							
AMMA-TERPINENE	0.007	1.73	0.173							
ERPINOLENE	0.007	ND	ND							
ABINENE HYDRATE	0.007	ND	ND							
ENCHYL ALCOHOL	0.007	0.7	0.07							
CAMPHOR	0.013	ND	ND							
otal (%)			4.528							
())										

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/01/22



Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix : Derivative



PASSED

Gainesville, FL, 32609, US

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Sampled : 06/28/22 Ordered : 06/28/22

Batch# : DF-GOGL-2206-9798 Sample Size Received : 16 gram Total Batch Size : 1190 units Completed : 07/01/22 Expires: 07/01/23 Sample Method : SOP.T.20.010

Page 3 of 6

PASSED

Pesticides

0

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PROPICONAZOLE
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRETHRINS
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROB
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *
COUMAPHOS	0.01	ppm	0.1	PASS	ND	
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *
DIAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 3209, 3303, 331
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL Analytical Batch : GA04
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-L
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Running on :06/29/22 1
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 10
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 060422.R38;
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 947.271
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette : GA-002; GA-22
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural age Spectrometry and Gas Ch
IMAZALIL	0.01	ppm	0.1	PASS	ND	64ER20-39.
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analyzed by:
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	N/A
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method : SOP.
METALAXYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA04
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-C
METHOMYL	0.01	ppm	0.1	PASS	ND	Running on :06/29/22 1 Dilution : 100
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 060422.R38;
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 947.271
NALED	0.01	ppm	0.25	PASS	ND	944C4 944J; 206639
OXAMYL	0.01	ppm	0.5	PASS	ND	Pipette : GA-146; GA-18
PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND	Testing for agricultural ag
PHOSMET	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Ch
PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND	64ER20-39.
PRALLETHRIN	0.01	ppm	0.1	PASS	ND	

Pesticide		}	LOD	Units	Action Level	Pass/Fail	Result	
PROPICONAZOLE			0.01	ppm	0.1	PASS	ND	
PROPOXUR			0.01	ppm	0.1	PASS	ND	
PYRETHRINS			0.01	ppm	0.5	PASS	ND	
PYRIDABEN			0.01	ppm	0.2	PASS	ND	
SPIROMESIFEN			0.01	ppm	0.1	PASS	ND	
SPIROTETRAMAT			0.01	ppm	0.1	PASS	ND	
SPIROXAMINE			0.01	ppm	0.1	PASS	ND	
TEBUCONAZOLE			0.01	ppm	0.1	PASS	ND	
THIACLOPRID			0.01	ppm	0.1	PASS	ND	
THIAMETHOXAM			0.01	ppm	0.5	PASS	ND	
TRIFLOXYSTROBIN			0.01	ppm	0.1	PASS	ND	
PENTACHLORONITR	DBENZENE (PCM	IB) *	0.01	PPM	0.15	PASS	ND	
PARATHION-METHYL			0.01	PPM	0.1	PASS	ND	
CAPTAN *			0.07	PPM	0.7	PASS	ND	
CHLORDANE *			0.01	PPM	0.1	PASS	ND	
CHLORFENAPYR *			0.01	PPM	0.1	PASS	ND	
CYFLUTHRIN *			0.05	PPM	0.5	PASS	ND	
CYPERMETHRIN *			0.05	PPM	0.5	PASS	ND	
Analyzed by: 3404, 3209, 3303, 33	317	Weight: 0.9879g		Extraction 06/29/22 11		Extracted by: 3209		
SOP.T.40.151.FL Analytical Batch : GA Instrument Used : G/ Running on :06/29/2 Dilution : 10 Reagent : 060422.R3 Consumables : 947.2 Pipette : GA-002: GA	A-LCMS-001 PES 2 15:43:03 8; 060422.R36; 71; H20364; 929	062122.R0		Batch Da	d On : 06/30/2 te : 06/28/22 9634; 296055	16:38:54		
Testing for agricultural Spectrometry and Gas 64ER20-39.	agents is perform							
Analyzed by: N/A	Weight: N/A	Ex N/		on date:		Extracted by: N/A		
Analysis Method :SC Analytical Batch :GA Instrument Used :GA Running on :06/29/2	046154VOL A-GCMS-006	P.T.40.060			n:06/30/22 : :06/29/22 12			
Dilution : 100 Reagent : 060422.R3 Consumables : 947.2 944C4 944]; 206639 Pipette : GA-146; GA	8; 060422.R36; 71; H20364; 92 -182	91.271; LLS	5-00-00	005; 21041	9634; 296055			
Testing for agricultural Spectrometry and Gas								

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/01/22



Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix : Derivative



PASSED

PASSED

Certificate of Analysis

Liberty Health Sciences, FL

ñ

Gainesville, FL, 32609, US

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Sampled : 06/28/22 Ordered : 06/28/22

Batch# : DF-GOGL-2206-9798 Sample Size Received : 16 gram Total Batch Size : 1190 units Completed : 07/01/22 Expires: 07/01/23 Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
METHANOL	25	ppm	250	PASS	ND		
ETHANOL	500	ppm	5000	PASS	ND		
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND		
ETHYL ETHER	50	ppm	500	PASS	ND		
ACETONE	75	ppm	750	PASS	ND		
2-PROPANOL	50	ppm	500	PASS	ND		
ACETONITRILE	6	ppm	60	PASS	ND		
DICHLOROMETHANE	12.5	ppm	125	PASS	ND		
N-HEXANE	25	ppm	250	PASS	ND		
ETHYL ACETATE	40	ppm	400	PASS	ND		
BENZENE	0.1	ppm	1	PASS	ND		
HEPTANE	500	ppm	5000	PASS	ND		
TOLUENE	15	ppm	150	PASS	ND		
PROPANE	500	ppm	5000	PASS	ND		
CHLOROFORM	0.2	ppm	2	PASS	ND		
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND		
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND		
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND		
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND		
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND		
Analyzed by: N/A	Weight: N/A	Extraction date: N/A		Extracted by: N/A	Extracted by: N/A		

Analytical Batch : GA046083SOL Instrument Used : GA-GCMS-004 QP2020NX Running on : 06/28/22 14:52:05

Dilution : N/A Reagent : N/A

Consumables : 27296; 854996 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

07/01/22

Signed On



Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix : Derivative



PASSED

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Sampled : 06/28/22 Ordered : 06/28/22

Batch# : DF-GOGL-2206-9798 Sample Size Received : 16 gram Total Batch Size : 1190 units Completed : 07/01/22 Expires: 07/01/23 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microbia				PAS	SED	လို့	Мус	otoxins	5			PAS	SEL
Analyte	$\langle \ $	LOD	Units	Result	Pass / Fail	Action	Analyte		Ž	LOD	Units	Result	Pass / Fail	Action
SCHERICHI	COLI SHIGELLA			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
PP							AFLATOXIN			0.002	ppm	ND	PASS	0.02
ALMONELLA	A SPECIFIC GENE			Not Present	PASS		OCHRATOX	NA		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
SPERGILLU	S TERREUS			Not Present	PASS		Analyzed by:		Weight:	Extract	ion date:		Extract	od by
SPERGILLU	S NIGER			Not Present	PASS		3404, 3209, 3	303, 3317	0.9879g		22 11:27:3	0	3209	eu by.
OTAL YEAS	T AND MOLD	10 0	CFU/g	<10	PASS	100000	Analysis Moth	od · SOP T 30	101.FL, SOP.T.40.	_		_		2 FI
OP.T.40.208	d: SOP.T.40.041, SOP.T	06/29/2		5, SOP.T.40.0		.40.058.FL	Instrument Us Running on : 0 Dilution : N/A	6/29/22 15:43	001 MYC :13	Batcl	wed On : Date : 06			H
eader	h : GA046113MIC ed : GA-TYM-001 Tempo 5/29/22 20:17:43	Filler and		ved On : 07/01, Date : 06/28/2				toxin_b2; aflat : 0.02; 0.02; 0	oxin_b1; aflatoxir 02; 0.02	1_g1; afla	toxin_g2	X	A	R
	54 is performed utilizing vario chniques in accordance wit			ig: PCR, RTPCR,	MPN, and tra	ditional	Hg	Heav	vy Meta	als			PAS	SE
nalyzed by: /A	Weight: N/A	Extractio N/A	n date:	Ext N/A	racted by:		Metal		$/ \Lambda$	LOD	Units	Result	Pass / Fail	Action
nalysis Metho	d:SOP.T.40.041						ARSENIC			0.02	PPM	ND	PASS	0.2
	h:GA046114TYM			Reviewed O			CADMIUM			0.02	PPM	ND	PASS	0.2
	ed : GA-TYM-001 bioMéri	eux Tempo	Filler and	Batch Date	: 06/28/22	18:41:47	MERCURY			0.02	PPM	ND	PASS	0.2
eader	6/30/22 16:23:24						LEAD			0.05	PPM	ND	PASS	0.5
ilution : 90 eagent : 0526						_	Analyzed by: 3404, 3317, 3	571, 2155, 330	Weigh 3 0.454		raction da 29/22 11:0		Extrac 3571	ted by:
onsumables : ipette : GA-15	2304090; 2304090; GA				d techniques	in	Analytical Bat Instrument Us	ch : GA046034	-002	Review	OP.T.40.0 ed On : 06 oate : 06/2	/30/22 11	:03:52	2.FL
							062222.R63; Consumables	010421.48	522.R03; 041722. A-194; GA-195; C A-193					.R35;
							Heavy Metals with F.S. Rule		med using Inductive	ely Coupled	l Plasma Ma	iss Spectro	metry in ac	cordance

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analysed. ND=Not Detected, pm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature





Gorilla Glue 1g Vape Cartridge Gorilla Glue Matrix : Derivative



PASSED

Certificate of Analysis

Liberty Health Sciences, FL

Gainesville, FL, 32609, US

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA20628001-019 Harvest/Lot ID: HVFV118-2206-10611 Sampled : 06/28/22 Ordered : 06/28/22

Batch# : DF-GOGL-2206-9798 Sample Size Received : 16 gram Total Batch Size : 1190 units Completed : 07/01/22 Expires: 07/01/23 Sample Method : SOP.T.20.010



Filth/Foreign PASSED Material Analyte LOD Units Result P/F Action Level Filth and Foreign Material % ND PASS 5 1 Analyzed by: 3404, 2821, 3192 Weight: Extraction date: Extracted by: 06/28/22 16:53:32 10.6q 2821 Analysis Method : SOP.T.30.074, SOP.T.40.074 Analytical Batch : GA046096FIL Instrument Used : GA-Filth/Foreign Material Microscope Reviewed On: 06/29/22 08:18:23 Batch Date : 06/28/22 16:10:34 Running on : N/A Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39. PASSED Water Activity Units Analyte LOD Result P/F Action Level Water Activity 0.578 PASS 0.1 aw 0.85 Analyzed by: 3404, 3575, 1541 Weight: 1.0609g Extraction date: Extracted by: 3575 06/28/22 18:34:22 Analysis Method : SOP.T.40.019 Analytical Batch : GA046098WAT Reviewed On: 06/30/22 08:20:43 Batch Date : 06/28/22 16:33:41 Instrument Used : GA-203 Rotronic HygroPalm Running on : $\ensuremath{\mathbb{N}}\xspace/\ensuremath{\mathbb{A}}\xspace$ Dilution : N/A Reagent : N/A Consumables : 107264

Pipette : N/A Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

