

Gainesville, FL, 32609, US

Certificate of Analysis

Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus Matrix: Derivative



Sample:GA20629001-004 Harvest/Lot ID: DPFV101-2206-10969

Batch#: DF-CACI-2206-10668

Cultivation Facility: Gainesville Cultivation Processing Facility: Gainesville Processing Seed to Sale# DPFV101-2206-10969

Batch Date: 06/27/22

Sample Size Received: 16 gram Total Batch Size: 2149 units

> Retail Product Size: 1 gram Ordered: 06/29/22 Sampled: 06/29/22

Completed: 07/01/22

Sampling Method: SOP.T.20.010.FL

Page 1 of 6

Jul 01, 2022 | Liberty Health Sciences, FL

18770 N CR 225

Gainesville, FL, 32609, US



PRODUCT IMAGE

SAFETY RESULTS





Pesticides

PASSED





PASSED



PASSED



PASSED



PASSED



PASSED



PASSED

THCV

0.566

5.66

0.001

%

Water Activity



PASSED

CBC

0.575

5.75

0.001

%

MISC.

Moisture **TESTED**



Cannabinoid

Total THC





CBDA

ND

ND

%

0.001

D8-THC

ND

ND

%

0.001

Total CBD 0.207% Total CBD/Container: 2.07 mg

2.692

26,92

0.001

%



CBN

0.346

3,46

0.001

Total Cannabinoids

Total Cannabinoids/Container: 877.42

CBDV

ND

ND

0/0

0.001



	70	/0	
Analyzed by: 1404, 3600, 250	7, 1541		
analysis Metho		31, SOP.T.30.03	31

833.56

0.001

Extraction date: 06/29/22 15:51:08

Reviewed On: 07/01/22 16:34:38 Batch Date: 06/28/22 16:37:56

CBGA

ND

ND

0.001

Analytical Batch : GA046100POT Instrument Used : GA-HPLC-002 2040C Running on : 06/29/22 17:58:34

mg/unit

LOD

Dilution : 400
Reagent : 020322.R09; 010421.48; 060922.11; 092920.12; 061621.03; 060422.R40; 060822.R51
Consumables : 947.271; H20364; 9291.271; LLS-00-0005; 12455-202CD-202C; R0NB32898; 000000146137; 944C4 944]; 210268; 206639

Pipette: GA-001; GA-002; GA-004; GA-011; GA-169 (Dispenser); GA-196; GA-209 Dispenser

ND

0.001

CBD

0.207

2.07

%

0.001

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



07/01/22



Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus Matrix : Derivative

PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20629001-004

Harvest/Lot ID: DPFV101-2206-10969

Sampled: 06/29/22 Ordered: 06/29/22

Batch#: DF-CACI-2206-10668 Sample Size Received: 16 gram

Total Batch Size: 2149 units Completed: 07/01/22 Expires: 07/01/23 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

erpenes	(%)	mg/unit	: %	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)	
OTAL TERPINEOL	0.007	0.61	0.061		BORNEOL	0.013	ND	ND		
AMPHENE	0.007	0.35	0.035		GERANIOL	0.007	ND	ND		
ETA-MYRCENE	0.007	0.67	0.067		PULEGONE	0.007	ND	ND		
-CARENE	0.007	ND	ND		ALPHA-CEDRENE	0.007	ND	ND		
LPHA-PHELLANDRENE	0.007	ND	ND		ALPHA-HUMULENE	0.007	< 0.2	< 0.02		
CIMENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND		
UCALYPTOL	0.007	ND	ND		GUAIOL	0.007	ND	ND		
INALOOL	0.007	ND	ND		Analyzed by:	Weight:	Extra	ction date:		Extracted by:
ENCHONE	0.007	ND	ND		3404, 3600, 3303, 2155	0.8784g	06/30	0/22 10:54:4	6	3600
SOPULEGOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.	FL, SOP.T.40.061A.FL				
GOBORNEOL	0.007	ND	ND		Analytical Batch : GA046165TER	2020100			On: 07/01/22 14:47:53 : 06/29/22 14:01:31	
EXAHYDROTHYMOL	0.007	ND	ND		Instrument Used: GA-GCMS-002 (Running on: 06/30/22 12:12:57	QP20105		Batch Date	: 00/29/22 14:01:31	
EROL	0.007	ND	ND		Dilution : 50					
ERANYL ACETATE	0.007	ND	ND		Reagent: 060922.R22; 050322.4					
							700, DONDOO	000,000000	01/46137 : 0//// 0/// 21	0268- 206630
ETA-CARYOPHYLLENE	0.007	ND	ND		Consumables: 947.271; H20364;		-700, KUND32	.090, 000000	0140137, 34404 344j, 21	0200, 200033
ETA-CARYOPHYLLENE ALENCENE	0.007 0.007	ND ND	ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		.096, 000000	0140137, 34404 344), 21	0200, 200033
						i; GA-152; GA-211 Dispenser		.696, 000000	0140137, 34404 344), 21	0200, 200033
ALENCENE	0.007	ND	ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser			0140137, 34404 344], 21	0200, 200033
ALENCENE IS-NEROLIDOL EDROL	0.007 0.007	ND ND	ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		.696, 000000	0140137, 34404 344), 21	0200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE	0.007 0.007 0.007	ND ND ND	ND ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		898, 000000	0140137, 34404 344), 21	0200, 200039
ALENCENE IS-NEROLIDOL	0.007 0.007 0.007 0	ND ND ND <0.01	ND ND ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		898, 000000	0.140137, 34404 3449, 21	0200, 200039
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE	0.007 0.007 0.007 0	ND ND ND <0.01	ND ND ND ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		898, 000000	340137, 34404 344), 21	5200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL	0.007 0.007 0.007 0 0.007 0.007	ND ND ND <0.01 ND 0.22	ND ND ND ND ND ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		898, 000000	340137, 3404 344, 21	5200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE	0.007 0.007 0.007 0 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9	ND ND ND ND ND 0.022 0.09		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		896, 000000	340137, 34404 344), 2.1	5200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE ABINENE	0.007 0.007 0.007 0 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND	ND ND ND ND ND O.022 0.09		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		896, 000000	24037, 3404 349, 22	2200, 200039
ALENCENE IS-NEROLIDOL EBROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE	0.007 0.007 0.007 0 0.007 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55	ND ND ND ND ND 0.022 0.09 ND 0.155		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		396, 000000	34,54	2200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE	0.007 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55 0.43	ND ND ND ND ND 0.022 0.09 ND 0.155 0.043		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		396, 000000	34,54	2200, 200033
ALENCENE IS-NEROLIDOL EBROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE BAINENE ETA-PINENE LPHA-TERPINENE	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55 0.43 34.48	ND ND ND ND O.022 0.09 ND 0.155 0.043 3.448		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		396, 000000	34,54	2200, 200033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE IMONENE AMMA-TERPINENE	0.007 0.007 0.007 0 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55 0.43 34.48 4.18	ND ND ND ND ND 0.022 0.09 ND 0.155 0.043 3.448 0.418		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		656, 00000	3,5,5,5,5,5	2200, 100033
ALENCENE IS-NEROLIDOL EDROL ARNESENE ARYOPHYLLENE OXIDE LPHA-PINENE ABINENE ETA-PINENE LPHA-TERPINENE IMONENE IMONENE ERPINOLENE ERPINOLENE	0,007 0,007 0,007 0 0 0,007 0,007 0,007 0,007 0,007 0,007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55 0.43 34.48 4.18 2.87	ND ND ND ND ND 0.022 0.09 ND 0.155 0.043 3.448 0.418		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		636, 00000	3,5,4,6,1,4,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1	2200, 200035
ALENCENE IS-NEROLIDOL EBROL ARNESENE ARYOPHYLLENE OXIDE LPHA-BISABOLOL LPHA-PINENE ABINENE ETA-PINENE HONENE	0.007 0.007 0.007 0 0 0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.01 ND 0.22 0.9 ND 1.55 0.43 34.48 4.18 2.87 ND	ND ND ND ND ND 0.022 0.09 ND 0.155 0.043 3.448 0.418 0.287 ND		Pipette : GA-002; GA-004; GA-005	i; GA-152; GA-211 Dispenser		636, 00000	3,5,46,34,1)

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/01/22



Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus Matrix : Derivative

PASSED

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample : GA20629001-004

Harvest/Lot ID: DPFV101-2206-10969

Sampled: 06/29/22 Ordered: 06/29/22

Batch#: DF-CACI-2206-10668 Sample Size Received: 16 gram

Total Batch Size: 2149 units Completed: 07/01/22 Expires: 07/01/23 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	PPM	5	PASS	ND	PROPICONAZOLE		0.01	mag	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRETHRINS		0.01	ppm	0.5	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND					0.3	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm			
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	PPM	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM		0.01	ppm	0.5	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBEN	IZENE (DCNR) *	0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND		ZENE (FCND)	0.01	PPM	0.13	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *						
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	\rightarrow	Extraction	date:	Extract	ed by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	3404, 3575, 3303, 1541	0.8712q		06/30/22 15		3575	ou by.
TOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.3	0.101.FL, SOP.T.30.10)2.FL, S	OP.T.30.15	1.FL, SOP.T.4	0.101.FL, SOP	T.40.102.FL,
TOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.151.FL						
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch: GA0461				On:07/01/2		
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-LCM			Batch Dat	te:06/28/22	16:39:40	
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Running on : 06/30/22 17:0	06:11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Dilution: 10 Reagent: 060422.R38: 06	0422 P36: 061222 P0	1.011	122.06			
FLONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 947.271; 4				012-780: 296	055173: 2102	68
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Pipette: GA-150; GA-210 I		711	,			
IEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Testing for agricultural agen	its is performed utilizin	g Liquid	Chromatog	graphy Triple-	Quadrupole Ma	ss
MAZALIL	0.01	ppm	0.1	PASS	ND	Spectrometry and Gas Chron	matography Triple-Qua	drupole	e Mass Spec	trometry in ac	cordance with	F.S. Rule
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	64ER20-39.						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed by:			on date:		Extracted by	
MALATHION	0.01	ppm	0.2	PASS	ND	N/A	N/A N/	A			N/A	
METALAXYL	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.3 Analytical Batch: GA0462		- /2	audamed O	n:07/01/22 (00.55.51	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-GCN				06/30/22 15		
METHOCARB	0.01	ppm	0.1	PASS	ND	Running on : 07/01/22 08:		/ -	atti batt	100/30/22 13	.55.00	
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Dilution: 100						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Reagent: 060422.R38; 06						
IALED	0.01	ppm	0.25	PASS	ND	Consumables: 947.271; 4		; LLS-0	0-0005; 89	012-780; 296	055173; 2102	68;
DXAMYL	0.01	ppm	0.25	PASS	ND	15144001; 944C4 944J; 20						
	0.01	ppm	0.5	PASS	ND ND	Pipette : GA-004; GA-146;			1.01	0 = 1 /	0 1 1 2	
ACLOBUTRAZOL			0.1	PASS	ND ND	Testing for agricultural agen Spectrometry and Gas Chron						
PHOSMET	0.01	ppm	3	PASS	ND ND	64ER20-39.	matography mpie-Qua	ur upole	: Mass Spec	crometry in ac	LCOIDATICE WITH	r.s. Kule
PIPERONYL BUTOXIDE		ppm	0.1	PASS	ND							
PRALLETHRIN	0.01	ppm	0.1	PASS	ND							

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

State License # CMTL-0001 ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/01/22



Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus

Matrix : Derivative

Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US

Telephone: (833) 254-4877 **Email:** Qualityassurance@libertyhealthsciences.com Sample: GA20629001-004

Ordered: 06/29/22

Harvest/Lot ID: DPFV101-2206-10969

Batch#: DF-CACI-2206-10668 Sample Size Received: 16 gram Sampled: 06/29/22 Total Batch Size: 2149 units

Completed: 07/01/22 Expires: 07/01/23 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
METHANOL	25	ppm	250	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Weight: Extraction date: Analyzed by:

Analysis Method: SOP.T.40.041.FL Analytical Batch : GA046152SOL Instrument Used : GA-GCMS-004 QP2020NX Running on: 06/29/22 12:45:24

Dilution: N/A Reagent: N/A

Consumables : 27296; 854996

Pipette: N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

Reviewed On : 06/30/22 10:48:59 **Batch Date :** 06/29/22 11:02:49

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/01/22



Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus

Matrix : Derivative



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

Email: Qualityassurance@libertyhealthsciences.com

Sample: GA20629001-004

Harvest/Lot ID: DPFV101-2206-10969

Sampled: 06/29/22

Ordered: 06/29/22

Reviewed On: 07/01/22 19:24:22

Batch Date: 06/29/22 17:37:40

Batch#: DF-CACI-2206-10668 Sample Size Received: 16 gram Total Batch Size: 2149 units

Completed: 07/01/22 Expires: 07/01/23 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3404, 3209, 1790, 1541	Weight: 1.08g	Extraction 06/29/22 2		Extracte 3209	d by:

Analysis Method: SOP.T.40.041, SOP.T.40.043, SOP.T.40.045, SOP.T.40.056B, SOP.T.40.058.FL,

Analytical Batch : GA046180MIC Instrument Used: GA-TYM-001 Tempo Filler and

Running on: 06/30/22 16:27:15

Reagent: 052622.09

Consumables: 2303260; 2303190; 2306070; 2304090; GA-185; GA-213; 61630-123C6-123E

Microbial testing is performed utilizing various technologies including: PCR, RTPCR, MPN, and traditional culture based techniques in accordance with F.S. Rule 64ER20-39...

Analyzed by:	Weight:	Extraction date:	Extracted by:
N/A	N/A	N/A	N/A
Analysis Method :	SOP.T.40.041		
Analytical Batch:	GA046181TYM		Reviewed On: 07/01/22 19:24:40
Instrument Used:	GA-TYM-001 bioM	érieux Tempo Filler and	Batch Date: 06/29/22 17:38:10
Reader			

Running on: 06/30/22 16:24:45

Dilution: 90 Reagent: 052622.09

Consumables: 2306070; 2304090; GA-185; GA-213; 61630-123C6-123E

Pipette: GA-154

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	LOD	Units	Result	Pass / Fail	Action Level	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
	0.002	ppm	ND	PASS	0.02	
Weight: 0.8712g	Extraction date: 06/30/22 15:01:53		3	Extracted by: 3575		
		0.002 0.002 0.002 0.002 0.002 Weight: Extracti	0.002 ppm	0.002 ppm ND Weight: Extraction date:		

Analysis Method: SOP.T.30.101.FL. SOP.T.40.101.FL. SOP.T.30.102.FL. SOP.T.40.102.Fl Analytical Batch : GA046224MYC Reviewed On: 07/01/22 11:44:14 Instrument Used : GA-LCMS-001 MYC Running on : 06/30/22 17:06:01 Batch Date: 06/30/22 15:34:52

Reagent: aflatoxin_b2; aflatoxin_b1; aflatoxin_g1; aflatoxin_g2
Consumables: 0.02; 0.02; 0.02; 0.02

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal		LOD	Units	Result	Pass / Fail	Action Level
ARSENIC		0.02	PPM	ND	PASS	0.2
CADMIUM		0.02	PPM	ND	PASS	0.2
MERCURY		0.02	PPM	ND	PASS	0.2
LEAD		0.05	PPM	ND	PASS	0.5
Analyzed by:	Weight:		ion date:		Extract	ed by:

Analysis Method: SOP.T.30.081.FL, SOP.T.30.082.FL, SOP.T.40.081.FL, SOP.T.40.082.FL Analytical Batch : GA046164HEA Reviewed On: 06/30/22 16:54:34 Instrument Used : GA-ICPMS-002 Running on : N/A Batch Date: 06/29/22 14:01:09

Dilution: 100

Reagent: 041622.R02; 051622.R03; 041722.R01; 042022.R45; 061621.03; 052422.R35;

062222.R63; 010421.48

Consumables: L2019501; GA-194; GA-195; CGR0114; 12455-202CD-202C Pipette: GA-012; GA-183; GA-193

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Cerfitication shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Rob Bruton

Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/01/22



Kaycha Labs

California Citrus 1g Vape Cartridge California Citrus



Matrix : Derivative

Certificate of Analysis

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877

 $\textbf{Email:} \ Quality as surance @ liberty health sciences.com$

Sample: GA20629001-004

Harvest/Lot ID: DPFV101-2206-10969

Batch#: DF-CACI-2206-10668 Sample Size Received: 16 gram Sampled: 06/29/22

Total Batch Size: 2149 units Ordered: 06/29/22 Completed: 07/01/22 Expires: 07/01/23 Sample Method: SOP.T.20.010

PASSED

Page 6 of 6



PASSED

Analyte LOD Units Result P/F Action Level Filth and Foreign Material % ND PASS 5 Analyzed by: 3404, 1790, 1541 Weight: Extraction date: Extracted by: 06/29/22 13:51:48 10g

Analysis Method: SOP.T.30.074, SOP.T.40.074

Analytical Batch: GA046160FIL Instrument Used: GA-Filth/Foreign Material Microscope

Running on : N/A

Dilution: N/A Reagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Reviewed On: 06/30/22 08:18:29 **Batch Date:** 06/29/22 13:51:15

Analyte	0.1	Units	Result	P/F	Action Level
Water Activity		aw	0.607	PASS	0.85
Analyzed by: 3404, 3599, 1541	Weight: 0.5258a	Extraction			ctracted by:

Reviewed On: 06/30/22 15:52:41

Batch Date: 06/29/22 14:00:33

Analysis Method : SOP.T.40.019
Analytical Batch : GA046163WAT

Instrument Used : N/A Running on : \mathbb{N}/\mathbb{A}

Dilution : N/A Reagent : N/A Consumables: 107264 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Rob Bruton Lab Director

ISO Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/01/22