



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA30510001-003
Harvest/Lot ID: HZFCW162-2305-20579
Batch#: LPC-42L-012223
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale# HZFCW162-2305-20579
Batch Date: 05/02/23
Sample Size Received: 16 gram
Total Amount: 747 units
Retail Product Size: 1 gram
Ordered: 05/10/23
Sampled: 05/10/23
Completed: 05/12/23
Sampling Method: SOP.T.20.010

May 12, 2023 | Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

74.831%

Total THC/Container : 748.31 mg



Total CBD

0%

Total CBD/Container : 0 mg



Total Cannabinoids

86.714%

Total Cannabinoids/Container : 867.14 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	7.896	76.323	ND	<0.2	ND	0.42	2.075	ND	ND	ND	<0.2
mg/unit	78.96	763.23	ND	<2	ND	4.2	20.75	ND	ND	ND	<2
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analized by:
2507, 3192

Weight:
0.1074g

Extraction date:
05/10/23 12:50:51

Extracted by:
3655

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : GA059957POT
 Instrument Used : GA-HPLC-001 2030C Plus (Derivative)
 Analyzed Date : 05/10/23 15:36:25

Reviewed On : 05/11/23 08:40:13
 Batch Date : 05/09/23 16:30:26

Dilution : 400
 Reagent : 030323.R43; 010421.44; 030823.07; 041423.R19; 032823.R09
 Consumables : GA-169; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 209598; 212516
 Pipette : GA-003; GA-005; GA-007; GA-177

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-003

Harvest/Lot ID: HZFCW162-2305-20579

Batch# : LPC-42L-012223

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 747 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 2 of 6

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-003

Harvest/Lot ID: HZFCW162-2305-20579

Batch# : LPC-42L-012223

Sampled : 05/10/23

Ordered : 05/10/23


Sample Size Received : 16 gram

Total Amount : 747 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	795, 3303, 3192	0.2579g	05/10/23 20:37:31	795		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060028PES			Reviewed On : 05/12/23 08:46:34		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 05/10/23 20:33:05		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	2155, 3303, 3192	0.9074g	05/10/23 18:05:05	3575,3655		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA060015VOL			Reviewed On : 05/12/23 10:15:17		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : GA-GCMS-006			Batch Date : 05/10/23 12:10:44		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/10/23 18:26:43					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 50					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051123.R18; 032823.R34; 011122.06					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 947.109; 21/05/14; 9291.271; LLS-00-0005; 210419634; 296055173; 55447-U.15143701;					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	944C4 944j; 209598; 212516					
NALED	0.01	ppm	0.25	PASS	ND	Pipette : GA-003; GA-007; GA-177					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-003

Harvest/Lot ID: HZFCW162-2305-20579

Batch# : LPC-42L-012223

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 747 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 2155, 3303, 2338, 3192

 Weight:
 0.0235g

 Extraction date:
 05/10/23 16:47:24

 Extracted by:
 2155

Analysis Method : SOP.T.40.041.FL

Analytical Batch : GA060022SOL

Instrument Used : GA-GCMS-001 Headspace Solvent

Analyzed Date : 05/10/23 17:00:56

Reviewed On : 05/12/23 10:19:51

Batch Date : 05/10/23 14:57:44

Dilution : N/A

Reagent : 010421.47

Consumables : R2017.167; 854996

Pipette : GA-253

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-003

Harvest/Lot ID: HZFCW162-2305-20579

Batch# : LPC-42L-012223

Sampled : 05/10/23

Ordered : 05/10/23




Sample Size Received : 16 gram

Total Amount : 747 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED																																																																																				
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	ECOLI SHIGELLA			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table>			Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																				
ECOLI SHIGELLA			Not Present	PASS																																																																																					
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																					
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																					
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																					
ASPERGILLUS TERREUS			Not Present	PASS																																																																																					
ASPERGILLUS NIGER			Not Present	PASS																																																																																					
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000																																																																																				
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																				
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																				
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																				
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																				
<table><tr><td>Analyzed by: 3721, 3303, 3192</td><td>Weight: 0.8778g</td><td>Extraction date: 05/10/23 14:21:40</td><td>Extracted by: 3793</td></tr></table>			Analyzed by: 3721, 3303, 3192	Weight: 0.8778g	Extraction date: 05/10/23 14:21:40	Extracted by: 3793	<table><tr><td>Analyzed by: 795, 3303, 3192</td><td>Weight: 0.2579g</td><td>Extraction date: 05/10/23 20:37:31</td><td>Extracted by: 795</td></tr></table>			Analyzed by: 795, 3303, 3192	Weight: 0.2579g	Extraction date: 05/10/23 20:37:31	Extracted by: 795																																																																												
Analyzed by: 3721, 3303, 3192	Weight: 0.8778g	Extraction date: 05/10/23 14:21:40	Extracted by: 3793																																																																																						
Analyzed by: 795, 3303, 3192	Weight: 0.2579g	Extraction date: 05/10/23 20:37:31	Extracted by: 795																																																																																						
<p>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : GA060007MIC Instrument Used : GA-200 Bacterial / GA-102 Fungal Incubators Analyzed Date : 05/11/23 09:46:07</p> <p>Dilution : 10 Reagent : 092022.51 Consumables : GA-186; 010205; 262202; 013209; 007109; P-21557211R Pipette : GA-154</p>			<p>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060029MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : N/A</p> <p>Dilution : 250 Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219</p>																																																																																						
<p>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																																																																									
<div></div> Heavy Metals			PASSED																																																																																						
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table>			Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1	ARSENIC	0.02	ppm	ND	PASS	0.2	CADMIUM	0.02	ppm	ND	PASS	0.2	MERCURY	0.02	ppm	ND	PASS	0.2	LEAD	0.02	ppm	ND	PASS	0.5	<table><tr><td>Analyzed by: 3721, 2507, 3303, 3192</td><td>Weight: 0.2584g</td><td>Extraction date: 05/11/23 09:09:50</td><td>Extracted by: 3571, 3721</td></tr></table>			Analyzed by: 3721, 2507, 3303, 3192	Weight: 0.2584g	Extraction date: 05/11/23 09:09:50	Extracted by: 3571, 3721																																												
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																				
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1																																																																																				
ARSENIC	0.02	ppm	ND	PASS	0.2																																																																																				
CADMIUM	0.02	ppm	ND	PASS	0.2																																																																																				
MERCURY	0.02	ppm	ND	PASS	0.2																																																																																				
LEAD	0.02	ppm	ND	PASS	0.5																																																																																				
Analyzed by: 3721, 2507, 3303, 3192	Weight: 0.2584g	Extraction date: 05/11/23 09:09:50	Extracted by: 3571, 3721																																																																																						
<p>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : GA059963HEA Instrument Used : GA-ICPMS-002 Analyzed Date : 05/11/23 18:30:42</p> <p>Dilution : 50 Reagent : 042723.R27; 050623.R01; 071522.04; 010421.45; 011523.R02; 110122.R06; 011523.R03; 040723.R30 Consumables : 12532-225CD-225C; GA-194; GA-195; 209598 Pipette : GA-012</p>			<p>Reviewed On : 05/12/23 08:48:09 Batch Date : 05/09/23 18:32:46</p>																																																																																						
<p>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</p>																																																																																									



2444 NE 1st Blvd Suite 700
Gainesville, FL, 32609, US
833-465-8378

Kaycha Labs

London Pound Cake 1g Wax
London Pound Cake
Matrix : Derivative
Type: Wax



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-003

Harvest/Lot ID: HZFCW162-2305-20579

Batch# : LPC-42L-012223

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 747 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 3655, 3575, 3192	Weight: 15.3573g	Extraction date: 05/10/23 11:21:43	Extracted by: 3655
----------------------------------	---------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : GA060013FIL

Instrument Used : GA-Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/10/23 12:44:49

Batch Date : 05/10/23 11:19:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.531	PASS	0.85

Analyzed by: 3655, 3575, 3192	Weight: 0.5463g	Extraction date: 05/10/23 14:44:01	Extracted by: 3655
----------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : GA060019WAT

Instrument Used : GA-085 Rotronic HygroPalm

Analyzed Date : 05/10/23 14:52:33

Reviewed On : 05/10/23 17:30:58

Batch Date : 05/10/23 12:13:33

Dilution : N/A

Reagent : N/A

Consumables : 107264

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Miranda
MacDonald**
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/12/23