



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA30510001-005
Harvest/Lot ID: SOFV102-2305-20605
Batch#: PT06-11-HH-010523
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale#: SOFV102-2305-20605
Batch Date: 05/04/23
Sample Size Received: 15.5 gram
Total Amount: 2270 units
Retail Product Size: 0.5 gram
Ordered: 05/10/23
Sampled: 05/10/23
Completed: 05/12/23
Sampling Method: SOP.T.20.010

May 12, 2023 | Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 2


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

79.311%

Total THC/Container : 396.555 mg



Total CBD

0.201%

Total CBD/Container : 1.005 mg



Total Cannabinoids

83.867%

Total Cannabinoids/Container : 419.335 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	79.311	ND	0.201	ND	ND	2.727	ND	1.138	0.49	ND	ND
mg/unit	396.555	ND	1.005	ND	ND	13.635	ND	5.69	2.45	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2507, 3192

Weight:
0.1096g

Extraction date:
05/10/23 13:02:27

Extracted by:
3655

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : GA059957POT
 Instrument Used : GA-HPLC-001 2030C Plus (Derivative)
 Analyzed Date : 05/10/23 15:36:25

Reviewed On : 05/11/23 08:41:12
 Batch Date : 05/09/23 16:30:26

Dilution : 400
 Reagent : 030323.R43; 010421.44; 030823.07; 041423.R19; 032823.R09
 Consumables : GA-169; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 209598; 212516
 Pipette : GA-003; GA-005; GA-007; GA-177

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-005

Harvest/Lot ID: SOFV102-2305-20605

Batch# : PT06-11-HH-010523

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 15.5 gram

Total Amount : 2270 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 2 of 2

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23