



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA30510001-007
Harvest/Lot ID: SOFS101-2305-20523
Batch#: TP06-8-HH-120722
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale# SOFS101-2305-20523
Batch Date: 05/01/23
Sample Size Received: 16 gram
Total Amount: 729 units
Retail Product Size: 1 gram
Ordered: 05/10/23
Sampled: 05/10/23
Completed: 05/12/23
Sampling Method: SOP.T.20.010

May 12, 2023 | Liberty Health Sciences, FL


18770 N CR 225
Gainesville, FL, 32609, US


PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
81.657%

Total THC/Container : 816.57 mg


Total CBD
0.211%

Total CBD/Container : 2.11 mg


Total Cannabinoids
86.081%

Total Cannabinoids/Container : 860.81 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.657	ND	0.211	ND	ND	2.91	ND	0.758	0.545	ND	ND
mg/unit	816.57	ND	2.11	ND	ND	29.1	ND	7.58	5.45	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2507, 3192

Weight:
0.105g

Extraction date:
05/10/23 13:06:44

Extracted by:
3655

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : GA059957POT

Instrument Used : GA-HPLC-001 2030C Plus (Derivative)

Analyzed Date : 05/10/23 15:36:25

Reviewed On : 05/11/23 08:41:24

Batch Date : 05/09/23 16:30:26

Dilution : 400

Reagent : 030323.R43; 010421.44; 030823.07; 041423.R19; 032823.R09

Consumables : GA-169; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 209598; 212516

Pipette : GA-003; GA-005; GA-007; GA-177

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

 Sample : GA30510001-007
 Harvest/Lot ID: SOFS101-2305-20523

 Batch# : TP06-8-HH-120722 Sample Size Received : 16 gram
 Sampled : 05/10/23 Total Amount : 729 units
 Ordered : 05/10/23 Completed : 05/12/23 Expires: 05/12/24
 Sample Method : SOP.T.20.010

Page 2 of 6

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-007

Harvest/Lot ID: SOFS101-2305-20523

Batch# : TP06-8-HH-120722

Sampled : 05/10/23

Ordered : 05/10/23


Sample Size Received : 16 gram

Total Amount : 729 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	795, 3303, 3192	0.2414g	05/10/23 20:37:33	795		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060028PES			Reviewed On : 05/12/23 08:46:47		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-004 (PES)			Batch Date : 05/10/23 20:33:05		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	2155, 3303, 3192	0.8835g	05/10/23 18:09:52	3575,3655		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : GA060015VOL			Reviewed On : 05/12/23 10:15:21		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : GA-GCMS-006			Batch Date : 05/10/23 12:10:44		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 05/10/23 18:26:43					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 50					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 051123.R18; 032823.R34; 011122.06					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 947.109; 21/05/14; 9291.271; LLS-00-0005; 210419634; 296055173; 55447-U.15143701;					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	944C4 944j; 209598; 212516					
NALED	0.01	ppm	0.25	PASS	ND	Pipette : GA-003; GA-007; GA-177					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/12/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-007

Harvest/Lot ID: SOFS101-2305-20523

Batch# : TP06-8-HH-120722

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 729 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 2155, 3303, 2338, 3192

 Weight:
 0.0261g

 Extraction date:
 05/10/23 16:47:54

 Extracted by:
 2155

Analysis Method : SOP.T.40.041.FL

Analytical Batch : GA060022SOL

Instrument Used : GA-GCMS-001 Headspace Solvent

Analyzed Date : 05/10/23 17:00:56

Reviewed On : 05/12/23 10:19:57

Batch Date : 05/10/23 14:57:44

Dilution : N/A

Reagent : 010421.47

Consumables : R2017.167; 854996

Pipette : GA-253

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-007

Harvest/Lot ID: SOFS101-2305-20523

Batch# : TP06-8-HH-120722

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 729 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 795, 3303, 3192	Weight: 0.2414g	Extraction date: 05/10/23 20:37:33		Extracted by: 795	
Analyzed by: 3721, 3303, 3192	Weight: 0.864g	Extraction date: 05/10/23 14:21:41	Extracted by: 3793			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 05/12/23 15:23:08			Analytical Batch : DA060029MYC			Reviewed On : 05/12/23 08:50:14		
Analytical Batch : GA060007MIC			Batch Date : 05/10/23 11:00:53			Instrument Used : DA-LCMS-004 (MYC)			Batch Date : 05/10/23 20:34:47		
Instrument Used : GA-200 Bacterial / GA-102 Fungal Incubators						Analyzed Date : N/A					
Analyzed Date : 05/11/23 09:46:07						Dilution : 250			Reagent : 050823.R10; 050923.R04; 051023.R18; 051023.R47; 042623.R45; 051023.R16; 040521.11		
Dilution : 10						Consumables : 6697075-02					
Reagent : 092022.51						Pipette : DA-093; DA-094; DA-219					
Consumables : GA-186; 010205; 262202; 013209; 007109; P-21557211R						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : GA-154											

High Purity Inductively Coupled Plasma Mass Spectrometry with Triple Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											
Analized by: 3721, 3303, 3192				Weight: 0.864g		Extraction date: 05/10/23 14:21:41		Extracted by: 3793			
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : GA060008TYM						Reviewed On : 05/12/23 15:23:54					
Instrument Used : GA-102 Fungal Incubator (TYM)						Batch Date : 05/10/23 11:01:05					
Analized Date : 05/11/23 09:39:25											
Dilution : 10											
Reagent : 092022.51											
Consumables : GA-186; 007109; P-21557211R											
Pipette : GA-154											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div><div></div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analized by: 3721, 2507, 3303, 3192		Weight: 0.258g	Extraction date: 05/11/23 14:07:20		Extracted by: 3571,3600,3721	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : GA059963HEA				Reviewed On : 05/12/23 08:48:13		
Instrument Used : GA-ICPMS-002				Batch Date : 05/09/23 18:32:46		
Analized Date : 05/11/23 18:30:42						
Dilution : 50						
Reagent : 042723.R27; 050623.R01; 071522.04; 010421.45; 011523.R02; 110122.R06; 011523.R03; 040723.R30						
Consumables : 12532-225CD-225C; GA-194; GA-195; 209598						
Pipette : GA-012						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analized by: 3721, 2507, 3303, 3192	Weight: 0.258g	Extraction date: 05/11/23 14:07:20	Extracted by: 3571,3600,3721		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : GA059963HEA		Reviewed On : 05/12/23 08:48:13			
Instrument Used : GA-ICPMS-002		Batch Date : 05/09/23 18:32:46			
Analized Date : 05/11/23 18:30:42					
Dilution : 50					
Reagent : 042723.R27; 050623.R01; 071522.04; 010421.45; 011523.R02; 110122.R06; 011523.R03; 040723.R30					
Consumables : 12532-225CD-225C; GA-194; GA-195; 209598					
Pipette : GA-012					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30510001-007

Harvest/Lot ID: SOFS101-2305-20523

Batch# : TP06-8-HH-120722

Sampled : 05/10/23

Ordered : 05/10/23

Sample Size Received : 16 gram

Total Amount : 729 units

Completed : 05/12/23 Expires: 05/12/24

Sample Method : SOP.T.20.010

Page 6 of 6


**Filth/Foreign
Material**
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 3655, 3575, 3192	Weight: 15.1203g	Extraction date: 05/10/23 11:21:20	Extracted by: 3655
----------------------------------	---------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : GA060013FIL

Instrument Used : GA-Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/10/23 12:44:54

Batch Date : 05/10/23 11:19:59

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.514	PASS	0.85

Analyzed by: 3655, 3575, 3192	Weight: 0.7868g	Extraction date: 05/10/23 14:48:27	Extracted by: 3655
----------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : GA060019WAT

Instrument Used : GA-085 Rotronic HygroPalm

Analyzed Date : 05/10/23 14:52:33

Reviewed On : 05/10/23 17:31:13

Batch Date : 05/10/23 12:13:33

Dilution : N/A

Reagent : N/A

Consumables : 107264

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.