



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA30512001-003
Harvest/Lot ID: BP100P-2305-20656
Batch#: PS-128X-061721
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale# BP100P-2305-20656
Batch Date: 05/09/23
Sample Size Received: 1305 gram
Total Amount: 1409 units
Retail Product Size: 145 gram
Ordered: 05/12/23
Sampled: 05/12/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | Liberty Health Sciences,
FL

18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0.064%

Total THC/Container : 92.8 mg



Total CBD

0%

Total CBD/Container : 0 mg



Total Cannabinoids

0.065%

Total Cannabinoids/Container : 94.25 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.064	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND
mg/unit	92.8	ND	ND	ND	ND	1.45	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3655, 3317, 3192, 3303

Weight:
3.0328g

Extraction date:
05/12/23 13:25:43

Extracted by:
3655

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : GA060089POT

Instrument Used : GA-HPLC-001 2030C Plus (Infused)

Analyzed Date : 05/12/23 20:41:27

Reviewed On : 05/16/23 10:37:42

Batch Date : 05/12/23 09:44:27

Dilution : 40

Reagent : 041423.R19; 050423.R30; 062022.14; 010421.44; 041023.04; 071522.04

Consumables : GA-196; GA-169; GA-209; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 209598; 212516

Pipette : GA-003; GA-005; GA-007; GA-177

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

 Sample : GA30512001-003
 Harvest/Lot ID: BP100P-2305-20656

 Batch# : PS-128X-061721 Sample Size Received : 1305 gram
 Sampled : 05/12/23 Total Amount : 1409 units
 Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
 Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analized by: 795, 3303	Weight: 1.0214g	Extraction date: 05/15/23 15:47:46		Extracted by: 795	
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060226PES					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-LCMS-004 (PES)					
ETOFENPROX	0.01	ppm	1.5	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.01	ppm	3	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 051523.R02; 051023.R47; 042623.R45; 051023.R16; 040521.11					
FENOXYCARB	0.01	ppm	2	PASS	ND	Consumables : 6698360-03					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analized by: 2155, 3317, 3303	Weight: 1.042g	Extraction date: 05/12/23 13:13:47		Extracted by: 3575	
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analytical Batch : GA060123VOL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Instrument Used :GA-GCMS-006					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analyzed Date :05/12/23 15:16:14					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Dilution : 50					
MALATHION	0.01	ppm	2	PASS	ND	Reagent : 051123.R18; 032823.R34; 011122.06					
METALAXYL	0.01	ppm	3	PASS	ND	Consumables : 212823; 947.109; 21/05/14; 9291.271; LLS-00-0005; 89012-780; 296055173; 46610-762A; 031C4 - 031 J; 206639					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Pipette : GA-003; GA-005; GA-177; GA-210 Dispenser					
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

 State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 05/16/23



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30512001-003

Harvest/Lot ID: BP100P-2305-20656

Batch# : PS-128X-061721

Sampled : 05/12/23

Ordered : 05/12/23

Sample Size Received : 1305 gram

Total Amount : 1409 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 2155, 3317, 3303

 Weight:
 0.0269g

 Extraction date:
 05/12/23 13:41:32

 Extracted by:
 2155

Analysis Method : SOP.T.40.041.FL

Analytical Batch : GA060105SOL

Instrument Used : GA-GCMS-001 Headspace Solvent

Analyzed Date : 05/12/23 13:42:48

Reviewed On : 05/13/23 16:44:51

Batch Date : 05/12/23 10:35:53

Dilution : N/A

Reagent : 010421.47

Consumables : 27296; 854996

Pipette : GA-253

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

 18770 N CR 225
 Gainesville, FL, 32609, US
 Telephone: (833) 254-4877
 Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30512001-003

Harvest/Lot ID: BP100P-2305-20656

Batch# : PS-128X-061721

Sampled : 05/12/23

Ordered : 05/12/23



Sample Size Received : 1305 gram


Total Amount : 1409 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3793, 3721, 3303 Weight: 1.08g Extraction date: 05/13/23 11:25:48 Extracted by: 3721						Analyzed by: 795, 3303 Weight: 1.0214g Extraction date: 05/15/23 15:47:46 Extracted by: 795					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : GA060101MIC Instrument Used : GA-MIC-001 bioMérieux Gene Up RTPCR Analyzed Date : 05/14/23 12:33:16 Dilution : 10 Reagent : 061721.08; 042723.R29; 110222.10; 112322.05; 090622.R25 Consumables : GA-212; M-0011-95C; 1009451170; SSC020; ASP176; BDG200126; 41064115C4115B; P-21557211R; 8LCJ0511R; 30521042 Pipette : GA-020; GA-021; GA-140						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA060227MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : N/A Dilution : 250 Reagent : 051523.R02; 051023.R47; 042623.R45; 051023.R16; 040521.11 Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-219					
Reviewed On : 05/16/23 12:28:03 Batch Date : 05/12/23 10:30:57						Reviewed On : 05/16/23 16:52:04 Batch Date : 05/15/23 15:29:33					

 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	<0.1	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 3317, 2155, 3303 Weight: 0.2154g Extraction date: 05/13/23 08:45:55 Extracted by: 3317, 3575					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : GA060068HEA Instrument Used : GA-ICPMS-002 Analyzed Date : 05/13/23 14:32:39 Dilution : 50 Reagent : 011523.R02; 050623.R02; 110122.R06; 011523.R04; 042723.R27; 050623.R01; 010421.44; 071522.04 Consumables : 212823; 12543-226CD-226C Pipette : GA-012; GA-194; GA-195					
Reviewed On : 05/13/23 17:00:01 Batch Date : 05/11/23 11:23:53					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



2444 NE 1st Blvd Suite 700
Gainesville, FL, 32609, US
833-465-8378

Kaycha Labs

Chocolate Chip Cookie 10 Pack

N/A

Matrix : Edible

Type: Baked Goods



Certificate of Analysis

PASSED

Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30512001-003

Harvest/Lot ID: BP100P-2305-20656

Batch# : PS-128X-061721

Sampled : 05/12/23

Ordered : 05/12/23

Sample Size Received : 1305 gram

Total Amount : 1409 units

Completed : 05/16/23 Expires: 05/16/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 16

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 3571, 3575, 3303	Weight: 664g	Extraction date: 05/12/23 10:58:14	Extracted by: 3571
-------------------------------	--------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.090

Analytical Batch : GA060107FIL

Instrument Used : GA-Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 05/12/23 12:41:41

Batch Date : 05/12/23 10:39:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.688	PASS	0.85

Analyzed by: 3655, 2338, 3303	Weight: 2.3473g	Extraction date: 05/13/23 14:41:16	Extracted by: 3655
-------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019

Analytical Batch : GA060122WAT

Instrument Used : GA-085 Rotronic HygroPalm

Analyzed Date : 05/13/23 14:56:32

Reviewed On : 05/15/23 10:15:47

Batch Date : 05/12/23 11:30:29

Dilution : N/A

Reagent : N/A

Consumables : 107264

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	10.396	25
TOTAL CBD - HOMOGENEITY (RSD)	0.001	%	PASS	<0.01	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3600, 3317, 2338, 3303	5.588g	05/12/23 14:45:52	3655,3600

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : GA060125HOM

Instrument Used : GA-HPLC-003 HOM

Analyzed Date : 05/12/23 20:29:07

Reviewed On : 05/15/23 10:13:05

Batch Date : 05/12/23 11:33:08

Dilution : 40

Reagent : 030323.R43; 051223.01; 041023.04; 041423.R20; 050423.R31

Consumables : 212823; 947.109; 470228-424; 9291.271; LLS-00-0005; 12543-226CD-226C; RONB32898; 46610-762A; 031C4 - 031 J; 212516

Pipette : GA-010; GA-146; GA-182; GA-169 (Dispenser)

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/16/23