



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA30512001-006
Harvest/Lot ID: PHFV106-2305-20698
Batch#: HC-37H-121922
Cultivation Facility: Gainesville Cultivation
Processing Facility: Gainesville Processing
Source Facility: Gainesville Cultivation
Seed to Sale#: PHFV106-2305-20698
Batch Date: 05/09/23
Sample Size Received: 15.5 gram
Total Amount: 2072 units
Retail Product Size: 0.5 gram
Ordered: 05/12/23
Sampled: 05/12/23
Completed: 05/16/23
Sampling Method: SOP.T.20.010

May 16, 2023 | Liberty Health Sciences,
FL
18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 2

PRODUCT IMAGE	SAFETY RESULTS							MISC.	
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

 **Cannabinoid** **PASSED**

 Total THC 81.037% Total THC/Container : 405.185 mg	 Total CBD 0.213% Total CBD/Container : 1.065 mg	 Total Cannabinoids 85.919% Total Cannabinoids/Container : 429.595 mg
--	--	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	81.037	ND	0.213	ND	ND	3.281	ND	0.905	0.483	ND	ND
mg/unit	405.185	ND	1.065	ND	ND	16.405	ND	4.525	2.415	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3317, 3192, 3303 Weight: 0.1152g Extraction date: 05/12/23 14:06:21 Extracted by: 3571,3655

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : GA060079POT
Instrument Used : GA-HPLC-001 2030C Plus (Derivative) Reviewed On : 05/15/23 14:23:28
Analyzed Date : 05/13/23 16:38:41 Batch Date : 05/11/23 18:22:42

Dilution : 400
Reagent : 030323.R43; 010421.44; 041023.04; 041423.R19; 050423.R30
Consumables : GA-169; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; R0NB32898; 46610-762A; 944C4 944J; 209598; 212516
Pipette : GA-003; GA-005; GA-007; GA-177

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director



State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/16/23



Certificate of Analysis

PASSED


Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US
Telephone: (833) 254-4877
Email: Qualityassurance@libertyhealthsciences.com

Sample : GA30512001-006
Harvest/Lot ID: PHFV106-2305-20698

Batch# : HC-37H-121922 Sample Size Received : 15.5 gram
Sampled : 05/12/23 Total Amount : 2072 units
Ordered : 05/12/23 Completed : 05/16/23 Expires: 05/16/24
Sample Method : SOP.T.20.010

Page 2 of 2



This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
05/16/23