

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

18770 N CR 225

### **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

Blue Raspberry All-in-One Vape .3g Blue Raspberry Matrix: Derivative Type: Distillate



Sample:GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch#: BOSO-36B-121122 **Cultivation Facility: Gainesville Cultivation Processing Facility : Gainesville Processing** Source Facility : Gainesville Cultivation Seed to Sale# SOFD100-2305-20693 Batch Date: 05/09/23 Sample Size Received: 15.3 gram Total Amount: 3184 units Retail Product Size: .3 gram Ordered: 05/15/23 Sampled: 05/15/23 Completed: 05/18/23 Sampling Method: SOP.T.20.010

May 18, 2023 | Liberty Health Sciences, FL



Gainesville, FL, 32609, US PRODUCT IMAGE SAFETY RESULTS MISC. ١g Heavy Metals PASSED Pesticides Microbials Mycotoxins **Residuals Solvents** Filth Water Activity Moisture Terpenes TESTED PASSED PASSED PASSED PASSED PASSED NOT TESTED Liberty GA30515002-003 PASSED D PASSED Cannabinoid

	4	393 IC/Container	<b>%</b> : 253.179 mg	Ē	4	218%		E .	<b>6</b> ntainer : 264.663		
%	<sup>дэ-тнс</sup> 84.393	тнса ND	св <b>р</b> 0.218	CBDA ND	D8-ТНС ND	свд 2.535	CBGA ND	CBN 0.624	тнсv 0.451	CBDV ND	свс ND
mg/unit LOD	253.179 0.001 %	ND 0.001 %	0.654 0.001 %	ND 0.001 %	ND 0.001 %	7.605 0.001 %	ND 0.001 %	1.872 0.001 %	1.353 0.001 %	ND 0.001 %	ND 0.001 %
Analyzed by: Weight: 3192, 2507, 3303 0.1066g										Extracted by: 3571	
Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : GA060217POT Instrument Lised : GA-HPI C-003 2030C PDA (Derivative)								05/17/23 17:05:16	$\langle \rangle$		

PDA (Derivative Analyzed Date : 05/16/23 16:31:32

Dilution: 400

Reagent : 030323.R43; 010421.44; 030823.04; 041423.R20; 050423.R29 Consumables : 927.100; 9291.100; 12532-225CD-225C; GA-169; 21/05/14; LLS-00-0005; R0NB32898; 46610-762A; 944C4 944J; 209598; 206639 Pipette : GA-002; GA-003; GA-004; GA-013

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/18/23



Blue Raspberry All-in-One Vape .3g Blue Raspberry Matrix : Derivative Type: Distillate



PASSED

TESTED

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

# **Certificate of Analysis**

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch# : B050-368-121122 Sampled : 05/15/23 Ordered : 05/15/23 Complet

05-20693 Sample Size Received : 15.3 gram Total Amount : 3184 units Completed : 05/18/23 Expires: 05/18/24 Sample Method : SOP.T.20.010

Page 2 of 6

### **}**

### Terpenes

Terpenes	LOD (%)	mg/unit	t % Result (%)	Terpenes	LOD (%)	mg/uni	t %	Result (%)
TOTAL TERPENES	0.007	11.949	3.983	FARNESENE	0.001	ND	ND	
OTAL TERPINEOL	0.007	ND	ND	ALPHA-HUMULENE	0.007	0.321	0.107	
LPHA-BISABOLOL	0.007	< 0.3	<0.1	VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND	CIS-NEROLIDOL	0.007	ND	ND	
AMPHENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	< 0.3	< 0.1	
ABINENE	0.007	ND	ND	CARYOPHYLLENE OXIDE	0.007	< 0.3	< 0.1	
BETA-PINENE	0.007	ND	ND	GUAIOL	0.007	ND	ND	
ETA-MYRCENE	0.007	ND	ND	CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND	Analyzed by:	Weight:	Ext	action date:	Extracted by:
B-CARENE	0.007	ND	ND	3317, 2155, 3303, 3192	0.9963g	05/	15/23 15:04:02	2 3571
LPHA-TERPINENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL			
IMONENE	0.007	11.037	3.679	Analytical Batch : GA060220TER Instrument Used : GA-GCMS-005 QP202	ONLY (Desturblue)			viewed On : 05/17/23 17:02:28 tch Date : 05/15/23 13:09:10
UCALYPTOL	0.007	ND	ND	Analyzed Date : 05/15/23 17:29:42	conx (Derivative)		ват	tch Date : 05/15/23 13:09:10
	0.007	ND	ND	Dilution : 50				
CIMENE	0.007							
	0.007	ND	ND	Reagent : 021123.R06; 032223.04; 010				
AMMA-TERPINENE				Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0	05/14; LLS-00-0005; 2104	19634; RONI	32898; 00000	00146137; 6211125; 944C4 944J; 209598; 2
AMMA-TERPINENE ABINENE HYDRATE	0.007	ND	ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE	0.007	ND ND	ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			00146137; 6211125; 944C4 944J; 209598; 2 is, the Total Terpenes % is dry-weight corrected.
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE	0.007 0.007 0.007	ND ND ND	ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL	0.007 0.007 0.007 0.007	ND ND ND ND	ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL	0.007 0.007 0.007 0.007 0.007	ND ND ND <0.3	ND ND ND <0.1	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
SAMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL	0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.3 ND	ND ND <0.1 ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
SAMMA-TERPINENE ABIINEN HYDRATE ERPINOLENE ENCHONE INALOOL ENCHYL ALCOHOL SOPULEGOL AMPHOR	0.007 0.007 0.007 0.007 0.007 0.007 0.007	ND ND ND <0.3 ND ND	ND ND ND <0.1 ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			00146137; 6211125; 944C4 944); 209598; 20
SAMMA-TERPINENE ADINENE HYDRATE ERCHONENE ENCHONE ENCHONE SOPULEGOL SOPULEGOL ZAMPHOR SOBONEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013	ND ND ND <0.3 ND ND ND	ND ND ND <0.1 ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
CIMENE AAMMA-TERPINENE AAMMA-TERPINENE EREPINOLENE ENCHVA LACOHOL SOPULEGOL AMPHOR SOBORNEOL JORNEOL DORNEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007	ND ND ND <0.3 ND ND ND ND	ND ND ND <0.1 ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
SAMMA-TERPINENE ABIINENE HYDRATE ERCHONEE ENCHONE ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL JORNEOL JORNEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.013	ND ND ND <0.3 ND ND ND ND ND ND	ND ND <0.1 ND ND ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
SAMMA-TERPINENE ABINNEN HYDRATE ERCHONE ENCHONE ENCHONE SOPULEGOL SAMPHOR SOBORNEOL DIORNEOL LEXAHYDROTHYMOL EROL	0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007	ND ND ND ND <0.3 ND ND ND ND ND ND	ND ND ND <<0.1 ND ND ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE ENCHONE SOPULEGOL AMPHOR SOBORNEOL ORNEOL EXAHYDROTHYMOL EEADL ENDL ULEGONE	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.013 0.007	ND ND ND ND ND ND ND ND ND ND ND	ND ND ND <0.1 ND ND ND ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
AMMA-TERPINENE ABINENE HYDRATE ERPINOLENE ENCHONE INALOOL SOPULEGOL AMPHOR SOBORNEOL ORNEOL EROL ULEGONE EROL ULEGONE EANNING	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.007 0.013 0.007 0.007	ND ND ND ND ND ND ND ND ND ND ND ND ND	ND ND <0.1 ND ND ND ND ND ND ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			
SAMMA-TERPINENE ADINENE HYDRATE ERCHONE ENCHONE ENCHOL ENCHYL ALCOHOL SOPULEGOL AMPHOR SOBORNEOL IORNEOL	0.007 0.007 0.007 0.007 0.007 0.007 0.013 0.013 0.013 0.013 0.037 0.007	ND ND ND ND ND ND ND ND ND ND ND ND ND N	ND ND ND <<0.1 ND ND ND ND ND ND ND ND ND	Reagent : 021123.R06; 032223.04; 010 Consumables : 927.100; 9291.100; 21/0 Pipette : GA-002; GA-003; GA-004; GA-	05/14; LLS-00-0005; 2104 013			

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/18/23



Blue Raspberry All-in-One Vape .3g Blue Raspberry Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 3 of 6

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

# **Certificate of Analysis**

Liberty Health Sciences, FL

R;

0

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Oualitvassurance@libertvhealthsciences.com Sample : GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch# : BOSO-36B-121122 Sampled : 05/15/23 Ordered : 05/15/23

Sample Size Received : 15.3 gram Total Amount : 3184 units Completed : 05/18/23 Expires: 05/18/24 Sample Method : SOP.T.20.010

### Pesticides

Pesticide LO		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL		0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET		0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND			0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PRALLETHRIN					PASS	
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE		0.01	ppm	0.1		ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		0.01	ppm	0.1	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN		0.01	ppm	0.2	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN		0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE		0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID		0.01	ppm	0.1	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND			0.01	ppm	0.5	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM						
CARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.01	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *		0.01	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *		0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *		0.07	PPM	0.7	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *		0.01	PPM	0.1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.01	PPM	0.1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.05	PPM	0.5	PASS	ND
DIAZINON	0.01	ppm	0.1	PASS	ND			0.05	PPM	0.5	PASS	ND
DICHLORVOS	0.01	ppm	0.1	PASS	ND		1			0.5		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 795, 3303, 3192 0.2469q			ction date: /23 15:38:44	4	Extracte 795	d by:
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.10						Cainogy
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	JI.I L (Gainesvin	2), 30F.	1.30.102.1 L	(Davie), SOF	.1.40.101.1L (	Jairiesv
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060277P	ES		Reviewed	<b>On :</b> 05/17/2	3 16:23:05	
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0	03 (PES)		Batch Dat	e:05/16/23	21:41:20	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250						
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 051523.R02; 05102	3.R47; 042623.R	45; 051	723.R01; 04	0521.11		
FLONICAMID	0.01	maa	0.1	PASS	ND	Consumables : 6698360-03 Pipette : DA-093; DA-094; DA-	210					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is		na Liauli	d Chromatag	ranhy Triple (	Quadrupala Ma	
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with	F.S. Rule 64ER2	0-39.	a chroniatog	raphy mpie-	Quadrupole Ma	55
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight		Extraction	date:	Extract	ed by:
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	3317, 2155, 2507, 3192	0.92320		05/15/23 16		3571	cu sy.
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.15	51.FL (Gainesville	e), SOP.	r.30.151A.F	L (Davie), SO	P.T.40.151.FL	
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : GA060221V				1:05/17/23 1		
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : GA-GCMS-006		В	atch Date :	05/15/23 13:	:09:48	
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :05/16/23 09:17:08						
METHIOCARD	0.01	ppm	0.1	PASS	ND	Dilution : 50	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent: 051123.R18; 04062 Consumables: 927.100; 9291			1 5 00 0005	. 00012 700.	206055172	5117
MEVINPHOS MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	U.15143701; 944C4 944]; 2095		20304; L	L3-00-0005	, 09012-780;	2900331/3; :	)3447-
				PASS	ND	Pipette : GA-002; GA-004; GA-						
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is in accordance with F.S. Rule 64E	performed utilizi	ng Gas (	Chromatogra	phy Triple-Qu	adrupole Mass	Spe

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

05/18/23



. . . . . . . . . . . . Blue Raspberry All-in-One Vape .3g Blue Raspberry Matrix : Derivative Type: Distillate



PASSED

PASSED

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

# **Certificate of Analysis**

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Oualitvassurance@libertvhealthsciences.com Sample : GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch# : BOSO-36B-121122 Sampled : 05/15/23 Ordered : 05/15/23

Sample Size Received : 15.3 gram Total Amount : 3184 units Completed : 05/18/23 Expires: 05/18/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result			
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND			
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND			
2-PROPANOL	50	ppm	500	PASS	ND			
ACETONE	75	ppm	750	PASS	ND			
ACETONITRILE	6	ppm	60	PASS	ND			
BENZENE	0.1	ppm	1	PASS	ND			
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND			
CHLOROFORM	0.2	ppm	2	PASS	ND			
DICHLOROMETHANE	12.5	ppm	125	PASS	ND			
ETHANOL	500	ppm	5000	PASS	<2500			
ETHYL ACETATE	40	ppm	400	PASS	ND			
ETHYL ETHER	50	ppm	500	PASS	ND			
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND			
HEPTANE	500	ppm	5000	PASS	ND			
METHANOL	25	ppm	250	PASS	ND			
N-HEXANE	25	ppm	250	PASS	ND			
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND			
PROPANE	500	ppm	5000	PASS	ND			
TOLUENE	15	ppm	150	PASS	ND			
TOTAL XYLENES	15	ppm	150	PASS	ND			
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND			
Analyzed by: 2155, 3303, 3192	Weight: 0.0213g	Extraction date: 05/16/23 10:25:55	Extracted by: 3317,2155					
Analysis Method : SOP.T.40.041.FL Analytical Batch : GA060216SOL Instrument Used : GA-GCMS-001 Headspace So Analyzed Date : 05/16/23 10:33:45	lvent		Reviewed On : 05/17/23 16:56:19 Batch Date : 05/15/23 12:51:52					
Dilution : N/A teagent : 010421.47 Consumables : R2017.167; G201.167 ipette : GA-253			XX	Ŵ				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

05/18/23



Blue Raspberry All-in-One Vape .3g **Blue Raspberry** Matrix : Derivative Type: Distillate



PASSED

2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

# **Certificate of Analysis**

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US **Telephone:** (833) 254-4877 Email: Qualityassurance@libertyhealthsciences.com Sample : GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch# : BOSO-36B-121122 Sampled : 05/15/23 Ordered : 05/15/23

Sample Size Received : 15.3 gram Total Amount : 3184 units Completed : 05/18/23 Expires: 05/18/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microb	bial			PAS	SED	သို့	Му	cotoxi	ns			PAS	SEC
Analyte		LOD	Units	Result	Pass /	Action	Analyte		×.	LOD	Units	Result	Pass /	Action
					Fail	Level				0.000		ND	Fail	Level
COLI SHIGE				Not Present	PASS		AFLATOXIN B2			0.002	ppm	ND	PASS	0.02
	SPECIFIC GENE	- / `		Not Present	PASS		AFLATOXIN B1			0.002	ppm	ND	PASS	0.02
SPERGILLU	5 FLAVUS 5 FUMIGATUS			Not Present	PASS		OCHRATOXIN A			0.002	ppm	ND ND	PASS	0.02
SPERGILLU				Not Present Not Present	PASS		AFLATOXIN GI			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN G2		10	0.002	ppm	ND	PASS	0.02
	AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 795, 3303, 3192		Weight: 0.2469a	Extraction d 05/17/23 15			Extracte 795	d by:
nalyzed by:		Weight:	Extractio	n date:	Extract	ed by:	Analysis Method	: SOP.T.3				_ (Gainesv		~
nalytical Batc	d:SOP.T.40.0560 h:GA060212MIC d:GA-200 Bacter						SOP.T.30.102.FL Analytical Batch Instrument Used Analyzed Date : N	DA0602	8MYC	Rev		:05/17/23 )5/16/23 2		3
ncubators	: 05/15/23 16:58:4	40					Dilution: 250 Reagent: 05152	3 R02 · 05	1023 B47· 042	2623 B45: 051	723 R01· (	040521 11		
Dilution : 10					//		Consumables : 60 Pipette : DA-093	598360-0	3		20111027			
Reagent : 0920 Consumables : Pipette : GA-15	GA-186; 010205;	013209; 007	109; P-2155	57211R			Mycotoxins testing accordance with F	g utilizing L	iquid Chromatog	graphy with Triple	e-Quadrupo	le Mass Spe	ectrometry	in
Analyzed by: 793, 3721, 33	03. 3192	Weight: 1.1185g	Extraction 05/15/23		Extract	ed by:	dP			XX	$\overline{\mathbf{X}}$	$\langle \chi \rangle$	N	
Analytical Batc nstrument Use	d:SOP.T.40.208 h:GA060213TYM d:GA-102 Funga :05/15/23 16:58:4	(Gainesville), I Incubator (T		09.FL Reviewed On : 05/ Batch Date : 05/1			Metal	неа	νγ Με		Units	Result		Actio
ilution: 10		-			1	1	TOTAL CONTA			<b>s</b> 0.08	ppm	ND	Fail PASS	1.1
eagent : 0920	22.51						ARSENIC	TIMANT	OAD METAL	0.00	ppm	ND	PASS	0.2
	GA-186; 007109;	P-21557211F	k l				CADMIUM			0.02		ND	PASS	0.2
ipette : GA-15	4						MERCURY			0.02	ppm ppm	ND	PASS	0.2
	nold testing is perfo F.S. Rule 64ER20-39		MPN and trad	itional culture base	d technique	s in	LEAD			0.02	ppm	ND	PASS	0.2
							Analyzed by: 2507, 3303, 3192		Weight: 0.2646g	Extraction da 05/16/23 09			<b>xtracted</b> 3571,3317	
							Analysis Method Analytical Batch Instrument Used Analyzed Date : (	: GA06022 : GA-ICPN	23HEA IS-002	Review		/17/23 16 5/23 13:1		X
							Dilution : 50 Reagent : 04272 110122.R06; 011 Consumables : G Pipette : GA-012	.523.R04 A-194; GA				.523.R02;	050623.R	.02;
							Heavy Metals anal with F.S. Rule 64E		ormed using Ind	uctively Coupled	Plasma Ma	ass Spectron	metry in ac	cordance

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 05/18/23



Blue Raspberry All-in-One Vape .3g **Blue Raspberry** Matrix : Derivative Type: Distillate



2444 NE 1st Blvd Suite 700 Gainesville, FL, 32609, US 833-465-8378

# **Certificate of Analysis**

Liberty Health Sciences, FL

18770 N CR 225 Gainesville, FL, 32609, US Telephone: (833) 254-4877 Email: Oualitvassurance@libertvhealthsciences.com Sample : GA30515002-003 Harvest/Lot ID: SOFD100-2305-20693 Batch# : BOSO-36B-121122 Sampled : 05/15/23 Ordered : 05/15/23

Sample Size Received : 15.3 gram Total Amount : 3184 units Completed : 05/18/23 Expires: 05/18/24 Sample Method : SOP.T.20.010



3192, 3571 9.07g 05/15/23 12:07:31 3192 Analysis Method : SOP.T.40.090 Analytical Batch : GA060214FIL Instrument Used : GA-Filth/Foreign Material Microscope Reviewed On: 05/15/23 19:34:26 Batch Date : 05/15/23 12:06:54 Analyzed Date : N/A

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Reagent : N/A Consumables : 107264 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Miranda MacDonald Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 05/18/23

PASSED

Page 6 of 6