



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: GA91219001-006

Batch#: 34919

Sample Size Received: 400 mg

Total Amount: 400 mg

Retail Product Size: 400 mg

Ordered: 12/17/19

Sampled: 12/17/19

Completed: 12/30/19

Sampling Method: SOP.T.20.010.FL

**PASSED**

Dec 30, 2019 | PNP Marketing Inc d.b.a

Plants Not Pills CBD


 514 N Franklin St #205, Tampa, FL 33602  
 Tampa, Florida, 33602, USA


Pages 1 of 1

**PRODUCT IMAGE**


Bottle

**SAFETY RESULTS**

 Pesticides  
NOT TESTED

 Heavy Metals  
NOT TESTED

 Microbials  
NOT TESTED

 Mycotoxins  
NOT TESTED

 Residuals Solvents  
NOT TESTED

 Filtration  
NOT TESTED

 Water Activity  
NOT TESTED

 Moisture  
NOT TESTED

 Terpenes  
NOT TESTED

**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**0%**

/Capsule : 0 mg


**Total CBD**
**0%**

CBD/Capsule : 9.31 mg


**Total Cannabinoids**
**0%**

Total Cannabinoids / Container : 0

% mg/g	TOTAL CAN NABINOIDS	TOTAL CBD	TOTAL THC	CBC	CBGA	CBG	THCV	D8-THC	CBDV	CBN	CBDA	CBD	THCA	D9-THC
0	0	0	0	0	0	0	0	0	0.003	0	0	1.862	0	0
LOD		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		0.001	
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
NA

 Weight:  
NA

 Extraction date:  
N/A

 Extracted by:  
N/A

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : N/A

Batch Date : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Miranda MacDonald**  
 Lab Director

 State License # CMTL-0001  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164

  
 Signature  
 12/30/19